## Superconductivity

Charles P. Poole, Jr. Horacio A. Farach Richard J. Creswick

Department of Physics and Astronomy University of South Carolina Columbia, South Carolina

BEST AVAILABLE COPY



**Academic Press** 

This book is printed on acid-free paper. ⊚

#### Copyright © 1995 by ACADEMIC PRESS

All Rights Reserved.

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the publisher.

Academic Press A Division of Harcourt Brace & Company 525 B Street, Suite 1900, San Diego, California 92101-4495

United Kingdom Edition published by Academic Press Limited 24-28 Oval Road, London NW1 7DX

Library of Congress Cataloging-in-Publication Data

Poole, Charles P.

Superconductivity / by Charles P. Poole, Jr., Horacio A. Farach,

Richard J. Creswick.

cm.

Includes index.

ISBN 0-12-561455-1. -- ISBN 0-12-561456-X (pbk.)

1. superconductivity. I. Farach, Horacio A. II. Creswick,

Richard J. III. Title.

OC611.92.P66

537.6'23--dc20

94-31853

CIP.

PRINTED IN THE UNITED STATES OF AMERICA 97 98 99 00 01 02 QW 9 8 7

# Perovskite and Cuprate Crystallographic Structures

#### I. INTRODUCTION

Chapter 3 shows that the majority of single-element crystals have highly symmetrical structures, generally fcc or bcc, in which their physical properties are the same along the three crystallographic directions x, y, and z. The NaCl-type and A15 compounds are also cubic. Some compounds do have lower symmetries, showing that superconductivity is compatible with many different types of crystallographic structure, but higher symmetries are certainly more common. In this chapter we will describe the structures of the high-temperature superconductors, almost all of which are tetragonal or orthorhombic.

In Chapter 3, we also gave some examples of the role played by structure in determining the properties of superconductors. The highest transition tempera-

tures in alloys of transition metals are at the boundaries of instability between the bcc and hcp forms. The NaCl-type compounds have ordered vacancies on one or another lattice site. The magnetic and superconducting properties of the Chevrel phases depend on whether the large magnetic cations (i.e., positive ions) occupy eightfold sites surrounded by chalcogenide ions or whether the small magnetic ions occupy octahedral sites surrounded by Mo ions.

The structures described here are held together by electrons that form ionic or covalent bonds between the atoms. No account is taken of the conduction electrons, which are delocalized over the copper oxide planes and form Cooper pairs responsible for the superconducting properties below  $T_{\rm c}$ . The following chapter will be devoted to explaining the role of these

conduction electrons within the frameworks of the Hubbard model and band theory. Whereas the present chapter describes atom positions in coordinate space, the following chapter relies on a reciprocal lattice elucidation of these same materials.

We begin with a description of perovskite and explain some reasons that perovskite undergoes various types of distortions. This prototype exhibits a number of characteristics that are common to the high-temperature superconducting cuprates (see Section V). We will emphasize the structural commonalities of these materials and make frequent comparisons between them. Our earlier work (Poole et al., 1988) and the comprehensive review by Yvon and François (1989) may be consulted for more structural detail on the atom positions, interatomic spacings, site and thallium high temperature superconductors (Medvedeva et al., 1993).

We assume that all samples are well made and safely stored. Humidity can affect composition, and Garland (1988) found that storage of  $YBa_2Cu_3O_{7-\delta}$  in 98% humidity exponentially decreased the diamagnetic susceptibility with a time constant of 22 days.

#### **II. PEROVSKITES**

Much has been written about the high-temperature superconductors being perovskite types, so we will begin by describing the structure of perovskites. The prototype compound barium titanate, BaTiO<sub>3</sub>, exists in three crystallographic forms with the following lattice constants and unit cell volumes (Wyckoff, 1964):

cubic: 
$$a = b = c = 4.0118 \text{ Å}$$
  $V = 64.57 \text{ Å}^3$  tetragonal:  $a = b = 3.9947, c = 4.0336$   $V = 64.37 \text{ Å}^3$   $V = 64.37 \text{ Å}^3$  (7.1) orthorhombic:  $a = 4.009\sqrt{2} \text{ Å}, b = 4.018\sqrt{2} \text{ Å}, c = 3.990 \text{ Å}$   $V = 2(64.26) \text{ Å}^3$ 

symmetries, etc., of these compounds. There have been reports of superconductivity in certain other cuprate structures (e.g., Murphy *et al.*, 1987), but these will not be reported on in this chapter.

There is a related series of layered compounds  $\text{Bi}_2\text{O}_2(M_{m-1}R_m\text{O}_{3m+1})$  called Aurivillius (1950, 1951, 1952) phases, with the 12-coordinated M=Ca, Sr, Ba, Bi, Pb, Cd, La, Sm, Sc, etc., and the 6-coordinated transition metal R=Nb, Ti, Ta, W, Fe, etc. The m=1 compound  $\text{Bi}_2\text{NbO}_6$  belongs to the same tetragonal space group 14/mmm,  $D_{4h}^{17}$  as the lanthanum, bismuth,

For all three cases the crystallographic axes are mutually perpendicular. We will comment on each case in turn.

#### A. Cubic Form

Above 201°C barium titanate is cubic and the unit cell contains one formula unit  $BaTiO_3$  with a titanium atom on each apex, a barium atom in the body center, and an oxygen atom on the center of each edge of the cube, as illustrated in Fig. 7.1. This corresponds to the barium atom, titanium atom, and three oxygen atoms being placed in positions with the following x, y, and z coordinates:

E site: Ti	(0,0,0)	Ti on apex	
F site: O	$(0,0,\frac{1}{2});(0,\frac{1}{2},0);(\frac{1}{2},0,0)$	three oxygens	(7.2)
		centered on edges	(7.2)
C site: Ba	$(\frac{1}{2}, \frac{1}{2}, \frac{1}{2})$	Ba in center.	

14-5




Figure 7.1 Barium titanate (BaTiO<sub>3</sub>) perovskite cubic unit cell showing titanium (small black circles) at the vertices and oxygen (large white circles) at the edge-centered positions. Ba, not shown, is at the body center position (Poole et al., 1988, p. 73).

The barium in the center has 12 nearest-neighbor oxygens, so we say that it is 12-fold coordinated, while the titanium on each apex has 6-fold (octahedral) coordination with the oxygens, as may be seen from the figure. (The notation E for edge, F for face, and C for center is adopted for reasons that will become clear in the discussion which follows.) Throughout this chapter we will assume that the z-axis is oriented vertically, so that the x and y axes lie in the horizontal plane.

Ordinarily, solid-state physics texts place the origin (0,0,0) of the perovskite unit cell at the barium site, with titanium in the center and the oxygens at the centers of the cube faces. Our choice of origin facilitates comparison with the structures of the oxide superconductors.

This structure is best understood in terms of the sizes of the atoms involved. The ionic radii of  $O^{2-}$  (1.32 Å) and  $Ba^{2+}$  (1.34 Å) are almost the same, as indicated in Table 7.1, and together they form a perfect fcc lattice with the smaller  $Ti^{4+}$  ions (0.68 Å) located in octahedral holes surrounded entirely by oxygens. The octahedral holes of a close-packed oxygen lattice have a radius of 0.545 Å; if these holes were empty the lattice constant would be a = 3.73 Å, as noted in Fig. 7.2a. Each

titanium pushes the surrounding oxygens outward, as shown in Fig. 7.2b, thereby increasing the lattice constant. When the titanium is replaced by a larger atom, the lattice constant expands further, as indicated by the data in the last column of Table 7.2. When Ba is replaced by the smaller Ca (0.99 Å) and Sr (1.12 Å) ions, by contrast, there is a corresponding decrease in the lattice constant, as indicated by the data in columns 3 and 4, respectively, of Table 7.2. All three alkaline earths, Ca, Sr, and Ba, appear prominently in the structures of 3 high-temperature superconductors.


#### **B. Tetragonal Form**

At room temperature barium titanate is tetragonal and the deviation from cubic,  $(c-a)/\frac{1}{2}(c+a)$ , is about 1%. All of the atoms have the same x, y coordinates as in the cubic case, but are shifted along the z-axis relative to each other by  $\approx 0.1$  Å, producing the puckered arrangement shown in Fig. 7.3. The distortions from the ideal structure are exaggerated in this sketch. The puckering bends the Ti-O-Ti group so that the Ti-O distance increases while the Ti-Ti distance remains almost

Table 7.1 Ionic Radii for Selected Elements<sup>a</sup>

2.0				
Small Small Medium	Cu <sup>2+</sup> Cu <sup>+</sup>	0.72 Å 0.96 Å	Bi <sup>5+</sup> Y <sup>3+</sup>	0.74 Å 0.94 Å
Mediuii	Bi <sup>3+</sup> Ca <sup>2+</sup> Nd <sup>3+</sup>	0.96 Å 0.99 Å 0.995 Å	Tl <sup>3+</sup> Bi <sup>3+</sup>	0.95 Å 0.96 Å
Medium- Large	Hg <sup>2+</sup> Sr <sup>2+</sup>	1.10 Å 1.12 Å	La <sup>3+</sup>	1.14 Å
Large .	Pb <sup>2+</sup> K <sup>+</sup> Ba <sup>2+</sup>	1.20 Å 1.33 Å 1.34 Å	Ag <sup>+</sup> O <sup>2-</sup> F <sup>-</sup>	1.26 Å 1.32 Å 1.33 Å

<sup>&</sup>lt;sup>a</sup> See Table VI-2 of Poole *et al.* (1988) for a more extensive list.






Figure 7.2 Cross section of the perovskite unit cell in the z=0 plane showing (a) the size of the octahedral hole (shaded) between oxygens (large circles), and (b) oxygens pushed apart by the transition ions (small circles) in the hole sites. For each case the lattice constant is indicated on the right and the oxygen and hole sizes on the left (Poole et al., 1988, p. 77).




Figure 7.3 Perovskite tetragonal unit cell showing puckering of Ti-O layers that are perfectly flat in the cubic cell of Fig. 7.1. The notation of Fig. 7.1 is used (Poole *et al.*, 1988, p. 75).

the same. This has the effect of providing more room for the titanium atoms to fit in their lattice sites. We will see later that a similar puckering distortion occurs in the high-temperature superconductors as a way of providing space for the Cu atoms in the planes.

#### C. Orthorhombic Form

There are two principal ways in which a tetragonal structure distorts to form an orthorhombic phase. The first, shown at

> Fi; toi un

Table 7.2 Dependence of Lattice Constants a of Selected Perovskites  $AMO_3$  on Alkaline Earth A and Ionic Radius of Transition Metal Ion  $M^{+4}$ ; the Alkaline Earth Ionic Radii are 0.99 Å (Ca), 1.12 Å (Sr), and 1.34 Å (Ba)<sup>a</sup>

		Lattice constant $a$ , $\mathring{A}$									
Transitional metal	Transitional metal radius, Å	Ca	Sr	Ba							
Ti	0.68	3.84	3.91	4.01							
Fe			3.87	4.01							
Mo	0.70		3.98	4.04							
Sn	0.71	3.92	4.03	4.12							
Zr	0.79	4.02	4.10	4.19							
Pb	0.84			4.27							
ro Ce	0.94	3.85	4.27	4.40							
Th	1.02	4.37	4.42	4.80							

<sup>&</sup>lt;sup>a</sup> Data from Wyckoff (1964, pp. 391ff).

i in.

the top of Fig. 7.4, is for the b-axis to stretch relative to the a-axis, resulting in the formation of a rectangle. The second, shown at the bottom of the figure, is for one diagonal of the ab square to stretch and the other diagonal to compress, resulting in the formation of a rhombus. The two diagonals are perpendicular, rotated by 45° relative to the original axes, and become the a', b' dimensions of the new orthorhombic unit cell, as shown in Fig. 7.5. These a', b' lattice constants are  $\approx \sqrt{2}$ times longer than the original constants, so that the volume of the unit cell roughly doubles; thus, it contains exactly twice as many atoms. (The same  $\sqrt{2}$  factor appears in Eq. 7.1 in our discussion of the lattice constants for the orthorhombic form of barium titanate.)

When barium titanate is cooled below 5°C it undergoes a diagonal- or rhombal-type distortion. The atoms have the same z coordinates  $(z = 0 \text{ or } \frac{1}{2})$  as in the cubic phase, so the distortion occurs entirely in the x, y-plane, with no puckering of the atoms. The deviation from tetragonality, as





Figure 7.4 Rectangular- (top) and rhombal- (bottom) type distortions of a two-dimensional square unit cell of width a (Poole et al., 1989).



**Figure 7.5** Rhombal expansion of monomolecular tetragonal unit cell (small squares, lower right) to bimolecular orthorhombic unit cell (large squares) with new axes 45° relative to the old axes. The atom positions are shown for the z = 0 and  $z = \frac{1}{2}$  layers (Poole *et al.*, 1988, p. 76).

given by the percentage of anisotropy,

% ANIS = 
$$\frac{100|b-a|}{\frac{1}{2}(b+a)} = 0.22\%$$
, (7.3)

is less than that of most orthorhombic copper oxide superconductors. We see from Fig. 7.5 that in the cubic phase the oxygen atoms in the z=0 plane are separated by 0.19 Å. The rhombal distortion increases this O-O separation in one direction and decreases it in the other, in the manner indicated in Fig. 7.6a, to produce the Ti nearest-neighbor configuration shown in Fig. 7.6b. This arrangement helps to fit the titanium into its lattice site.

The transformation from tetragonal to orthorhombic is generally of the rhombal type for  $(La_{1-x}Sr_x)_2CuO_4$  and of the rectilinear type for  $YBa_2Cu_3O_{7-\delta}$ .




Figure 7.6 Shift of the oxygens in the a, b-plane around the titanium atom of perovskite from the room-temperature tetragonal (and cubic) configuration (a) to the rhombal configuration (b) of its low-temperature orthorhombic structure.

#### D. Planar Representation

Another way of picturing the structure of perovskite is to think of the atoms as forming horizontal planes. If we adopt the notation [E F C] to designate the occupation of the E, F, and C sites, the sketches of perovskite presented in Figs. 7.1 and 7.3 follow the scheme

$$z = 1$$
 [TiO<sub>2</sub>-] Ti at E, O at two F sites

$$z = \frac{1}{2}$$
 [O-Ba] O at E, Ba at C

$$z = 0$$
 [TiO<sub>2</sub>-] Ti at E, O at two F sites.

(7.4)

The planes at the heights z = 0,  $\frac{1}{2}$ , and 1 can be labeled using this notation. The

usefulness of this labeling scheme will be clarified in Section V.

This completes our treatment of the structure of perovskite. We encountered many features that we will meet again in the analogous superconductor cases, and established notation that will be useful in describing the structure of the cuprates. However, before proceeding we present details about a cubic and a close-to-cubic perovskite superconductor in the following two sections.

## III. CUBIC BARIUM POTASSIUM BISMUTH OXIDE

The compound

$$Ba_{1-x}K_xBiO_{3-y}$$

which forms for x > 0.25, crystallizes in the cubic pervoskite structure with a = 4.29 Å(Cava et al., 1988; Jin et al., 1992; Mattheiss et al., 1988). K+ ions replace some of the Ba2+ ions in the C site, and Bi ions occupy the E sites of Eq. (7.2) (Hinks et al., 1988b; Kwei et al., 1989; Pei et al., 1990; Salem-Sugui et al., 1991; Schneemeyer et al., 1988). Some oxygen sites are vacant, as indicated by y. Hinks et al. (1989) and Pei et al. (1990) determined the structural phase diagram (cf. Kuentzler et al., 1991; Zubkus et al., 1991). We should note from Table 7.1 that the potassium (1.33 Å) and barium (1.32 Å) ions are almost the same size, and that Bi5+ (0.74 Å) is close to Ti<sup>4+</sup> (0.68 Å). Bismuth represents a mixture of the valence states Bi3+ and Bi5+ which share the Ti4+ site in a proportion that depends on x and y. The larger size (0.96 Å) of the Bi3+ ion causes the lattice constant a to expand 7% beyond its cubic BaTiO<sub>3</sub> value. Oxygen vacancies help to compensate for the larger size of Bi3+.

It is noteworthy that  $Ba_{1-x}K_xBiO_{3-y}$  becomes superconducting at a temperature ( $\approx 40$  K for  $x \approx 0.4$ ) that is higher than the  $T_c$  of all of the A15 compounds. This compound, which has no copper, has

12 17

1 %

been widely studied in the quest for clues that would elucidate the mechanism of high-temperature superconductivity. Features of  $Ba_{1-x}K_xBiO_{3-y}$ , such as the fact that it contains a variable valence state ion and utilizes oxygen vacancies to achieve charge compensation, reappear in the high-temperature superconducting compounds.

#### IV. BARIUM LEAD BISMUTH OXIDE

In 1983 Mattheiss and Hamann referred to the 1975 "discovery by Sleight et al. of high-temperature superconductivity" in the compound  $BaPb_{1-x}Bi_xO_3$  in the composition range  $0.05 \le x \le 0.3$  with  $T_c$  up to 13 K. Many consider this system, which disproportionates  $2Bi^{4+} \rightarrow Bi^{3+} + Bi^{5+}$  in going from the metallic to the semiconducting state, as a predecessor to the LaSrCuO system.

The metallic compound BaPbO<sub>3</sub> is a cubic perovskite with the relatively large lattice constant (Wyckoff, 1964; cf. Nitta et al., 1965; Shannon and Bierstedt, 1970) listed in Table 7.3. At room temperature semiconducting BaBiO<sub>3</sub> is monoclinic  $(a \approx b \approx c/\sqrt{2}, \beta = 90.17^{\circ})$ , but close to orthorhombic (Chaillout et al., 1985; Cox and Sleight, 1976, 1979; cf. Federici et al., 1990; Jeon et al., 1990; Shen et al., 1989). These two compounds form a solid solution series BaPb<sub>1-r</sub>Bi<sub>r</sub>O<sub>3</sub> involving cubic, tetragonal, orthorhombic, and monoclinic modifications. Superconductivity appears in the tetragonal phase, and the metal-toinsulator transition occurs at the tetragonal-to-orthorhombic phase boundary  $x \approx$ 0.35 (Gilbert et al., 1978; Koyama and Ishimaru, 1992; Mattheiss, 1990; Mattheiss and Hamann, 1983; Sleight, 1987; cf. Bansil et al., 1991; Ekino and Akimitsu, 1989a, b; Papaconstantopoulous et al., 1989).

The compound resembles

 $Ba_{1-x}K_xBiO_{3-y}$ 

with its variable Bi valence states, but it differs in not exhibiting superconductivity in the cubic phase.

## V. PEROVSKITE-TYPE SUPERCONDUCTING STRUCTURES

In their first report on high-temperature superconductors Bednorz and Müller (1986) referred to their samples as "metallic, oxygen-deficient ... perovskitelike mixed-valence copper compounds." Subsequent work has confirmed that the new superconductors do indeed possess these characteristics.

In the oxide superconductors Cu<sup>2+</sup> replaces the Ti<sup>4+</sup> of perovskite, and in most cases the TiO2-perovskite layering is retained as a CuO<sub>2</sub> layering with two oxygens per copper. Because of this feature of CuO<sub>2</sub> layers, which is common to all of the high-temperature superconductors, such superconductors exhibit a uniform lattice size in the a, b-plane, as the data in Table 7.3 demonstrate. The compound BaCuO<sub>2</sub> does not occur because the Cu<sup>4+</sup> ion does not form, but this valence constraint is overcome by replacement of Ba2+ by a trivalent ion, such as La<sup>3+</sup> or Y<sup>3+</sup>, by a reduction in the oxygen content, or by both. The result is a set of "layers" containing only one oxygen per cation located between each pair of CuO<sub>2</sub> layers, or none at all. Each high-temperature superconductor has a unique sequence of layers.

We saw from Eq. (7.2) that each atom in perovskite is located in one of three types of sites. In like manner, each atom at the height z in a high-temperature superconductor occupies either an Edge (E) site on the edge (0,0,z), a Face (F) site on the midline of a face  $((0,\frac{1}{2},z))$  or  $(\frac{1}{2},0,z)$  or both), or a Centered (C) site centered within the unit cell on the z-axis  $(\frac{1}{2},\frac{1}{2},z)$ . The site occupancy notation [E F C] is used because many cuprates contain a succession of [Cu O<sub>2</sub> -] and [- O<sub>2</sub> Cu] layers in which the Cu atom switches between edge and centered sites, with the oxygens

Crystallographic Characteristics of Oxide Superconducting and Related Compounds<sup>a</sup> Table 7.3

	Comments	$T > 200^{\circ}C$	20°C	T < 5°C			$\beta = 90.17^{\circ}$		Sr, doped	Sr, doped															
	T <sub>c</sub> (K)	1	ı	i	0.4	12	ı	30	35	35	1	92	84	110	90	110	125	< 17	91	116	122	< 120	95	122	133
	%Anis	0	0	0.23	0	0	0.13	0	0	6.85	0	1.43	0	0.57	0	0									
	c <sub>0</sub> /Cu	ŀ	1	J	ı	1	į		6.59	6.59	3.98	3.89	7.65	6.17	11.6	7.35	5.98	9.5	6.35	5.3	4.78	4.46	9.5	6.3	5.2
	c <sub>0</sub> (Å)	4.012	4.03	3.990	4.273	4.304	4.335	4.293	13.18	13.18	11.94	11.68	30.6	37	23.24	29.4	35.88	9.5	12.7	15.9	19.1	22.3	9.5	12.6	17.7
	a <sub>0</sub> (Å)	4.012	3.995	$4.013\sqrt{2}$	4.273	$4.286\sqrt{2}$	$4.355\sqrt{2}$	4.293	3.81	$3.960\sqrt{2}$	3.902	3.855	$3.81\sqrt{2}$	$3.83\sqrt{2}$	3.83	3.85	3.85						3.86	3.86	3.86
Form.	units	-	1	2		4	2		7	4	1	1	70	20	7	7	7	<b>—</b>	Ţ	1			1	-	
	Enlarg.	<del></del>	1	<b>√</b> 2	П	2	<b>1</b> 2	1	_	<b>7</b> 2	1		5√2	5√2	1	1	1	1	1	-	1	-	1	1	1
	Туре	∢	Ą	∢	Ą	S	4	Ą	S	S	Ą	Ą	S	S	S	S	S	¥	¥	Ą	Ą	4	Ą	Ą	<b>4</b>
	Symm	ر د	L	0	ပ	H	Σ	ပ	⊢	0	⊢	0	H	0	Ĺ	⊣	<b>[</b>						<u>.</u>	٢	Т
	Symbol	1	ļ	1	ı	ı	1		0201	0201	0213			2223											
	Compound	BaTiO <sub>3</sub>	BaTiO <sub>3</sub>	BaTiO <sub>3</sub>	BaPbO <sub>3</sub>	BaPb <sub>0.7</sub> Bi <sub>0.3</sub> O <sub>3</sub>	BaBiO <sub>3</sub>	Baoe Kot BiO3	$La_2CuO_4$	La <sub>2</sub> CuO₄	$YBa_2Cu_3O_8$	$YBa_2Cu_3O_7$	Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>8</sub>	Bi <sub>2</sub> Sr <sub>2</sub> Ca <sub>2</sub> Cu <sub>3</sub> O <sub>10</sub>	Tl2Ba2CuO6	$Tl_2Ba_2CaCu_2O_8$	$T1_2Ba_2Ca_2Cu_3O_{10}$	$TIBa_2CuO_5$	$TIBa_2CaCu_2O_7$	$TIBa_2Ca_2Cu_3O_9$	$T1Ba_2Ca_3Cu_4O_{11}$	$T1Ba_2Ca_4Cu_5O_{13}$	$HgBa_2CuO_4$	$HgBa_2CaCu_2O_6$	HgBa <sub>2</sub> Ca <sub>2</sub> Cu <sub>3</sub> O <sub>8</sub>

<sup>a</sup> Symbol, symmetry (cubic C, tetragonal T, orthorhombic O, monoclinic M); type (aligned A, staggered S); enlargement in a, b-plane (diagonal distortion  $\sqrt{2}$ , superlattice 5); formula units per unit cell; lattice parameters ( $a_0$ ,  $c_0$ ,  $c_0$ , and  $c_0$  per Cu ion); % anisotropy; and transition temperature  $T_c$ . For the orthorhombic compounds tabulated values of  $a_0$  are averages of  $a_0$  and  $b_0$ .




Figure 7.7 Types of atom positions in the layers of a high-temperature superconductor structure, using the edge, face, center notation [E F C]. Typical site occupancies are given in the upper right (Poole et al., 1989).

remaining at their face positions. Similar alternations in position take place with Ba, O, and Ca layers, as illustrated in Fig. 7.7.

Hauck et al. (1991) proposed a classification of superconducting oxide structures in terms of the sequence (1) superconducting layers [Cu  $O_2$ -] and [ $-O_2$  Cu], (2) insulating layers, such as [Y - or [- Ca], and (3) hole-donating layers, such as [Cu  $O^b$  -] or [Bi - O].

The high-temperature superconductor compounds have a horizontal reflection plane ( $\perp$  to z) called  $\sigma_h$  at the center of the unit cell and another  $\sigma_h$  reflection plane at the top (and bottom). This means that every plane of atoms in the lower half of the cell at the height z is duplicated in the upper half at the height 1-z. Such atoms, of course, appear twice in the unit cell, while atoms right on the symmetry planes only occur once since they cannot be reflected. Figure 7.8 shows a [Cu O<sub>2</sub> -] plane at a height z reflected to the height 1-z. Note how the puckering preserves the reflection symmetry operation. Superconductors that have this reflection plane, but lack end-centering and body-centering op-




Figure 7.8 Unit cell of YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> showing the molecular groupings, reflection plane, and layer types.

erations (see Section VII), are called aligned because all of their copper atoms are of one type; either all on the edge (0,0,z) in E positions or all centered  $(\frac{1}{2},\frac{1}{2},z)$  at C sites. In other words, they all lie one above the other on the same vertical lines, as do the Cu ions in Fig. 7.8.

#### VI. ALIGNED YBa2Cu3O7

The compound YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub>, sometimes called YBaCuO or the 123 compound, in its orthorhombic form is a superconductor below the transition temperature  $T_c \approx 92$  K. Figure 7.8 sketches the locations of the atoms, Fig. 7.9 shows the arrangement of the copper oxide planes, Fig. 7.10 provides more details on the unit cell, and Table 7.4 lists the atom positions and unit cell dimensions (Beno *et al.*, 1987; Capponi *et al.*, 1987; Hazen *et al.*, 1987; Jorgensen *et al.*, 1987; Le Page *et al.*, 1987; Siegrist *et al.*, 1987; Yan and Blanchin,

1991; see also Schuller et al., 1987). Considered as a perovskite derivative, it can be looked upon as a stacking of three perovskite units  $BaCuO_3$ ,  $YCuO_2$ , and  $BaCuO_2$ , two of them with a missing oxygen, and this explains why  $c \approx 3a$ . It is, however, more useful to discuss the compound from the viewpoint of its planar structure.

#### A. Copper Oxide Planes

We see from Fig. 7.9 that three planes containing Cu and O are sandwiched between two planes containing Ba and O and one plane containing Y. The layering scheme is given on the right side of Fig. 7.8, where the superscript b on O indicates that the oxygen lies along the b-axis, as shown. The atoms are puckered in the two [Cu O<sub>2</sub> -] planes that have the [- Y] plane between them. The third copper oxide plane [Cu O<sup>b</sup> -], often referred to as




Figure 7.9 Layering scheme of orthorhombic  $YBa_2Cu_3O_7$  with the puckering indicated. The layers are perpendicular to the c-axis (Poole et al., 1988, p. 101).




Figure 7.10 Sketches of the superconducting orthorhombic (left) and nonsuperconducting tetragonal (right) YBaCuO unit cells. Thermal vibration ellipsoids are shown for the atoms. In the tetragonal form the oxygen atoms are randomly dispersed over the basal plane sites (Jorgensen et al., 1987a, b; also see Schuller et al., 1987).

Table 7.4 Normalized Atom Positions in the YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> Orthorhombic Unit Cell (dimensions a=3.83 Å, b=3.88 Å, and c=11.68 Å)

	· · · · · · · · · · · · · · · · · · ·			
Layer	Atom	х	у	z
[Cu O -]	Cu(1)	0	0	1
(02 0 )	O(1)	0	$\frac{1}{2}$	1
[O - Ba]	O(4)	0	0	0.8432
(O Baj	Ba	1/2	1/2	0.8146
[Cu O <sub>2</sub> -]	Cu(2) O(3)	0 0	0	0.6445 0.6219
	O(2)	1/2	0	0.6219
[Y]	Y	$\frac{1}{2}$	1/2	1/2
[Cu O <sub>2</sub> -]	O(2) O(3)	$\frac{1}{2}$	0	0.3790 0.3781
	Cu(2)	0	0	0.3555
[O - Ba]	Ba	1/2	1/2	0.1854
	O(4)	0	0	0.1568
[Cu O -]	O(1)	0	1/2	0
	Cu(1)	0	0	0

Figure Wernhaum August Albanam Marin Albanam Mar

rigating on a

\* 100

er General

.

:

e e e e

n K

**.** 

"the chains," consists of -Cu-O-Cu-O- chains along the b axis in lines that are perfectly straight because they are in a horizontal reflection plane  $\sigma_h$ ; where no puckering can occur. Note that, according to the figures, the copper atoms are all stacked one above the other on edge (E) sites, as expected for an aligned-type superconductor. Both the copper oxide planes and the chains contribute to the superconducting properties.

#### **B.** Copper Coordination

Now that we have described the planar structure of YBaCuO it will be instructive to examine the local environment of each copper ion. The chain copper ion Cu(1) is square planar-coordinated and the two coppers Cu(2) and Cu(3) in the plane exhibit fivefold pyramidal coordination, as indicated in Fig. 7.11. The ellipsoids at the atom positions of Fig. 7.10 provide a measure of the thermal vibrational motion which the atoms experience, since the amplitudes of the atomic vibrations are indicated by the relative size of each of the ellipsoids.

#### C. Stacking Rules

The atoms arrange themselves in the various planes in such a way as to enable them to stack one above the other in an efficient manner, with very little interference from neighboring atoms. Steric effects prevent large atoms such as Ba (1.34 Å) and O (1.32 Å) from overcrowding a layer or from aligning directly on top of each other in adjacent layers. In many cuprates stacking occurs in accordance with the following two empirical rules:

- 1. Metal ions occupy either edge or centered sites, and in adjacent layers alternate between E and C sites.
- 2. Oxygens are found in any type of site, but they occupy only one type in a particular layer, and in adjacent layers they are on different types of sites.




Figure 7.11 Stacking of pyramid, square-planar, and inverted pyramid groups along the c-axis of orthorhombic YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> (adapted from Poole et al., 1988, p. 100).

Minor adjustments to make more room can be brought about by puckering or by distorting from tetragonal to orthorhombic.

#### D. Crystallographic Phases

The YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub> compound comes in tetragonal and orthorhombic varieties, as shown in Fig. 7.10, and it is the latter phase which is ordinarily superconducting. In the tetragonal phase the oxygen sites in the chain layer are about half occupied

in the -C ox cat tha of Inc cau can the goe 750 ous pou: atur thro (Rot is lo phas at at thork

VI.

Fractional Site Occupancy

1.0

Figure 7 (bottom) the oxygright) for range 0-age of th Jorgenser see also I

VI. ALIGNED YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub>

in a random or disordered manner, and in the orthorhombic phase are ordered into -Cu-O- chains along the b direction. The oxygen vacancy along the a direction causes the unit cell to compress slightly so that a < b, and the resulting distortion is of the rectangular type shown in Fig. 7.4a. Increasing the oxygen content so that  $\delta < 0$  causes oxygens to begin occupying the vacant sites along a. Superlattice ordering of the chains is responsible for the phase that goes superconducting at 60 K.

YBaCuO is prepared by heating in the 750-900°C range in the presence of various concentrations of oxygen. The compound is tetragonal at the highest temperatures, increases its oxygen content through oxygen uptake and diffusion (Rothman *et al.*, 1991) as the temperature is lowered, and undergoes a second-order phase transition of the order-disorder type at about 700°C to the low-temperature orthorhombic phase, as indicated in Fig. 7.12




Figure 7.12 Fractional occupancies of the  $(\frac{1}{2},0,0)$  (bottom) and  $(0,\frac{1}{2},0)$  (top) sites (scale on left), and the oxygen content parameter  $\delta$  (center, scale on right) for quench temperatures of YBaCuO in the range 0-1000°C. The  $\delta$  parameter curve is the average of the two site-occupancy curves (adapted from Jorgensen et al., 1987a; also see Schuller et al., 1987; see also Poole et al., 1988).

(Jorgensen et al., 1987, 1990; Schuller et al., 1987; cf. Beyers and Ahn, 1991; Metzger et al., 1993; Fig. 8). Quenching by rapid cooling from a high temperature can produce at room temperature the tetragonal phase sketched on the right side of Fig. 7.10, and slow annealing favors the orthorhombic phase on the left. Figure 7.12 shows the fractional site occupancy of the oxygens in the chain site  $(0, \frac{1}{2}, 0)$  as a function of the temperature in an oxygen atmosphere. A sample stored under sealed conditions exhibited no degradation in structure or change in  $T_c$  four years later (Sequeira et al., 1992). Ultra-thin films tend to be tetragonal (Streiffer et al., 1991).

#### E. Charge Distribution

Information on the charge distributions around atoms in conductors can be obtained from knowledge of their energy bands (see description in Chapter 8). This is most easily accomplished by carrying out a Fourier-type mathematical transformation between the reciprocal  $k_x, k_y, k_z$ -space (cf. Chapter 8, Section II) in which the energy bands are plotted and the coordinate x, y, z-space, where the charge is distributed. We will present the results obtained for YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> in the three vertical symmetry planes (x,z, y,z, and diagonal), all containing the z-axis through the origin, shown shaded in the unit cell of Fig. 7.13.

Contour plots of the charge density of the valence electrons in these planes are sketched in Fig. 7.14. The high density at the Y³+ and Ba²+ sites and the lack of contours around these sites together indicate that these atoms are almost completely ionized, with charges of +3 and +2, respectively. It also shows that these ions are decoupled from the planes above and below. This accounts for the magnetic isolation of the Y site whereby magnetic ions substituted for yttrium do not interfere with the superconducting properties. In contrast, the contours surrounding the Cu and O ions are not characteristic of an

The second secon

n cens n con n con l con l con




Figure 7.13 Three vertical crystallographic planes  $(x, z_-, y, z_-, and diagonal)$  of a tetragonal unit cell of  $YBa_2Cu_3O_7$ , and standard notation for the four crystallographic directions.




Figure 7.14 Charge density in the three symmetry planes of YBaCuO shown shaded in Fig. 7.13. The x, z, diagonal and the y, z planes are shown from left to right, labeled  $\langle 100 \rangle$ ,  $\langle 110 \rangle$ , and  $\langle 010 \rangle$ , respectively. These results are obtained from band structure calculations, as will be explained in the following chapter (Krakauer and Pickett, 1988).

ordinary ionic compound. The short Cu-O bonds in the planes and chains (1.93-1.96 Å) increase the charge overlap. The least overlap appears in the Cu(2)-O(4) vertical bridging bond, which is also fairly long (2.29 Å). The Cu, O charge contours can be represented by a model that assigns charges of +1.62 and -1.69 to Cu and O, respectively, rather than the values of +2.33 and -2.00 expected for a standard ionic model, where the charge +2.33 is an average of +2, +2, and +3 for the three copper ions. Thus the Cu-O bonds are not completely ionic, but partly covalent.

#### F. YBaCuO Formula

In early work the formula

 $YBa_2Cu_3O_{9-\delta}$ 

p

tl

e C

CI

Y

O

((

19

M

T

ra

pl

19

th sir

Υ,

in

gre

(Y

was used for YBaCuO because the prototype triple pervoskite (YCuO<sub>3</sub>)(BaCuO<sub>3</sub>)<sub>2</sub> has nine oxygens. Then crystallographers showed that there are eight oxygen sites in the 14-atom YBaCuO unit cell, and the formula YBa<sub>2</sub>Cu<sub>3</sub>O<sub>8-δ</sub> came into widespread use. Finally, structure refinements demonstrated that one of the oxygen sites is systematically vacant in the chain layers, so the more appropriate expression  $YBa_2Cu_3O_{7-\delta}$  was introduced. It would be preferable to make one more change and use the formula  $Ba_2YCu_3O_{7-\delta}$ to emphasize that Y is analogous to Ca in the bismuth and thallium compounds, but very few workers in the field do this, so we reluctantly adopt the usual "final" notation. In the Bi-Tl compound notation of Section IX, B,  $Ba_2YCu_3O_{7-\delta}$  would be called a 0213 compound. We will follow the usual practice of referring  $YBa_2Cu_3O_{7-\delta}$  as the 123 compound.

#### G. $YBa_2Cu_4O_8$ and $Y_2Ba_4Cu_7O_{15}$

These two superconductors are sometimes referred to as the 124 compound and the 247 compound, respectively. They have the property that for each atom at position (x, y, z) there is another identical atom at

16.




Figure 7.15 Crystal structure of YBa<sub>2</sub>Cu<sub>4</sub>O<sub>8</sub> showing how, as a result of the side-centering symmetry operation, the atoms in adjacent Cu-O chains are staggered along the y direction, with Cu above O and O above Cu (Heyen et al., 1991; modified from Campuzano et al., 1990).

position  $(x, y + \frac{1}{2}, z + \frac{1}{2})$ . In other words, the structure is side centered. This property prevents the stacking rules of Section C from applying.

The chain layer of YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> becomes two adjacent chain layers in YBa<sub>2</sub>Cu<sub>4</sub>O<sub>8</sub>, with the Cu atoms of one chain located directly above or below the O atoms of the other, as shown in Fig. 7.15 (Campuzano *et al.*, 1990; Heyen *et al.*, 1990a, 1991; Iqbal, 1992; Kaldis *et al.*, 1989; Marsh *et al.*, 1988; Morris *et al.*, 1989a). The transition temperature remains in the range from 40 K to 80 K when Y is replaced by various rare earths (Morris *et al.*, 1989). The double chains do not exhibit the variable oxygen stoichiometry of the single ones.

The other side-centered compound, Y<sub>2</sub>Ba<sub>4</sub>Cu<sub>7</sub>O<sub>15</sub>, may be considered according to Torardi, "as an ordered 1:1 intergrowth of the 123 and 124 compounds

$$(YBa_2Cu_3O_7 + YBa_2Cu_4O_8$$
  
=  $Y_2Ba_4Cu_7O_{15}$ )"

(Bordel et al., 1988, Gupta and Gupta, 1993). The 123 single chains can vary in their oxygen content, and superconductivity onsets up to 90 K have been observed. This compound has been synthesized with several rare earths substituted for Y (Morris et al., 1989b).

#### VII. BODY CENTERING

In Section V we discussed aligned-type superconductor structures that possess a horizontal plane of symmetry. Most high-temperature superconductor structures have, besides this  $\sigma_h$  plane, an additional symmetry operation called body centering whereby for every atom with coordinates (x, y, z) there is an identical atom with coordinates as determined from the following operation:

$$x \to x \pm \frac{1}{2}, \quad x \to y \pm \frac{1}{2}, \quad z \to z \pm \frac{1}{2}$$
 (7.5)

Starting with a plane at the height z this operation forms what is called an image plane at the height  $z + \frac{1}{2}$  in which the edge atoms become centered, the centered atoms become edge types, and each face atom moves to another face site. In other words, the body-centering operation acting on a plane at the height z forms a body centered plane, also called an image plane, at the height  $z \pm \frac{1}{2}$ . The signs in these operations are selected so that the generated points and planes remain within the unit cell. Thus if the initial value of z is greater than  $\frac{1}{2}$ , the minus sign must be selected, viz.,  $z \rightarrow z - \frac{1}{2}$ . Body centering causes half of the Cu-O planes to be [Cu  $O_2$  -], with the copper atoms at edge sites, and the other half to be [- O<sub>2</sub> Cu], with the copper atoms at centered sites.

Let us illustrate the symmetry features of a body-centered superconductor by considering the example of  $\text{Tl}_2\text{Ba}_2\text{CaCu}_2\text{O}_8$ . This compound has an initial plane [Cu O<sub>2</sub> -] with the copper and oxygen atoms at the vertical positions z = 0.0540 and 0.0531, respectively, as shown in Fig.




Figure 7.16 Body-centered tetragonal unit cell containing four puckered  $CuO_2$  groups showing how the initial group (bottom) is replicated by reflection in the horizontal reflection plane  $(z = \frac{1}{2})$ , by the body centering operation, and by both.

7.16. For illustrative purposes the figure is drawn for values of z closer to 0.1. We see from the figure that there is a reflected plane [Cu  $O_2$  -] at the height 1-z, an image (i.e., body centered) plane [-  $O_2$  Cu] of the original plane at the height  $\frac{1}{2}+z$ , and an image plane [-  $O_2$  Cu] of the reflected plane (i.e., a reflected and body centered plane) at the height  $\frac{1}{2}-z$ . Figure 7.16 illustrates this situation and indicates how the atoms of the initial plane can be transformed into particular atoms in other planes (see Problem 5). Figure 7.17 shows how the configurations of the




Figure 7.17 Body-centered unit cell divided into four regions by the reflection and body centering operations.

atoms in one-quarter of the unit cell, called the *basic subcell*, or subcell I, determine their configurations in the other three subcells II, III, and IV through the symmetry operations of reflection and body centering.

## VIII. BODY-CENTERED $La_2CuO_4$ AND $Nd_2CuO_4$

The body-centered compound  $M_2$ CuO<sub>4</sub>

has three structural variations in the same crystallographic space group, namely the M = La and M = Nd types, and a third mixed variety (Xiao et al., 1989). Table 7.5 lists the atom positions of the first two types, and Fig. 7.18 presents sketches of the structures of all three. Each will be discussed in turn.

## A. Unit Cell Generation of La<sub>2</sub>CuO<sub>4</sub> (T Phase)

The structure of the more common La<sub>2</sub>CuO<sub>4</sub> variety, often called the T phase,

Table 7.5 Atom Positions in the La<sub>2</sub>CuO<sub>4</sub> and Nd<sub>2</sub>CuO<sub>4</sub> Structures

	La <sub>2</sub> CuO <sub>4</sub>	struct	ure			Nd <sub>2</sub> CuO <sub>4</sub>	structu	re	
Layer	Atom	х	у	z	Layer	Atom	х	у	z
	O(1)	1/2	0	1		O(1)	1/2	0	1
[Cu O <sub>2</sub> -]	Cu	0	0	1	[Cu O <sub>2</sub> -]	Cu	0	0	1
_	O(1)	0	$\frac{1}{2}$	1		O(1)	0	$\frac{1}{2}$	1
	La	1/2	$\frac{1}{2}$	0.862	[ Nd]	Nd	1/2	1/2	0.862
[O - La]		-	-				=	_	
	O(2)	0	0	0.818		O(3)	0	$\frac{1}{2}$	$\frac{3}{4}$
					[- O <sub>2</sub> -]	•		_	
	O(2)	$\frac{1}{2}$	1/2	0.682	_	O(3)	$\frac{1}{2}$	0	34
[La - O]		-	-				_		
	La	0	0	0.638	[Nd]	Nd	0	0	0.638
	O(1)	1/2	0	$\frac{1}{2}$		O(1)	$\frac{1}{2}$	0	$\frac{1}{2}$
[- O <sub>2</sub> Cu]	Cu	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	[- O <sub>2</sub> Cu]	Cu	$\frac{1}{2}$	$\frac{1}{2}$	1/2 1/2 1/2
2	O(1)	0	1/2	1 2	-	O(1)	0	1/2	1/2
	La	0	Õ	0.362	[Nd]	Nd	0	Õ	0.362
[La - O]									
	O(2)	$\frac{1}{2}$	$\frac{1}{2}$	0.318		O(3)	1/2	0	1/4
		-	-		$[- O_2 -]$				
	O(2)	0	0	0.182		O(3)	0	$\frac{1}{2}$	1/4
[O - La]									
	La	1 2	1/2	0.138	[ Nd]	Nd	1/2	$\frac{1}{2}$	0.138
	O(1)	0	1/2	0		O(1)	0	1/2	0
[Cu O <sub>2</sub> -]	Cu	0	0	0	[Cu O <sub>2</sub> -]	Cu	0	0	0
- 2 -	O(1)	$\frac{1}{2}$	0	0	_	O(1)	$\frac{1}{2}$	0	0




Figure 7.18 (a) Regular unit cell (T phase) associated with hole-type  $(La_{1-x}Sr_x)_2CuO_4$  superconductors, (b) hybrid unit cell (T\* phase) of the hole-type  $La_{2-x-y}R_ySr_xCuO_4$  superconductors, and (c) alternate unit cell (T' phase) associated with electron-type  $(Nd_{1-x}Ce_x)_2CuO_4$  superconductors. The La atoms in the left structure become Nd atoms in the right structure. The upper part of the hybrid cell is T type, and the bottom is T'. The crystallographic space group is the same for all three unit cells (Xiao et al., 1989; see also Oguchi, 1987; Ohbayashi et al., 1987; Poole et al., 1988, p. 83; Tan et al., 1990).

can be pictured as a stacking of CuO<sub>4</sub>La<sub>2</sub> groups alternately with image (i.e., body centered) La2O4Cu groups along the c direction, as indicated on the left side of Fig. 7.19 (Cavaet et al., 1987; Kinoshita et al., 1992; Longo and Raccah, 1973; Ohbayashi et al., 1987; Onoda et al., 1987; Zolliker et al., 1990). Another way of visualizing the structure is by generating it from the group Cu<sub>1</sub>O<sub>2</sub>La, comprising the layers [O-La] and  $\frac{1}{2}$ [Cu O<sub>2</sub> -] in subcell I shown on the right side of Fig. 7.19 and also on the left side of Fig. 7.20. (The factor  $\frac{1}{2}$  appears because the [Cu O<sub>2</sub> -] layer is shared by two subcells.) Subcell II is formed by reflection from subcell I, and subcells III and IV are formed from I and II via the body-centering operation in the manner of Figs. 7.16 and 7.17. Therefore, subcells I

and II together contain the group  $CuO_4La_2$ , and subcells III and IV together contain its image (body centered) counterpart group  $La_2O_4Cu$ . The BiSrCaCuO and TlBaCaCuO structures to be discussed in Section IX can be generated in the same manner, but with much larger repeat units along the c direction.

#### **B.** Layering Scheme

The La<sub>2</sub>CuO<sub>4</sub> layering scheme consists of equally-spaced, flat CuO<sub>2</sub> layers with their oxygens stacked one above the other, the copper ions alternating between the (0,0,0) and  $(\frac{1}{2},\frac{1}{2},\frac{1}{2})$  sites in adjacent layers, as shown in Fig. 7.21. These planes are body-centered images of each other, and are perfectly flat because they are




Figure 7.19 Structure of La<sub>2</sub>CuO<sub>4</sub> (center), showing the formula units (left) and the level labels and subcell types (right). Two choices of unit cell are indicated, the left-side type unit cell based on formula units, and the more common right-side type unit cell based on copper-oxide layers.

Figur left) a tions of in the

La <sub>2</sub> CuO <sub>4</sub>	Sub Cell	Nd <sub>2</sub> CuO <sub>4</sub>
[CuO <sub>2</sub> -]		[CuO <sub>2</sub> - ]
[O - La]	11	[Nd]
[La - O]		[-O <sub>2</sub> -]
įca - Oj	III	[Nd ]
[ - O <sub>2</sub> Cu]		[ - O <sub>2</sub> Cu]
[La - O]	IV	[Nd ]
[C. La]		[-O <sub>2</sub> -]
[O - La]	ı	[Nd]
[CuO <sub>2</sub> -]		[CuO <sub>2</sub> - ]

Figure 7.20 Layering schemes of the La<sub>2</sub>CuO<sub>4</sub> (T, left) and Nd<sub>2</sub>CuO<sub>4</sub> (T', right) structures. The locations of the four subcells of the unit cell are indicated in the center column.

reflection planes. Half of the oxygens, O(1), are in the planes, and the other half, O(2), between the planes. The copper is octahedrally coordinated with oxygen, but the distance 1.9 Å from Cu to O(1) in the CuO<sub>2</sub> planes is much less than the vertical distance of 2.4 Å from Cu to the apical oxygen O(2), as indicated in Fig. 7.22. The La is ninefold coordinated to four O(1) oxygens, to four O(2) at  $(\frac{1}{2}, \frac{1}{2}, z)$  sites, and to one O(2) at a (0,0,z) site.

#### C. Charge Distribution

Figure 7.23 shows contours of constant-valence charge density on a logarithmic scale drawn on the back x, z-plane and on the diagonal plane of the unit cell sketched in Fig. 7.13. These contour plots are obtained from the band structure calculations described in Chapter 8, Section XIV. The high-charge density at the lanthanum site and the low charge density around this site indicate an ionic state





Figure 7.21  $CuO_2$  layers of the  $La_2CuO_4$  structure showing horizontal displacement of Cu atoms in alternate layers. The layers are perpendicular to the c-axis (Poole et al., 1988, p. 87).






Figure 7.22 Ordering of axially distorted CuO<sub>6</sub> octahedra in La<sub>2</sub>CuO<sub>4</sub> (Poole et al., 1988, p. 88).

La<sup>3+</sup>. The charge density changes in a fairly regular manner around the copper and oxygen atoms, both within the CuO<sub>2</sub> planes and perpendicular to these planes, suggestive of covalency in the Cu-O bonding, as is the case with the YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> compound.

#### **D. Superconducting Structures**

The compound La<sub>2</sub>CuO<sub>4</sub> is itself an antiferromagnetic insulator and must be doped, generally with an alkaline earth, to exhibit pronounced superconducting prop-

erties. The compounds  $(La_{1-x}M_x)_2CuO_4$ , with 3% to 15% of M = Sr or Ba replacing La, are orthorhombic at low temperatures and low M contents and are tetragonal otherwise; superconductivity has been found on both sides of this transition. The orthorhombic distortion can be of the rectangular or of the rhombal type, both of which are sketched in Fig. 7.4. The phase diagram of Fig. 7.24 shows the tetragonal, orthorhombic, superconducting, and antiferromagnetically ordered regions for the lanthanum compound (Weber et al., 1989; cf. Goodenough et al., 1993). We see that




Figure 7.23 Contour plots of the charge density of  $\text{La}_2\text{CuO}_4$  obtained from band structure calculations. The x, z-crystallographic plane labeled  $\langle 100 \rangle$  is shown on the left and the diagonal plane labeled  $\langle 110 \rangle$  on the right. The contour spacing is on a logarithmic scale (Pickett, 1989).




Figure 7.24 Phase diagram for hole-type  $La_{2-x}Sr_xCuO_{4-y}$  indicating insulating (INS), antiferromagnetic (AF), and superconducting (SC) regions. Figure VI-6 of Poole *et al.* (1988) shows experimental data along the orthorhombic-to-tetragonal transition line. Spin-density waves (SDW) are found in the AF region (Weber *et al.*, 1989).

the orthorhombic phase is insulating at high temperatures, metallic at low temperatures, and superconducting at very low temperatures. Spin-density waves, to be discussed in Chapter 8, Section XIX, occur in the antiferromagnetic region.

#### E. Nd<sub>2</sub>CuO<sub>4</sub> Compound (T' Phase)

The rarer Nd<sub>2</sub>CuO<sub>4</sub> structure (Skantakumar et al., 1989; Sulewski et al., 1990; Tan et al., 1990) given on the right side of Fig. 7.18 and Table 7.5 has all of its atoms in the same positions as the standard La<sub>2</sub>CuO<sub>4</sub> structure, except for the apical O(2) oxygens in the [O-La] and [La-O] layers, which move to form a  $[-O_2 -]$ layer between [- - La] and [La - -]. These oxygens, now called O(3), have the same x, y coordinate positions as the O(1)oxygens, and are located exactly between the CuO<sub>2</sub> planes with  $z = \frac{1}{4}$  or  $\frac{3}{4}$ . We see from Fig. 7.18 that the CuO<sub>6</sub> octahedra have now lost their apical oxygens, causing Cu to become square planar-coordinated CuO<sub>4</sub> groups. The Nd is eightfold coordinated to four O(1) and four O(3) atoms, but with slightly different Nd-O distances. The CuO<sub>2</sub> planes, however, are identical in the two structures. Superconductors with this Nd<sub>2</sub>CuO<sub>4</sub> structure are of the electron type, in contrast to other high-temperature superconductors, in which the current carriers are holes. In particular, the electron superconductor  $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$  with  $T_{\rm c} = 24$  K has been widely studied (Fontcuberta and Fàbrega, 1995, a review chapter; Allen 1990; Alp et al., 1989b; Barlingay et al., 1990; Ekino and Akimitsu, 1989a, b; Lederman et al., 1991; Luke et al., 1990; Lynn et al., 1990; Sugiyama et al., 1991; Tarason et al., 1989a). Other rare earths, such as Pr (Lee et al., 1990) and Sm (Almasan et al., 1992) have replaced Nd.

The difference of structures associated with different signs attached to the current carriers may be understood in terms of the doping process that converts undoped material into a superconductor. Lanthanum and neodymium are both trivalent, and in the undoped compounds they each con-

tribute three electrons to the nearby oxygens,

La 
$$\rightarrow$$
 La<sup>3+</sup> + 3e<sup>-</sup>,  
Nd  $\rightarrow$  Nd<sup>3+</sup> + 3e<sup>-</sup>, (7.6)

to produce O<sup>2-</sup>. To form the superconductors a small amount of La in La<sub>2</sub>CuO<sub>4</sub> can be replaced with divalent Sr, and some Nd in Nd<sub>2</sub>CuO<sub>4</sub> can be replaced with tetravalent Ce, corresponding to

$$Sr \rightarrow Sr^{2+} + 2e^{-}$$
 (in  $La_2CuO_4$ )  
 $Ce \rightarrow Ce^{4+} + 4e^{-}$  (in  $Nd_2CuO_4$ ). (7.7)

Thus, Sr doping decreases the number of electrons to produce hole-type carriers, while Ce doping increases the electron concentration and the conductivity is electron type.

There are also copper-oxide electron superconductors with different structures, such as  $Sr_{1-x}Nd_xCuO_2$  (Smith *et al.*, 1991) and  $TlCa_{1-x}R_xSr_2Cu_2O_{7-\delta}$ , where R is a rare earth (Vijayaraghavan *et al.*, 1989). Electron- and hole-type superconductivity in the cuprates has been compared (Katti and Risbud, 1992; Medina and Regueiro, 1990).

## F. $La_{2-x-y}R_xSr_yCuO_4$ Compounds (T\* Phase)

We have described the T structure of La2CuO4 and the T' structure of Nd<sub>2</sub>CuO<sub>4</sub>. The former has O(2) oxygens and the latter O(3) oxygens, which changes the coordinations of the Cu atoms and that of the La and Nd atoms as well. There is a hybrid structure of hole-type superconducting lanthanum cuprates called the T\* structure, illustrated in Fig. 7.18b, in which the upper half of the unit cell is the T type with O(2) oxygens and lower half the T' type with O(3) oxygens. These two varieties of halfcells are stacked alternately along the tetragonal c-axis (Akimitsu et al., 1988; Cheong et al., 1989b; Kwei et al., 1990; Tan et al., 1990). Copper, located in the base of an oxygen pyramid, is fivefold-coordinated CuO<sub>5</sub>. There are two inequivalent rare earth sites; the ninefoldcoordinated site in the T-type halfcell is

preferentially occupied by the larger La and Sr ions, while the smaller rare earths R (i.e., Sm, Eu, Gd, or Tb) prefer the eightfold-coordinated site in the T' half-cell. Tan et al. (1991) give a phase diagram for the concentration ranges over which the T and T\* phases are predominant.

#### IX. BODY-CENTERED BiSrCaCuO AND TIBaCaCuO

Early in 1988 two new superconducting systems with transition temperatures considerably above those attainable with YBaCuO, namely the bismuth- and thallium-based materials, were discovered. These compounds have about the same a and b lattice constants as the yttrium and lanthanum compounds, but with much larger unit cell dimensions along c. We will describe their body-centered structures in terms of their layering schemes. In the late 1940s some related compounds were synthesized by the Swedish chemist Bengt Aurivillius (1950, 1951, 1952).

#### A. Layering Scheme

The 
$$\mathrm{Bi_2Sr_2Ca_nCu_{n+1}O_{6+2n}}$$
 and  $\mathrm{Tl_2Ba_2Ca_nCu_{n+1}O_{6+2n}}$ 

compounds, where n is an integer, have essentially the same structure and the same layering arrangement (Barry et al., 1989; Siegrist et al., 1988; Torardi et al., 1988a; Yvon and François, 1989), although there are some differences in the detailed atom positions. Here there are groupings of CuO<sub>2</sub> layers, each separated from the next by Ca layers with no oxygen. The CuO2 groupings are bound together by intervening layers of BiO and SrO for the bismuth compound, and by intervening layers of TIO and BaO for the thallium compound. Figure 7.25 compares the layering scheme of the  $Tl_2Ba_2Ca_nCu_{n+1}O_{6+2n}$  compounds with n = 0, 1, 2 with those of the lanthanum and yttrium compounds. We also see from the figure that the groupings of [Cu  $O_2$  -] planes and [-  $O_2$  Cu] image (i.e., both the c-athat are ing proj

shows the tioned scheme adjacent and cent never has sites. The at the ce is also ce and that staggered Figur

sents a the infor




Figure 7.25 Layering schemes of various high-temperature superconductors. The  $CuO_2$  plane layers are enclosed in small inner boxes, and the layers that make up a formula unit are enclosed in larger boxes. The Bi-Sr compounds  $Bi_2Sr_2Ca_nCu_{n+1}O_{6+2n}$  have the same layering schemes as their Tl-Ba counterparts shown in this figure.

(i.e., body centered) planes repeat along the c-axis. It is these copper-oxide layers that are responsible for the superconducting properties.

A close examination of this figure shows that the general stacking rules mentioned in Section VI.C for the layering scheme are satisfied, namely metal ions in adjacent layers alternate between edge (E) and centered (C) sites, and adjacent layers never have oxygens on the same types of sites. The horizontal reflection symmetry at the central point of the cell is evident. It is also clear that YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> is aligned and that the other four compounds are staggered.

Figure 7.26 (Torardi et al., 1988a) presents a more graphical representation of the information in Fig. 7.25 by showing the

positions of the atoms in their layers. The symmetry and body centering rules are also evident on this figure. Rao (1991) provided sketches for the six compounds  $\text{Tl}_m \text{Ba}_2 \text{Ca}_n \text{Cu}_{n+1} \text{O}_x$  similar to those in Fig. 7.26 with the compound containing one (m=1) or two thallium layers (m=2), where n=0,1,2, as in the Torardi et al. figure.

#### **B.** Nomenclature

There are always two thalliums and two bariums in the basic formula for  $\text{Tl}_2\text{Ba}_2\text{Ca}_n\text{Cu}_{n+1}\text{O}_{6+2n}$ , together with n calciums and n+1 coppers. The first three members of this series for n=0,1, and 2 are called the 2201, 2212, and 2223 compounds, respectively, and similarly for their

indicat Cu-O and La cate vo cent [F

D. TI-

have h their t 1989; § et al., series, i

no [-

transitie

second

called t

Th

C




Figure 7.26 Crystal structures of  $\text{Tl}_2 \text{Ba}_2 \text{Ca}_n \text{Cu}_{n+1} \text{O}_{6+2n}$  superconducting compounds with n=0,1,2 arranged to display the layering schemes. The  $\text{Bi}_2 \text{Sr}_2 \text{Ca}_n \text{Cu}_{n+1} \text{O}_{6+2n}$  compounds have the same respective structures (Torardi *et al.*, 1988a).

BiSr analogues  $\text{Bi}_2\text{Sr}_2\text{Ca}_n\text{Cu}_{n+1}\text{O}_{6+2n}$ . Since Y in YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> is structurally analogous to Ca in the Tl and Bi compounds, it would be more consistent to write Ba<sub>2</sub>YCu<sub>3</sub>O<sub>7</sub> for its formula, as noted in Section VI.F. In this spirit Ba<sub>2</sub>YCu<sub>3</sub>O<sub>7- $\delta$ </sub> might be called the 0213 compound, and  $(\text{La}_{1-x}M_x)_2\text{CuO}_{4-\delta}$  could be called 2001.

#### C. Bi-Sr Compounds

Now that the overall structures and interrelationships of the BiSr and TlBa high-temperature superconductors have been made clear in Figs. 7.25 and 7.26 we will comment briefly about each compound. Table 7.3 summarizes the characteristics of these and related compounds.

The first member of the BiSr series, the 2201 compound with n = 0, has octahedrally coordinated Cu and  $T_c \approx 9$  K (Torardi *et al.*, 1988b). The second mem-

ber,  $Bi_2(Sr, Ca)_3Cu_2O_{8+\delta}$ , is a superconductor with  $T_c \approx 90$  K (Subramanian et al., 1988a; Tarascon et al., 1988b). There are two [Cu O<sub>2</sub> -] layers separated from each other by the [- - Ca] layer. The spacing from  $[Cu O_2 -]$  to [- - Ca] is 1.66 Å, which is less than the corresponding spacing of 1.99 Å between the levels [Cu O<sub>2</sub>-] and [- - Y] of YBaCuO. In both cases the copper ions have a pyramidal oxygen coordination of the type shown in Fig. 7.11. Superlattice structures have been reported along a and b, which means that minor modifications of the unit cells repeat approximately every five lattice spacings, as explained in Sect. IX.E. The third member of the series, Bi<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>10</sub>, has three CuO<sub>2</sub> layers separated from each other by [- - Ca] planes and a higher transition temperature, 110 K, when doped with Pb. The two Cu ions have pyramidal coordination, while the third is square planar.

#### Charge-density plots of

indicate the same type of covalency in the Cu-O bonding as with the YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> and La<sub>2</sub>CuO<sub>4</sub> compounds. They also indicate very little bonding between the adjacent [Bi - O] and [O - Bi] layers.

#### D. TI-Ba Compounds

The TIBa compounds

$$Tl_2Ba_2Ca_nCu_{n+1}O_{6+2n}$$

have higher transition temperatures than their bismuth counterparts (Iqbal et al., 1989; Subramanian et al., 1988b; Torardi et al., 1988a). The first member of the series, namely  $Tl_2Ba_2CuO_6$  with n=0, has no [--Ca] layer and a relatively low transition temperature of  $\approx 85$  K. The second member (n=1),  $Tl_2Ba_2CaCu_2O_8$ , called the 2212 compound, with  $T_c = 110$  K

has the same layering scheme as its Bi counterpart, detailed in Figs. 7.25 and 7.26. The [Cu O<sub>2</sub> -] layers are thicker and closer together than the corresponding layers of the bismuth compound (Toby et al., 1990). The third member of the series, Tl<sub>2</sub>Ba<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>10</sub>, has three [Cu O<sub>2</sub> -] layers separated from each other by [- - Ca] planes, and the highest transition temperature, 125 K, of this series of thallium compounds. It has the same copper coordination as its BiSr counterpart. The 2212 and 2223 compounds are tetragonal and belong to the same crystallographic space group as La<sub>2</sub>CuO<sub>4</sub>.

We see from the charge-density plot of  ${\rm Tl_2Ba_2CuO_6}$  shown in Fig. 7.27 that  ${\rm Ba^{2+}}$  is ionic, Cu exhibits strong covalency, especially in the Cu-O plane, and Tl also appears to have a pronounced covalency. The bonding between the [Tl - O] and [O - Tl] planes is stronger than that between the [Bi - O] and [O - Bi] planes of Bi-Sr.




Figure 7.27 Contours of constant charge density on a logarithmic scale in two high-symmetry crystallographic planes of Tl<sub>2</sub>Ba<sub>2</sub>CuO<sub>6</sub>. Oxygen atoms O(1), O(2), and O(3) are denoted 1, 2, and 3, respectively. The planar Cu-O1 binding is strongest (Hamann and Mattheiss, 1988; see Pickett, 1989).

а

#### E. Modulated Structures

The x-ray and neutron-diffraction patterns obtained during crystal structure determinations of the bismuth cuprates  $Bi_2Sr_2Ca_nCu_{n+1}O_{6+2n}$  exhibit weak satellite lines with spacings that do not arise from an integral multiple of the unit cell dimensions. These satellites have modulation periods of 21 Å, 19.6 Å, and 20.8 Å, respectively, for the n = 0, 1, and 2 compounds (Li et al., 1989). Since the lattice constant a = 5.41 Å (b = 5.43 Å) for all three compounds, this corresponds to a superlattice with unit cell of dimensions  $\approx 3.8a$ , b, c, with the repeat unit along the a direction equal to  $\approx 3.8a$  for all three compounds. A modulation of 4.7b has also been reported (Kulik et al., 1990). This structural modulation is called incommensurate because the repeat unit is not an integral multiple of a.

Substitutions dramatically change this modulation. The compound

$$Bi_2Sr_2Ca_{1-x}Y_xCu_2O_y$$

has a period that decreases from about 4.8b for x = 0 to the commensurate value  $4.0b \text{ for } x = 1 \text{ (Inoue } et \ al., 1989; Tamegai)$ et al., 1989). Replacing Cu by a transition metal (Fe, Mn, or Co) produces nonsuperconducting compounds with a structural modulation that is commensurate with the lattice spacing (Tarascon et al., 1989b). A modulation-free bismuth-lead cuprate superconductor has been prepared (Manivannan et al., 1991). Kistenmacher (1989) examined substitution-induced superstructures in YBa<sub>2</sub>(Cu<sub>1-x</sub> $M_x$ )<sub>3</sub>O<sub>7</sub>. Superlattices with modulation wavelengths as short as 24 Å have been prepared by employing ultra-thin deposition techniques to interpose insulating planes of PrBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> between superconducting Cu-O layers of YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> (Jakob et al., 1991; Lowndes et al., 1990; Pennycook et al., 1991; Rajagopal and Mahanti, 1991; Triscone et al. 1990). Tanaka and Tsukada (1991) used the Kronig-Penney model (Tanaka and

Tsukada, 1989a, b) to calculate the quasiparticle spectrum of superlattices.

#### F. Aligned TI-Ba Compounds

A series of aligned thallium-based superconducting compounds that have the general formula  $TlBa_2Ca_nCu_{n+1}O_{5+2n}$  with n varying from 0 to 5 has been reported (Ihara et al., 1988; Rona, 1990). These constitute a series from 1201 to 1245. They have superconducting transition temperatures almost as high as the  $Tl_2Ba_2Ca_nCu_{n+1}O_{6+2n}$  compounds. Data on these compounds are listed in Table 7.3.


#### G. Lead Doping

In recent years a great deal of effort has been expended in synthesizing lead-doped superconducting cuprate structures (Itoh and Uchikawa, 1989). Examples involve substituting Pb for Bi (Dou et al., 1989; Zhengping et al., 1990), for Tl (Barry et al., 1989; Mingzhu et al., 1990), or for both Bi and Tl (Iqbal et al., 1990). Different kinds of Pb, Y-containing superconductors have also been prepared (cf. Mattheiss and Hamann, 1989; Ohta and Maekawa, 1990; Tang et al., 1991; Tokiwa et al., 1990, 1991).

#### X. ALIGNED HgBaCaCuO

The series of compounds  $HgBa_2Ca_nCu_{n+1}O_{2n+4}$ ,

where n is an integer, are prototypes for the Hg family of superconductors. The first three members of the family, with n = 0, 1, 2, are often referred to as Hg-1201, Hg-1212, and Hg-1223, respectively. They have the structures sketched in Fig. 7.28 (Tokiwa-Yamamoto et al., 1993; see also Martin et al., 1994; Putilin et al., 1991). The lattice constants are a = 3.86 Å for all of them, and c = 9.5, 12.6, and 15.7 Å for n = 0, 1, 2, respectively. The atom positions of the n = 1 compound are listed in Table 7.6 (Hur et al., 1994). The figure is drawn



**Figure 7.28** Structural models for the series  $HgBa_2Ca_nCu_{n+1}O_{2n+4}$ . The first three members with n=0, 1, 2 are shown (parts a, b, and c, respectively) (Tokiwa-Yamamoto *et al.*, 1993).

**Table 7.6** Normalized Atom Positions in the Tetragonal Unit Cell of  $HgBa_2Ca_{0.86}Sr_{0.14}Cu_2O_{6+\delta}$ 

Layer	Atom	х	y	z
_	Hg	0	0 .	1
[Hg]				
	O(3)	$\frac{1}{2}$	$\frac{1}{2}$	1
	O(2)	0	0	0.843
[O - Ba]				
	Ba	$\frac{1}{2}$	1/2	0.778
	Cu	Ō	Ō	0.621
[Cu $O_2$ -]	O(1)	0	$\frac{1}{2}$	0.627
	O(1)	$\frac{1}{2}$	0	0.627
[ Ca]	Ca, Sr	$\frac{\frac{1}{2}}{\frac{1}{2}}$	$\frac{1}{2}$	$\frac{1}{2}$
	O(1)	$\frac{1}{2}$	0	0.373
[Cu O <sub>2</sub> -]	O(1)	0	1/2	0.373
	Cu	0	0	0.379
	Ba	$\frac{1}{2}$	1/2	0.222
[O - Ba]		_	-	
	O(2)	0	0	0.157
	O(3)	$\frac{1}{2}$	1/2	0
[Hg]		4	2	
	Hg	0	0	0

<sup>&</sup>lt;sup>a</sup> Unit cell dimensions a = 3.8584 Å and c = 12.6646 Å, space group is P4/mmm,  $D_{4h}^1$ . The Hg site is 91% occupied and the O(3) site is 11% occupied ( $\delta = 0.11$ ). The data are from Hur *et al.* (1994).





Figure 7.29 Schematic structure of the  $HgBa_2CaCu_2O_{6+\delta}$  compound which is also called Hg-1212 (Meng et al., 1993a).

with mercury located in the middle layer of the unit cell, while the table puts Hg at the origin (000) and Ca in the middle  $(\frac{1}{2}, \frac{1}{2}, \frac{1}{2})$ . Figure 7.29 presents the unit cell for the n = 1 compound HgBa<sub>2</sub>CaCu<sub>2</sub>O<sub>6+ $\delta$ </sub> drawn with Ca in the middle (Meng et al., 1993a). The symbol  $\delta$  represents a small excess of oxygen located in the center of the top and bottom layers, at positions  $\frac{1}{2}$   $\frac{1}{2}$  0 and  $\frac{1}{2}$   $\frac{1}{2}$  1 which are labeled "partial occupancy" in the figure. If this oxygen were included the level symbol would be [Hg - O] instead of [Hg - -]. These Hg compound structures are similar to those of the series  $TlBa_2Ca_nCu_{n+1}O_{2n+4}$  mentioned above in Section IX.F.

We see from Fig. 7.28 that the copper atom of Hg-1201 is in the center of a stretched octahedron with the planar oxygens O(1) at a distance of 1.94 Å, and the apical oxygens O(2) of the [O - Ba] layer much further away (2.78 Å). For n = 1 each copper atom is in the center of the



HgBa<sub>2</sub>CuO<sub>4</sub> HgBa<sub>2</sub>CaCu<sub>2</sub>O<sub>6</sub> HgBa<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>8</sub>

Figure 7.30 Layering schemes of three  $HgBa_2Ca_nCu_{n+1}O_{2n+4}$  compounds, using the notation of Fig. 7.25.

base of a tetragonal pyramid, and for n=2 the additional  $\mathrm{CuO}_2$  layer has  $\mathrm{Cu}$  atoms which are square planar coordinated. The layering scheme stacking rules of Section VI.C are obeyed by the Hg series of compounds, with metal ions in adjacent layers alternating between edge (E) and centered (C) sites, and oxygen in adjacent layers always at different sites. We see from Table 7.6 that the  $[\mathrm{O} - \mathrm{Ba}]$  layer is strongly puckered and the  $[\mathrm{Cu} \ \mathrm{O}_2 \ -]$  layer is only slightly puckered.

The relationships between the layering scheme of the  $HgBa_2Ca_nCu_{n+1}O_{2n+4}$  series of compounds and those of the other cuprates may be seen by comparing the sketch of Fig. 7.30 with that of Fig. 7.25. We see that the n=1 compound  $HgBa_2CaCu_2O_6$  is quite similar in structure to  $YBa_2Cu_3O_7$  with Ca replacing Y in the center and Hg replacing the chains [Cu O -]. More surprising is the similarity between the arrangement of the atoms in the unit cell of each

$$HgBa_2Ca_nCu_{n+1}O_{2n+4}$$

compound and the arrangement of the atoms in the semi-unit cell of the corresponding

$$Tl_2Ba_2Ca_nCu_{n+1}O_{2n+6}$$

ha dis (M har pro 199 tha Lea imp (Iql

r

a

Τ

Ct

H

19

be

pc al

рa

19

XI.

Ma

ster

compound. They are the same except for the replacement of the [Tl - O] layer by [Hg - -], and the fact that the thallium compounds are body centered and the Hg ones are aligned.

Supercells involving polytypes with ordered stacking sequences of different phases, such as Hg-1212 and Hg-1223, along the c direction have been reported. The stoichiometry is often

corresponding to equal numbers of the Hg-1212 and Hg-1223 phases (Phillips, 1993; Schilling et al., 1993, 1994).

Detailed structural data have already been reported on various Hg family compounds such as HgBa<sub>2</sub>CuO<sub>4+ $\delta$ </sub> (Putlin *et al.*, 1993) and the n=1 compound with partial Eu substitution for Ca (Putlin *et al.*, 1991). The compound

$$Pb_{0.7}Hg_{0.3}Sr_2Nd_{0.3}Ca_{0.7}Cu_3O_7$$

has Hg in the position (0.065,0,0), slightly displaced from the origin of the unit cell (Martin et al., 1994). Several researchers have reported synthesis and pretreatment procedures (Adachi et al., 1993; Itoh et al., 1993; Isawa 1994a; Meng, 1993b; Paranthaman, 1994; Paranthaman et al., 1993). Lead doping for Hg has been used to improve the superconducting properties (Iqbal et al., 1994; Isawa et al., 1993; Martin et al., 1994).

#### XI. BUCKMINSTERFULLERENES

The compound  $C_{60}$ , called buckminsterfullerene, or fullerene for short, con-

sists of 60 carbon atoms at the vertices of the dotriacontohedron (32-sided figure) that is sketched in Fig. 3.35 and discussed in Chapter 3, Section XVI. The term fullerene is used here for a wider class of compounds  $C_n$  with n carbon atoms, each of whose carbon atoms is bonded to three other carbons to form a closed surface, with the system conjugated such that for every resonant structure each carbon has two single bonds and one double bond. The smallest possible compound of this type is tetrahedral C4, which has the three resonant structures shown in Fig. 7.31. Cubic C<sub>8</sub> is a fullerene, and we show in Problem 17 that it has nine resonant structures. Icosahedral C<sub>12</sub> is also a fullerene, but octahedral C<sub>6</sub> and dodecahedral C<sub>20</sub> are not because their carbons are bonded to more than three neighbors. These hypothetical smaller C<sub>n</sub> compounds have never been synthesized, but the larger ones, such as  $C_{60}$ ,  $C_{70}$ ,  $C_{76}$ ,  $C_{78}$ , and  $C_{82}$ , have been made and characterized. Some of them have several forms, with different arrangements of polygons. Clusters of buckminsterfullerenes, such as icosahedral  $(C_{60})_{13}$ , have also been studied (T. P. Martin et al., 1993).

There are several interesting geometrical characteristics of fullerenes (Chung and Sternberg, 1993). Since each carbon (vertex) joins three bonds (edges) and each edge has two vertices, the number of edges E in a structure  $C_n$  is 50% greater than the number of vertices V. There is a general theorem in topology, called Euler's Theorem, that the number of faces F of a




Figure 7.31 The three resonant structures of the (hypothetical) tetrahedral compound  $C_4$ .

e n i-

e

ly

2

ly

Ig

Ie

Ig

Ig

Ic

Ig

Ic

Y

1S ty in

је е-

ΧI

St

fi

a.

lc

fa

st

ta

19

al

in

la

he

Ol

((

XI.

th

pl

te

th

bc oi Ta

al. sit

polyhedron is given by the formula

$$F = E - V + 2. (7.8)$$

In a fullerene  $C_n$  where n = V three edges meet at each vertex, so we have

$$E = 3V/2,$$
 (7.9)

$$F = \frac{V}{2} + 2. \tag{7.10}$$

It is shown in Problem 16 that

$$E = \frac{1}{2} \sum_{s} s F_{s} \tag{7.11a}$$

$$V = \frac{1}{3} \sum_{s} s F_{s}, \qquad (7.11b)$$

where  $F_s$  is the number of faces with s sides, and of course,

$$F = \sum_{s} F_{s}. \tag{7.12}$$

Combining Eqs. (7.10)-(7.12) gives the fullerene face formula

$$\sum_{s} (6-s)F_{s} = 12. \tag{7.13}$$

This expression does not place any restrictions on the number of hexagons  $(F_s)$ , but it does severely limit the number of other polyhedra. The two smallest hypothetical fullerenes, the tetrahedron and the cube, have no hexagons, and the larger ones consist of 12 pentagons (F<sub>s</sub>), from Eq. (7.13), and numerous hexagons. For example, the molecule  $C_{60}$  with V = 60 has 12 pentagons and 20 hexagons. Table 7.7 gives the geometric characteristics of the five Platonic solids, the solids generated by truncating all of their vertices, and several other regular polygons, most of which are fullerenes. The fullerenes of current interest are C<sub>60</sub> and larger molecules consisting of 12 pentagons and numerous hexagons, such as  $C_{70}$ ,  $C_{76}$ ,  $C_{78}$ , and  $C_{82}$ . Some have several varieties, such as the isomers of  $C_{78}$  with the symmetries  $C_{2v}$ ,  $D_3$ , and  $D_{3h}$ (Diederich and Whetten, 1992).

The outer diameter of the  $C_{60}$  molecule is 7.10 Å and its van der Waals separation is 2.9 Å, so that the nearest-neighbor distance (effective diameter) in a

Table 7.7 Characteristics of Several Regular Solids<sup>a</sup>

Figure	Vertices	Edges	Faces	Face (polygon) type
The same had drawn	4	6	4	all equilateral triangles
Tetrahedron	6	12	8	all equilateral triangles
Octahedron <sup>b</sup>	8	12	6	all squares
Cube Icosahedron <sup>b</sup>	12	30	20	all equilateral triangles
Dodecahedron	20	30	12	all regular pentagons
(pentagonal)	28	42	16	12 pentagons, 4 hexagons
Hexadecahedron	12	18	8	4 equilateral triangles, 4 hexagons
Truncated tetrahedron	24	36	14	6 squares, 8 hexagons
Truncated octahedron Truncated cube	24	36	14	8 equilateral triangles, 6 octagons
Dotriacontohedron	60	90	32	12 regular pentagons, 20 hexagons
(truncated icosahedron)	60	90	32	20 equilateral triangles, 12 decagons
Truncated dodecahedron	70	105	37	12 pentagons (2 regular), 25 hexagons
Heptatriacontohedron	76 76	114	40	12 pentagons, 28 hexagons
Tetracontahedron	78	116	41	12 pentagons, 29 hexagons
Hentetracontohedron	84	126	44	12 pentagons, 32 hexagons
Dotetracontohedron  Large Fullerene	n	$\frac{3}{2}n$	$\frac{1}{2}n+2$	12 pentagons, $\frac{1}{2}n - 10$ hexagons

<sup>&</sup>lt;sup>a</sup> The first five solids are the Platonic solids, and the seventh to eleventh are truncations of the Platonic solids. When carbons occupy the vertices all correspond to fullerenes except the octahedron and the icosahedron for which  $3V \neq 2E$ . The smallest compounds in this table have never been synthesized.

b Not a fullerene because the vertices have more than three edges.

solid is 10.0 Å. The bonds shared by a five-membered and a six-membered ring are 1.45 Å long, while those between two adjacent six-membered rings are 1.40 Å long. Above 260 K these molecules form a face centered cubic lattice with lattice constant 14.2 Å; below 260 K it is simple cubic with a = 7.10 Å (Fischer et al., 1991; Kasatani et al., 1993; Troullier and Martins, 1992). When C<sub>60</sub> is doped with alkali metals to form a superconductor it crystallizes into a face centered cubic lattice with larger octahedral and smaller tetrahedral holes for the alkalis. The  $C_{60}$  ions are orientationally disordered in the lattice (Gupta and Gupta, 1993).


#### XII. SYMMETRIES

Earlier in this chapter we mentioned the significance of the horizontal reflection plane  $\sigma_h$  characteristic of the high-temperature superconductors, and noted that most of these superconductors are body centered. In this section we will point out additional symmetries that are present. Table VI-14 of our earlier work (Poole *et al.*, 1988) lists the point symmetries at the sites of the atoms in a number of these compounds.

In the notation of group theory the tetragonal structure belongs to the point group 4/mmm (this is the newer international notation for what in the older Schönflies notation was written  $D_{4h}$ ). The unit cell possesses the inversion operation at the center, so when there is an atom at position (x, y, x), there will be another identical atom at position (-x, -y, -z). The international symbol 4/mmm indicates the presence of a fourfold axis of symmetry  $C_4$  and three mutually perpendicular mirror planes m. The Schönflies notation  $D_{4h}$  also specifies the fourfold axis, h signifying a horizontal mirror plane  $\sigma_h$  and D indicating a dihedral group with vertical mirror planes.

We see from Fig. 7.32 that the z-axis is a fourfold (90°) symmetry axis called  $C_4$ , and that perpendicular to it are twofold (180°) symmetry axes along the x and y directions, called  $C_2$ , and also along the diagonal directions ( $C_2$ ) in the midplane. There are two vertical mirror planes  $\sigma_v$ , two diagonal mirror planes  $\sigma_d$  which are also vertical, and a horizontal mirror plane  $\sigma_h$ . Additional symmetry operations that are not shown are a 180° rotation  $C_2^z$  around the z axis,

$$C_2^z = C_4^z C_4^z,$$
 (7.14)



**Figure 7.32** Symmetry operations of the tetragonal unit cell showing a fourfold rotation axis  $C_4$ , three twofold axes  $C_2$ , and reflection planes of the vertical  $\sigma_{2x} = \sigma_c$ , horizontal  $\sigma_{xy} = \sigma_h$ ; and diagonal  $\sigma_d$  types.

Figure 7.33 Rotational symmetry operations of an orthorhombic unit cell (a) with rectangular distortion, and (b) with rhombal distortion from an originally tetragonal cell.

and the improper fourfold rotation  $S_4^z$  around z that corresponds to  $C_4^z$  followed by, or preceded by,  $\sigma_h$ ,

$$S_4^z = C_4^z \sigma_h = \sigma_h C_4^z,$$
 (7.15)

where  $C_4^2$  and  $\sigma_h$  commute.

The orthorhombic structure has mmm,  $D_{2h}$  symmetry. We see from Fig. 7.33 that both the rectangular and rhombal unit cells, which correspond to Figs. 7.4a and 7.4b, respectively, have three mutually perpendicular twofold axes, and that they also have three mutually perpendicular mirror planes  $\sigma$ , which are not shown. The two cases differ in having their horizontal axes and vertical planes oriented at 45° to each other.

Cubic structures, being much higher in symmetry, have additional symmetry operations, such as fourfold axes  $C_4^x$ ,  $C_4^y$ , and  $C_4^z$  along each coordinate direction, threefold axes  $C_3$  along each body diagonal, and numerous other mirror planes. These can be easily seen from an examination of Fig. 7.1. Buckyballs belong to the icosohedral group, which has twofold  $(C_2)$ , fivefold  $(C_5)$ , and sixfold  $(C_6)$  rotation axes, horizontal reflection planes, inversion symmetry, and sixfold  $(S_6)$  and tenfold  $(S_{10})$  improper rotations, for a total of 120 individual symmetry operations in all (Cotton, 1963).

#### XIII. CRYSTAL CHEMISTRY

In Chapter 3 we briefly described the structures of some classical superconductors, and in this chapter we provided a more detailed discussion of the structures of the cuprate superconductors. The question arises of how structure is related to the presence of metallic and superconducting properties.

Villars and Phillips (1988; Phillips, 1989a) proposed to explain the combinations of elements in compounds that are favorable for superconductivity at relatively high temperatures by assigning three metallic coordinates to each atom, namely an electron number  $N_e$ , a size r, and an electronegativity X. The electron numbers are given in Table 3.1 for most of the elements, with  $N_e = 3$  for all of the rare earths and actinides; several correlations of  $N_e$  with  $T_c$  have already been given in Chapter 3. The sizes and electronegativities were determined empirically from a study of some 3,000 binary intermetallic compounds of types AB, AB<sub>2</sub>, AB<sub>3</sub>, and  $A_2B_5$ . The resulting values for each atom are listed in Fig. 7.34 together with their electron numbers. These values, although arrived at empirically on the basis of the constraint of self-consistency, do have a spectroscopic basis, and thus are called, respectively, spectroscopic radii and spectroscopic electronegativities.

The metallic coordinates of the atoms can be employed to calculate the three Villars-Phillips (VP) coordinates for each compound, namely (a) average number of valence electrons  $N_v = \langle N_e \rangle_{\rm av}$ , (b) spectroscopic electronegativity difference  $\Delta X$ , and (c) spectroscopic radius difference  $\Delta R$ , where we are using the VP notation. For example, for the compound NbN, with  $T_c = 17.3$  K, we have, using the data from Fig. 7.34,

$$N_{\rm v} = \frac{1}{2}(4+5) = 4.5,$$
  
 $\Delta R = 2.76 - 0.54 = 2.22,$  (7.16)  
 $\Delta X = 2.03 - 2.85 = -0.82.$ 

T p la

V co 60 sit 10

po

Tl

are nat the but  $T_c$ : clus sho A15 met

Nbi

H 1 2.10° 1.25°					•																
Li 1 0.90 1.61	Be 2 1.45 1.08													ı	3 90 .795	C 4 2.37 0.64		3	6 .32 .465	F 7 3.78 0.40	
Na 1 0.89 2.65	Mg 2 1.31 2.03													1	1 3 .64 .675	Si 4 1.96 1.42	2.33	2 2	6 .65 .10	Cl 7 2.98 1.01	
K 1 0.80 3.69	Ca 2 1.17 3.00	Sc 3 1.50 2.75	Ti 4 1.86 2.56	2.5	22 2.		Mn 7 2.04 2.22	Fe 1.6 2.1	7 1.	12	Ni 10 1.76 2.18	Cu 1 1.08 2.04	Zn I 1.44 1.88	վո	a 3 .70 .695	Ge 1.99 1.56	2.27	2	e 6 .54 .285	Br 7 2.83 1.20	1
Rb 1 0.80 4.10	Sr 2 1.13 3.21	Y 3 1.41 2.94	Zr ( 1.70 2.82	2.6	X3 1.5		Tc 7 2.18 2.65	Ru 1.9 2.6	7 1.9	9	Pd 10 2.08 2.45	Ag 1 1.07 2.375	Cd 1 1.40 2.21	ŀ	n 3 .63 .05	Sn 1.80 1.80	2.1	1 2	Te 6 2.38 .67	1.7 2.76 1.58	
Cs 1 0.77 4.31	Ba 2 1.08 3.402	La 3 1.35 3.08	Hf 4 1.73 2.91	1.9	4   L		Re 7 2.06 2.64	Os 1.H 2.6	5 1.0	-	Pt 10 1.91 2.70	Au 1 1.19 2.66	Hg 1.49	ļ۱	1.1 .69 .235	P6 1.9: 2.0:	2.1	1 2	20 6 2.40 1.90	At 7 2.64 1.83	١.
Fr 1 0.70° 1.37°	Ra 2 0.90° 3.53°	Ac 3 1.10° 3.12°		Ce 3	Pr 3		- 1	m 3						Dy		lo 3	Er 3	Tm		/b 3	Lu
				4.50° Th 3 1.3° 4.98°	4.48° Pa 3 1.5° 4.96°	3. U 1.	99° 3.	99° p 3 3°	4.14 <sup>6</sup> Pu 3 1.3 <sup>4</sup> 4.91 <sup>6</sup>	3. A		1 1		3.67		.65*	1.2° 3.63°	3.60		.1* .59*	1.2 3.3

Figure 7.34 Periodic table listing metallic valences (upper right), sizes (center), and electronegativities (bottom) in the box of each element, according to the Villars-Phillips model (Phillips, 1989a, p. 321).

The VP coordinates for the A15 compound  $Ge_3Nb$  with  $T_c = 23.2$  K are calculated as follows:

$$N_{\rm v} = \frac{1}{4}(4+3\times5) = 4.75,$$
  
 $\Delta R = \frac{1}{2}(1.56-2.76) = -0.60, (7.17)$   
 $\Delta X = \frac{1}{2}(1.99-2.03) = -0.02.$ 

The text by Phillips (1989a) tabulates the VP coordinates for more than 60 superconductors with  $T_{\rm c} > 10$  K and for about 600 additional superconductors with transition temperatures in the range  $1 < T_{\rm c} < 10$  K.

When the points for the 600 compounds with lower transition temperatures are plotted on a three-dimensional coordinate system with axes  $N_{\rm v}$ ,  $\Delta X$ , and  $\Delta R$ , they scatter over a large range of values, but when the points for compounds with  $T_{\rm c} > 10$  K are plotted, they are found to cluster in three regions, called islands, as shown in Fig. 7.35. Island A contains the A15 compounds plus some complex intermetallics, island B consists mainly of the NbN family plus some borides and car-

bides, and island C has closely clustered Chevrel phases, with the high- $T_{\rm c}$  cuprates on the left. When ternary ferroelectric oxides with Curie temperatures that exceed 500°C are plotted in the same diagram as the superconductors they cluster between the Chevrel group and the cuprates. These ferroelectric oxides are not superconductors, though Phillips (1989a) suggested that doping them with Cu and alkaline earths could produce superconductors with high transition temperatures.

Thus we see that the high transition temperatures of classical superconductors are favored by particular structures and by particular combinations of metallic coordinates for each of these structures. The Villars-Phillips approach provides both structural and atomic criteria for the presence of high  $T_{\rm c}$ .

We have discussed the Phillips approach to a crystal chemistry explanation of the superconductivity of the cuprates. Other researchers have offered alternate, in some cases somewhat related, approaches to understanding the commonali-



#### **FURTHER**

The Wy 1; 1964, Vol. comprehensi many import A15 comport Tables for  $\lambda$ dale, 1965, symmetries groups. The Nb<sub>3</sub>Ge, is expensive

Details given by Bey and Glazer Chapter 6), (1989). Phill sion of the earlier work symmetries Billinge et a temperature viewed structure viewed structure.

The m conductors viewed by C and Koelle stoichiomet drashekhar and by Rou supercondu (1991) and

The ! Chemical ! reviews of are edited Kroto and haus et al thallium of Yakhimi (Chu (1995)

#### **PROBLE**

1. Show hole atom  $1]r_0$ , the

2. Sho hole ator




Figure 7.35 Regions in the Villars-Phillips configuration space where superconductivity occurs at relatively high temperatures (Phillips, 1989a, p. 324; Villars and Phillips, 1988).

ties of the various high-temperature and classical superconductors (Adrian, 1992; Schneider, 1992; Tajima and Kitazawa, 1990; Whangbo and Torardi, 1991; Torrace, 1992; Yakhmi and Iyer, 1992; Zhang and Sato, 1993).

## XIV. COMPARISON WITH CLASSICAL SUPERCONDUCTOR STRUCTURES

Many elements such as copper and lead are face centered cubic, while many other elements, such as niobium, are body centered cubic, with a = 3.30 Å for Nb. The A15 compounds, such as Nb<sub>3</sub>Se, are (simple) cubic with lattice constant  $a \approx$  $3.63\sqrt{2}$  and have parallel chains of Nb atoms 5.14 Å apart. Other types of classical superconductors, such as the Laves and Chevrel phases, are cubic or close to cubic. The new oxide superconductors are tetragonal or orthorhombic close to tetragonal, and they all have  $a \approx b \approx 3.85$  Å, which is somewhat greater than the value for the A15 compounds. The third lattice constant c varies with the compound, with the values 13.2 Å for LaSrCuO, 11.7 Å for YBaCuO, and ≈ 23 to 36 Å for the

BiSrCaCuO and TlBaCaCuO compounds. These differences occur because the number of copper-oxygen and other planes per unit cell, as well as the spacings between them, vary from compound to compound due to the diverse arrangements of atoms between the layers. Thus relatively high-symmetry crystal structures are characteristic of many superconductors.

#### **XV. CONCLUSIONS**

Almost all the high-temperature oxide superconductors have point symmetry  $D_{4h}$ (a = b) or symmetry close to  $D_{4h}$   $(a \approx b)$ . These superconductors consist of horizontal layers, each of which contains one positive ion and either zero, one, or two oxygens. The copper ions may be coordinated square planar, pyramidal, or octahedral, with some additional distortion. Copper oxide layers are never adjacent to each other, and equivalent layers are never adjacent. The cations alternate sites vertically, as do the oxygens. The copper oxide layers are either flat or slightly puckered, in contrast to the other metal oxide layers, which are generally far from planar. The highest  $T_c$  compounds have metal layers (e.g., Ca) with no oxygens between the copper oxide planes.

### **FURTHER READING**

The Wyckoff series, Crystal Structures (1963, Vol. 1; 1964, Vol. 2; 1965, Vol. 3; 1968, Vol. 4) provides a comprehensive tabulation of crystal structures, but many important classical superconductors such as the A15 compounds are not included. The International Tables for X-Ray Crystallography (Henry and Lonsdale, 1965, Vol. 1) provide the atom positions and symmetries for all of the crystallographic space groups. The Strukturbericht notation, e.g., A15 for Nb<sub>3</sub>Ge, is explained in Pearson's compilation (1958).

Details of cuprate crystallographic structures are given by Beyers and Shaw (1989; YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub>), Burns and Glazer (1990), Hazen (1990), Poole *et al.* (1988, Chapter 6), Santoro (1990), and Yvon and François (1989). Phillips (1989a) provides an extensive discussion of the crystal chemistry of the cuprates. Our earlier work (Poole *et al.*, 1988, p. 107) lists the site symmetries in perovskite and cuprate structures. Billinge *et al.* (1994) reviewed lattice effects in high temperature superconductors, and Zhu (1994) reviewed structural defects in YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7- $\delta$ </sub>.

The microstructure of high temperature superconductors studied by electron microscopy are reviewed by Chen (1990), Gai and Thomas (1992), Gross and Koelle (1994), and Shekhtman (1993). Oxygen stoichiometry in HTSC's is reviewed by Chandrashekhar *et al.*, (1994), Green and Bagley (1990) and by Routbert and Rothman (1995). Electron-doped superconductors are reviewed by Almasan and Maple (1991) and by Fontcuberta and Fàbrega (1995).

The March 1992 special issue of Accounts of Chemical Research (Vol. 25, No. 3) is devoted to reviews of buckminsterfullerenes. Two recent books are edited by Billups and Ciofolini (1993) and by Kroto and Walton (1993), and the review by Dresselhaus et al. (1994) are devoted to fullerenes. The thallium compounds were reviewed by Hermann and Yakhimi (1993) and the mercury superconductors by Chu (1995).

#### **PROBLEMS**

- 1. Show that the radius of the octahedral hole in an fcc close-packed lattice of atoms of radius  $r_0$  is equal to  $[\sqrt{2} 1]r_0$ . What is the radius of the hole if the lattice is formed from oxygen ions?
- 2. Show that the radius of the tetrahedral hole in an fcc close-packed lattice of atoms of radius  $r_0$  is equal to  $[(3/2)^{1/2}]$

- $-1)r_0$ . What is the radius of the hole if the lattice is formed from oxygen ions?
- 3. The "image perovskite" unit cell is generated from the unit cell of Fig. 7.1 by shifting the origin from the point (0,0,0) to the point  $(\frac{1}{2},\frac{1}{2},\frac{1}{2})$ . Sketch this "image" cell. Show that the planes of atoms in this cell are the image planes related by the body centering operation to those of the original perovskite. This image cell is the one that usually appears to represent perovskite in solid-state physics texts.
- Calculate the distance between the yttrium atom and its nearest-neighbor Ba, Cu, and O atoms in the superconductor YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub>.
- 5. Write down the x, y, z coordinates for the five numbered atoms in the initial plane of Fig. 7.16. Give the explicit symmetry operations, with the proper choice of sign in Eq. (7.5) for each case, that transform these five atoms to their indicated new positions on the other three planes.
- 6. Explain how the international and Schönflies symbols, mmm and  $D_{2h}$  respectively, are appropriate for designating the point group for the orthorhombic superconductors.
- 7. What are the symmetry operations of the A15 unit cell of Fig. 3.19?
- 8. The  $D_{2h}$  point group consists of eight symmetry operations that leave an orthorhombic cell unchanged, namely an identity operation E that produces no change, three twofold rotations  $C_2^i$  along i = x, y, z, three mirror reflection planes  $\sigma_{ij}$ , and an inversion i. Examples of these symmetry operations are

$$E \qquad x \to x \qquad y \to y \qquad z \to z$$

$$C_2^x \qquad x \to x \qquad y \to -y \qquad z \to -z$$

$$\sigma_{xy} \qquad x \to x \qquad y \to y \qquad z \to -z$$

$$i \qquad x \to -x \qquad y \to -y \qquad z \to -z.$$

A group has the property that successive application of two symmetry oper-

ations produces a third. Thus, we have, for example,

$$C_2^x \sigma_{xy} = \sigma_{zx}$$

$$C_2^y C_2^x = C_2^z$$

$$iC_2^y = \sigma_{zx}$$

$$\sigma_{zx} \sigma_{yz} = C_2^z$$

These results have been entered into the following multiplication table for the  $D_{2h}$  group. Fill in the remainder of the table. Hint: each element of a group appears in each row and each column of the multiplication table once and only once.

	$\boldsymbol{E}$	$C_2^x$	$C_2^y$	$C_2^z$	i	$\sigma_{xy}$	$\sigma_{yz}$	$\sigma_{zx}$
E			-					
$C_2^{x}$		$C_2^z$				$\sigma_{zx}$		
$ \begin{array}{c c} E \\ C_2^x \\ C_2^y \\ C_2^z \end{array} $		$C_2$						
i			$\sigma_{zx}$					
$\sigma_{xy}$								
$ \sigma_{xy} $ $ \sigma_{yz} $ $ \sigma_{zx} $							$C_2^z$	

- 9. Construct the multiplication table for the  $D_{4h}$  point group which contains the 16 symmetry elements that leave a tetragonal unit cell unchanged. Which pairs of symmetry elements A and B do not commute, i.e., such that  $AB \neq BA$ ? Hint: follow the procedures used in Problem 8.
- 10. Draw diagrams analogous to those in Fig. 7.25 for the first two members of the aligned series  $TlBa_2Ca_nCu_{n+1}O_{5+2n}$ , where n = 0, 1.

- 11. Draw the analogue of Fig. 7.19 for the Nd<sub>2</sub>CuO<sub>4</sub> compound, showing the location of all of the Cu and O atoms. How do Figs. 7.21 and 7.22 differ for Nd<sub>2</sub>CuO<sub>4</sub>?
- 12. Calculate the Villars-Phillips coordinates for the three superconductors MoP<sub>3</sub>, V<sub>3</sub>Sn, and NbTi.
- 13. Select one of the compounds (Tl<sub>2</sub>Ba<sub>2</sub>CuO<sub>6</sub>, Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub>, Bi<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>10</sub>, Tl<sub>2</sub>Ba<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>6</sub>) and construct a table for it patterned after Tables 7.5 or 7.6.
- 14. Locate a twofold  $(C_2)$ , fivefold  $(C_5)$ , and sixfold  $(C_6)$  rotation axis, and also a reflection plane  $\sigma_h$  in the buckyball sketch of Fig. 3.35. How many of each type of operation are there?
- 15. We can see by examining Fig. 3.35 that a buckyball has inversion symmetry. Identify a sixfold  $(S_6)$  and tenfold  $(S_{10})$  improper rotation axis, where an improper rotation is understood to involve a sequential inversion and a proper rotation. How many  $S_6$  and how many  $S_{10}$  axes are there?
- 16. Show that the total number of edges E in a fullerene is given by

$$E=\frac{1}{2}\sum_{s}sF_{s},$$

and the number of vortices is

$$V = \frac{1}{3} \sum_{s} s F_{s},$$

ı.

the

ter

In

atc

roi

nea Ca the gen Tl<sup>3</sup> lend elect bon did are hend

where  $F_s$  is the number of faces with s sides.

17. Show that the cubic fullerene compound C<sub>8</sub> has nine resonant structures.

# References

- J. Aarts, J. Meiresonne, H. Sprey, W. Maj, and P. Zagwijn, Phys. Rev. B 41, 4739 (1990).
- M. Abbate, M. Sacchi, J. J. Wnuk, L. W. M. Schreurs, Y. S. Wang, R. Lof, and J. C. Fuggle, Phys. Rev. B 42, 7914 (1990).
- M. Abramowitz and I. A. Stegun, Eds., "Handbook of Mathematical Functions," NBS, U.S. Gov. Printing Off., Washington, DC, 1964.
- A. A. Abrikosov, Zh. Eksp. Teor. Fiz. 35, 1442 (1957); Sov. Phys. JETP 5, 1174 (1957).
- D. Achkir, D. Poirier, C. Bourbonnais, G. Quirion, C. Lenoir, P. Batail, and D. Jérome, Phys. Rev. B 47, 11595 (1993).
- J. V. Acrivos, L. Chen, C. M. Burch, P. Metcalf, J. M. Honig, R. S. Liu, and K. K. Singh, Phys. Rev. B, in press.
- S. Adachi, A. Tokiwa-Yamamoto, M. Itoh, K. Isawa, and H. Yamauchi, Physica C 214, 313 (1993).
- F. J. Adrian, Phys. Rev. Lett. 61, 2148 (1988); see also 63, 688, 690 (1989).
- F. J. Adrian, Chem. Eng. News Dec. 21, 24 (1992).
- G. Aeppli, S. M. Hayden, H. A. Mook, Z. Fisk, S.-W. Cheong, D. Rytz, J. P. Remeika, G. P. Espinosa, and A. S. Cooper, Phys. Rev. Lett. 62, 2052 (1989).
- N. Agraït, J. G. Rodrigo, and S. Vieira, Phys. Rev. B 46, 5814 (1992).

- N. Agraït, J. G. Rodrigo, and S. Vieira, Phys. Rev. B 47, 12345 (1993).
- I. J. R. Aitchison and N. E. Mavromatos, Phys. Rev. B 39, 6544 (1989).
- M. Akera and T. Andu, in "Proc. 8th Int. Conf. on Elect. Prop. of 2-Dimensional Systems," Grenoble, France, 1989.
- H. Akera, A. H. MacDonald, S. M. Girvin, and M. R. Norman, Phys. Rev. Lett. 67, 2375 (1991).
- J. Akimitsu, S. Suzuki, M. Wantanabe, and H. Sawa, Jpn. J. Appl. Phys. 27, L1857 (1988).
- S. Aktas, "A Numerical Study of Magnetic Vortices in High Kappa Superconductors," Ph.D. thesis, University of South Carolina, 1993.
- S. Aktas, C. P. Poole, Jr., and H. A. Farach, J. Phys. Condens. Matter 6, 7373 (1994).
- N. E. Alekseevskii, N. M. Dobrovolskii, D. Ekkert, and V. I. Tsebro, JETP 72, 1145 (1977).
- M. Alexander, H. Romberg, N. Nücker, P. Adelmann, J. Fink, J. T. Markert, M. B. Maple, S. Uchida, H. Takagi, Y. Tokura, A. C. W. P. James, and D. W. Murphy, Phys. Rev. B 43, 333 (1991).
- A. A. Aligia, Phys. Rev. B 39, 6700 (1989).
- K. Allan, A. Campion, J. Zhou, and J. B. Goodenough, Phys. Rev. B 41, 11572 (1990).

- P. B. Allen, Z. Fisk, and A. Migliori, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 1, Chap. 5, World Scientific, Singapore, 1989.
- P. B. Allen, in "High-Temperature Superconductivity" (J. W. Lynn, Ed.), Chap. 9, Springer-Verlag, Berlin, 1990.
- J. W. Allen, C. G. Olson, M. B. Maple, J.-S. Kang, L. Z. Liu, J.-H. Park, R. O. Anderson, W. P. Ellis, J. T. Market, Y. Dalichaouch, and R. Liu, Phys. Rev. Lett. 64, 595 (1990).
- H. Alloul, T. Ohno, and P. Mendels, Phys. Rev. Lett. 63, 1700 (1989).
- H. Alloul, A. Mahajan, H. Casalta, and O. Klein, Phys. Rev. Lett. 70, 1171 (1993).
- C. C. Almasan, J. Estrada, C. P. Poole, Jr., T. Datta, H. A. Farach, D. U. Gubser, S. A. Wolf, and L. E. Toth, Mater. Res. Soc. Symp. Proc. 99, 451 (1987).
- C. C. Almasan and M. B. Maple, in "Chemistry of High Temperature Superconductors" (C. N. R. Rao, Ed.), World Scientific, Singapore, 1991.
- C. C. Almasan, S. H. Han, E. A. Early, B. W. Lee, C. L. Seaman, and M. B. Maple, Phys. Rev. B 45, 1056 (1992).
- E. E. Alp, J. C. Campuzano, G. Jennings, J. Guo, D. E. Ellis, L. Beaulaigue, S. Mini, M. Faiz, Y. Zhou, B. W. Veal, and J. Z. Liu, Phys. Rev. B 40, 9385 (1989).
- A. Amato, C. Geibel, F. N. Gygax, R. H. Heffner, E. Knetsch, D. E. MacLaughlin, C. Schank, A. Schenck, F. Steglich, and M. Weber, Z. Phys. B 86, 159 (1992).
- V. Ambegaokar and A. Baratoff, Phys. Rev. Lett. 10, 468 (1963a); 11, 104 (1963b).
- V. Ambegaokar and U. Eckern, Phys. Rev. B 44, 10358 (1991).
- J. R. Anderson, D. A. Papaconstantopoulis, J. W. McCaffrey, and J. E. Schirber, Phys. Rev. B 7, 5115 (1973).
- P. W. Anderson, Phys. Rev. 112, 1900 (1958).
- P. W. Anderson, Phys. Rev. B 115, 2 (1959).
- P. W. Anderson, Phys. Rev. Lett. 9, 309 (1962).
- P. W. Anderson and J. M. Rowell, Phys. Rev. Lett. 10, 230 (1963).
- P. W. Anderson and Y. B. Kim, Rev. Mod. Phys. 36, 39 (1964).
- P. W. Anderson, Science 235, 1196 (1987a); Phys. Rev. Lett. 59, 2497 (1987b).
- P. W. Anderson, in "Frontiers and Borderlines of Many Particle Physics," Int. School of Physics "Enrico Fermi," North-Holland, Varenna, 1987.
- P. W. Anderson and Z. Zou, Phys. Rev. Lett. 60, 132 (1988). (Reprinted in Halley, 1988).
- P. W. Anderson, Phys. Rev. Lett. 64, 1839 (1990a); 65, 2306 (1990b).
- P. W. Anderson, Physica C 185-189, 11 (1991).
- P. W. Anderson and R. Schrieffer, Physics Today, June 1991, p. 54.
- P. W. Anderson, Science 256, 1526 (1992).

- P. W. Anderson, "A Career in Theoretical Physics," World Scientific, Singapore, 1994a.
- P. W. Anderson, Amer. Scientist 82, 379 (1994b)
- M. Andersson and Ö. Rapp, Phys. Rev. B 44, 7722 (1991).
- Y. Ando, N. Motohira, K. Kitazawa, J. Takeya, and S. Akita, Jpn. J. Appl. Phys. 30, L1635 (1991a); Phys. Rev. Lett. 67, 2737 (1991b).
- B. Andraka, J. S. Kim, G. R. Stewart, K. D. Carlson, H. H. Wang, and J. M. Williams, Phys. Rev. B 40, 11345 (1989).
- O. A. Anikeenok, M. V. Eremin, R. Sh. Zhdanov, V. V. Naletov, M. P. Rodionova, and M. A. Teplov, JETP Lett. 54, 149 (1991).
- V. I. Anisimov, M. A. Korotin, J. Zaanen, and P. L. Andersen, Phys. Rev. Lett. 68, 345 (1992).
- S. M. Anlage, M. Pambianchi, A. T. Findikoglu, C. Doughty, D.-H. Wu, J. Mao, S.-N. Mao, X. X. Xi, T. Venkatesan, J. L. Peng, and R. L. Greene, Proc. SPIE Conf. on Oxide Superconductivity, Vol. 2158 (D. Pavuna, Ed.), in press, 1994.
- J. F. Annett, N. Goldenfeld, and S. R. Renn, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 2, Chap. 9, World Scientific, Singapore, 1990.
- E. J. Ansaldo, C. Niedermayer, H. Glückler, C. E. Stronach, T. M. Riseman, R. S. Cary, D. R. Noakes, X. Obradors, A. Fuetes, J. M. Navarro, P. Gomez, N. Casañ, B. Martinez, F. Perez, J. Rodriguez-Carvajal, and K. Chow, Physica C 185-189, 1213 (1991a).
- E. J. Ansaldo, C. Niedermayer, and C. E. Stronach, Nature 353, 121 (1991b).
- V. P. Antropov, I. I. Mazin, O. K. Andersen, A. I. Liechtenstein, and O. Jepsen, Phys. Rev. B 47, 12373 (1993).
- J. Aponte, H. C. Abache, A. Sa-Neto, and M. Octavio, Phys. Rev. B 39, 2233 (1989).
- B. Arfi, Phys. Rev. B 45, 2352 (1992).
- G. Arfken, "Mathematical Methods for Physicists," 3rd ed., Wiley, New York, 1985.
- T. A. Arias and J. D. Joannopoulos, Phys. Rev. B 39, 4071 (1989).
- D. N. Aristov, S. V. Maleyev, and A. G. Yashenkin, Phys. Rev. B 48, 3527 (1993).
- A. J. Arko, R. S. List, R. J. Bartlett, S.-W. Cheong, Z. Fisk, J. D. Thompson, C. G. Olson, A.-B. Yang, R. Liu, C. Gu, B. W. Veal, J. Z. Liu, A. P. Plaulikas, K. Vandervoort, H. Claus, J. C. Campuzano, J. E. Schirber, and N. D. Shinn, Phys. Rev. B 40, 2268 (1989).
- G. B. Arnold, F. M. Mueller, and J. C. Swihart, Phys. Rev. Lett. 67, 2569 (1991).
- A. G. Aronov, S. Hikami, and A. I. Larkin, Phys. Rev. Lett. 62, 965, 2236(E), (1989).
- D. Arovas, J. R. Schrieffer, and F. Wilczek, Phys. Rev. Lett. 53, 722 (1984).
- E. Arrigoni, G. Strinati, and C. Castellani, Phys. Rev. B 41, 4838 (1990).

]

(

(

Α

A

- E. Arrigoni and G. C. Strinati, Phys. Rev. B 44, 7455 (1991).
- K. Asayama, G.-Q. Zheng, Y. Kitaoka, K. Ishida, and K. Fujiwara, Physica C 178, 281 (1991).
- N. W. Ashcroft and N. D. Mermin, "Solid State Physics," Saunders, Philadelphia, 1976.
- M. Ashida, S. Aoyama, J. Hara, and K. Nagai, Phys. Rev. B 40, 8673 (1989).
- M. Ashida, J. Hara, and K. Nagai, Phys. Rev. B 45, 828 (1992).
- J. Ashkenazi, S. E. Barnes, F. Zuo, G. C. Vezzoli, and B. M. Klein, Eds., "High Temperature Superconductivity," Plenum, New York, 1991.
- T. R. Askew, R. B. Flippen, K. J. Leary, M. N. Kunchur, J. Mater. Res. 6, 1135 (1991).
- L. G. Aslamazov and A. I. Larkin, Fiz. Tverd. Tela 10, 1104 (1968) [Sov. Phys. Solid State 10, 875 (1968)].
- W. Assmus, M. Herrmann, U. Rauchschwalbe, S. Riegel, W. Lieke, H. Spille, S. Horn, G. Weber, F. Steglich, and G. Cordier, Phys. Rev. Lett. 52, 469 (1984).
- K. S. Athreya, O. B. Hyun, J. E. Ostenson, J. R. Clem, and D. K. Finnemore, Phys. Rev. B 38, 11846 (1988).
- A. Auerbach, "Interacting Electrons and Quantum Magnetism," Springer-Verlag, Berlin, 1994.
- B. Aurivillus, Ark. Kemi 1, 463, 499 (1950).
- B. Aurivillus, Ark. Kemi 2, 519 (1951).
- B. Aurivillus, Ark. Kemi 5, 39 (1952).
- C. Ayache, I. L. Chaplygin, A. I. Kirilyuk, N. M. Kreines, and V. I. Kudinov, Solid State Commun. 81, 41 (1992).
- J. Azoulay, Phys. Rev. B 44, 7018 (1991).
- E. Babic, M. Prester, D. Drobac, Ž. Marohnic, and N. Biškup, Phys. Rev. B 43, 1162 (1991).
- E. Babic, M. Prester, D. Drobac, Ž. Marohnic, P. Nozar, P. Stastny, F. C. Matacotta, and S. Bernik, Phys. Rev. B 45, 913 (1992).
- P. K. Babu and J. Ramakrishna, Supercond. Rev. 1, 75 (1992).
- D. C. Baird and B. K. Mukherjee, Phys. Rev. Lett. 21, 996 (1968).
- D. C. Baird and B. K. Mukherjee, Phys. Rev. 3, 1043 (1971).
- C. K. Bak and N. F. Pedersen, Appl. Phys. Lett. 22, 149 (1973).
- O. N. Bakharev, A. V. Dooglav, A. V. Egorov, V. V. Naletov, M. P. Rodionova, M. S. Tagirov, and M. A. Teplov, Appl. Magn. Reson. 2, 559 (1991).
- J. Bala and A. M. Oleś, Phys. Rev. B 47, 515 (1993).
- C. J. Ballhausen, "Introduction to Ligand Field Theory," McGraw-Hill, New York, 1962.
- M. Ban, T. Ichiguchi, and T. Onogi, Phys. Rev. B 40, 4419 (1989).
- A. Bansil, P. E. Mijnarends, and L. C. Smedskjaer; Phys. Rev. B 43, 3667 (1991).
- A. Bansil and S. Kaprzyk, Phys. Rev. B 43, 10335 (1991).

- A. Bansil (Ed.), "Proc. Conf. Spectroscopies in Novel Superconductors," J. Phys. Chem. Solids, in press.
- A. Baratoff and G. Binnig, Physica B 188, 1335 (1981).
- B. Barbiellini, P. Genoud, J. Y. Henry, L. Hoffmann, T. Jarlborg, A. A. Manuel, S. Massidda, M. Peter, W. Sadowski, H. J. Scheel, A. Shukla, A. K. Singh, and E. Walker, Phys. Rev. B 43, 7810 (1991).
- J. Bardeen, L. N. Cooper, and J. R. Schrieffer, Phys. Rev. 108, 1175 (1957).
- J. Bardeen and M. P. Stephen, Phys. Rev. A 140, 1197 (1965).
- R. Bar-Deroma, J. Felsteiner, R. Brener, J. Ashkenazi, and D. van der Marel, Phys. Rev. B 45, 2361 (1992).
- C. Barlingay, V. Garcia-Vázquez, C. M. Falco, S. Mazumdar, and S. H. Risbud, Phys. Rev. B 41, 4797 (1990).
- A. Barone and G. Paterno, "Physics and Applications of the Josephson Effect," Wiley, New York, 1982.
- S. E. Barrett, D. J. Durand, C. H. Pennington, C. P. Slichter, T. A. Friedmann, J. P. Rice, and D. M. Ginsberg, Phys. Rev. B 41, 6283 (1990).
- S. E. Barrett, J. A. Martindale, D. J. Durand, C. H. Pennington, C. P. Slichter, T. A. Friedmann, J. P. Rice, and D. M. Ginsberg, Phys. Rev. Lett. 66, 108 (1991).
- J. C. Barry, Z. Iqbal, B. L. Ramakrishna, H. Eckhardt, F. Reidinger, and R. Sharma, Appl. Phys. Lett. No. 71.70-b (1989).
- S. G. Barsov, A. L. Getalov, V. P. Koptev, L. A. Kuz'min, S. M. Mikirtych'yants, N. A. Tarasov, G. V. Shcherbakov, N. M. Kotov, A. S. Nigmatulin, Ya. M. Mukovskii, V. G. Grebinnik, V. N. Duginov, V. A. Zhukov, A. B. Lazarev, V. G. Ol'shevskii, S. N. Shilov, and E. P. Krasnoperov, JETP Lett. 46, 499 (1987).
- K. Bartkowski, R. Horyn, A. J. Zaleski, Z. Bukowski, M. Horobiowski, C. Marucha, J. Rafalowicz, K. Rogacki, A. Stepien-Damm, C. Sulkowski, E. Trojnar, and J. Klamut, Phys. Status Solidi 103, K37 (1987).
- F. E. Bates, Phys. Rev. B 39, 322 (1989).
- B. Batlogg, A. P. Ramirez, R. J. Cava, R. B. van Dover, and E. A. Reitman, Phys. Rev. B 35, 5340 (1987).
- B. Batlogg, R. J. Cava, L. W. Rupp, Jr., A. M. Mujsce, J. J. Krajewski, J. P. Remeika, W. F. Peck, Jr., A. S. Cooper, and G. P. Espinosa, Phys. Rev. Lett. 61, 1670 (1988).
- P. E. Batson, T. M. Shaw, D. Dimos, and P. R. Duncombe, Phys. Rev. B 43, 6236 (1991).
- B. W. Batterman and C. S. Barrett, Phys. Rev. Lett. 13, 390 (1964).
- G. Baym and C. Pethick, "Landau Fermi-Liquid Theory," Wiley, New York, 1991.
- C. P. Bean, Phys. Rev. Lett. 8, 250 (1962).
- C. P. Bean, Rev. Mod. Phys. 36, 31 (1964).
- M. R. Beasley, R. Labusch, and W. W. Webb, Phys. Rev. 181, 682 (1969).

- J. G. Bednorz and K. A. Müller, Z. Phys. B 64, 189 (1986).
- J. G. Bednorz and K. A. Müller (Eds.), "Earlier and Recent Aspects of Superconductivity," Springer-Verlag, Berlin, 1990.
- C. W. J. Beenakker and H. van Houten, Phys. Rev. Lett. 66, 3056 (1991).
- V. P. Belash, E. Z. Kurmaev, and S. A. Nemnonov, Fiz. Met. Metalloved 37, 659 (1974).
- D. Belitz, in "High Temperature Superconductivity" (J. W. Lynn, Ed.), Chap. 2, Springer-Verlag, Berlin, 1990.
- R. Benedek and H.-B. Schüttler, Phys. Rev. B 41, 1789 (1990).
- L. H. Bennett, Y. Flom, and G. C. Vezzoli, in "Proceedings High T<sub>c</sub> Superconductors: Magnetic Interactions, Gaithersburg, MD," World Scientific, Singapore, 1989.
- M. A. Beno, L. Soderholm, D. W. Capone II, D. G. Hinks, J. D. Jorgensen, J. D. Grace, I. K. Schuller, C. U. Segre, and K. Zhang, Appl. Phys. Lett. 51, 57 (1987).
- V. L. Berezinskii, Sov. Phys. JETP 34, 610 (1972).
- D. D. Berkley, E. F. Skelton, N. E. Moulton, M. S. Osofsky, W. T. Lechter, V. M. Browning, and D. H. Liebenberg, Phys. Rev. B 47, 5524 (1993).
- A. J. Berlinsky, C. Kallin, G. Rose, and A.-C. Shi, Phys. Rev. B 48, 4074 (1993).
- R. Berman and D. K. C. MacDonald, Proc. R. Soc. London Ser. A 211, 122 (1952).
- R. Beyers and T. M. Shaw, Solid State Phys. 42, 135 (1989).
- R. Beyers and B. T. Ahn, Annu. Rev. Mater. Sci. 21, 335 (1991).
- A. Bezinge, K. Yvon, and J. Muller, Solid State Commun. 63, 141 (1987).
- R. Bhagavatula, C. Ebner, and C. Jayaprakash, Phys. Rev. B 45, 4774 (1992).
- K. V. Bhagwat and P. Chaddah, Physica C 166, 1 (1990).
- K. V. Bhagwat and P. Chaddah, Physica C 190C, 444 (1992).
- A. Bharathi, C. S. Sundar, W. Y. Ching, Y. C. Jean, P. H. Hor, Y. Y. Xue, and C. W. Chu, Phys. Rev. B 42, 10199 (1990).
- A. K. Bhatnagar, R. Pan, D. G. Naugle, P. J. Sqattrito, A. Clearfield, Z. Z. Sheng, Q. A. Shams, and A. M. Hermann, Solid State Commun. 73, 53 (1990).
- R. N. Bhatt, Phys. Rev. B 16, 1915 (1977).
- R. N. Bhatt, Phys. Rev. B 17, 2947 (1978).
- A. Bhattacharya and C. S. Wang, Phys. Rev. B. 45, 10826 (1992).
- J. B. Bieri and K. Maki, Phys. Rev. B 42, 4854 (1990).
- B. D. Biggs, M. N. Kunchur, J. J. Lin, S. J. Poon, T. R. Askew, R. B. Flippen, M. A. Subramanian, J. Gopalakrishnan, and A. W. Sleight, Phys. Rev. B 39, 7309 (1989).

- S. J. L. Billinge, G. H. Kwei, and J. D. Thompson, *in* "Strongly Correlated Electronic Materials" (K. S. Bedell, Ed.) Addison-Wesley, New York, 1994.
- W. E. Billups and M. A. Ciufolini (Eds.), "Buckminster Fullerenes," VCH, New York, 1993.
- K. Binder and A. P. Young, Rev. Mod. Phys. 58, 801 (1986).
- B. Binnig, A. C. Castellano, M. De Santis, P. Rudolf, P. Lagarde, A. M. Frank, and A. Marcelli, Solid State Commun. 63, 1009 (1980).
- M. A. Biondi and M. P. Garfunkel, Phys. Rev. 116, 853 (1959).
- R. J. Birgeneau, C. Y. Chen, D. R. Gabbe, H. P. Jenssen, M. A. Kastner, C. J. Peters, P. J. Picone, T. Thio, T. R. Thurston, H. L. Tuller, A. D. Axe, P. Böni, and G. Shirane, Phys. Rev. Lett. 59, 1329 (1987).
- R. J. Birgeneau, D. R. Gabbe, H. P. Jenssen, M. A. Kastner, P. J. Picone, T. R. Thurston, G. Shirane, Y. Endoh, M. Sato, K. Yamada, Y. Hidaka, M. Oda, Y. Enomoto, M. Suzuki, and T. Murakami, Phys. Rev. B 38, 6614 (1988).
- R. J. Birgeneau and G. Shirane, in "Physical Properties of High Temperature Superconductors"
  (D. M. Ginsberg, Ed.), Vol. 1, Chap. 4, World Scientific, Singapore, 1989.
- P. Birrer, F. N. Gygax, B. Hitti, E. Lippelt, A. Schenck, M. Weber, D. Cattani, J. Cors, M. Decroux, and Ø. Fischer, Phys. Rev. B 48, 15689 (1993).
- D. Bishop, C. M. Varma, B. Batlogg, E. Bucher, Z. Fisk, and J. L. Smith, Phys. Rev. Lett. 53, 1009 (1984).
- H. D. Bist, T. Datta, T. S. Little, J. C. Thigpen, Jr., J. R. Durig, P. R. Broussard, and D. D. Berkley, J. Raman Spectrosc. 22, 639 (1991).
- F. Bitter, Phys. Rev. 38, 1903 (1931).
- B. L. Blackford and R. H. March, Canad. J. Phys. 46, 141 (1968).
- H. A. Blackstead, J. Supercond. 5, 67 (1992).
- H. A. Blackstead, Phys. Rev. B 47, 11411 (1993).
- E. J. Blagoeva, G. Busiello, L. De Cesare, Y. T. Millev, I. Rabuffo, and D. I. Uzunov, Phys. Rev. B 40, 7357 (1989).
- E. J. Blagoeva, G. Busiello, L. De Cesare, Y. T. Millev, I. Rabuffo, and D. I. Uzunov, Phys. Rev. B 42, 6124 (1990).
- G. Blatter, J. Rhyner, and V. M. Vinokur, Phys. Rev. B 43, 7826 (1991a).
- G. Blatter, V. B. Geshkenbein, and V. M. Vinokur, Phys. Rev. Lett. 66, 3297 (1991b).
- G. Blatter, B. I. Ivlev, and J. Rhyner, Phys. Rev. Lett. 66, 2392 (1991c).
- G. Blatter, V. B. Geshkenbein, and A. I. Larkin, Phys. Rev. Lett. 68, 875 (1992).
- G. Blatter and B. Ivlev, Phys. Rev. Lett. 70, 2621 (1993).
- G. Blatter, M. V. Feigel'man, V. B. Geshkenbein, A. I. Larkin, and V. M. Vinokur, Rev. Mod. Phys. 66, 1125 (1994).

E

**Г** В.

N.

P.

P. [

P. ;

Н.,

F. E

I. Bo

R. B

(; L. B T

T R

R. B. Pl



- K. W. Blazey, K. A. Müller, J. G. Bednorz, W. Berlinger, G. Amoretti, E. Buluggiu, A. Vera, and F. C. Matacotta, Phys. Rev. B 36, 7241 (1987).
- J. E. Blendell, C. K. Chiang, D. C. Cranmer, S. W. Freiman, E. R. Fuller, Jr., E. Drescher-Krasicka, W. L. Johnson, H. M. Ledbetter, L. H. Bennett, L. J. Swartzendruber, R. B. Marinenko, R. L. Mykleburst, D. S. Bright, and D. E. Newbury, ACS Symp. Ser. 351, 240 (1987).
- B. Blok and H. Monien, Phys. Rev. B 47, 3454 (1993).
- N. Bluzer, Phys. Rev. B 44, 10222 (1991).
- G. S. Boebinger, T. T. M. Palstra, A. Passner, M. J. Rosseinsky, D. W. Murphy, and I. I. Mazin, Phys. Rev. B 46, 5876 (1992).
- M. Boekholt, M. Hoffmann, and G. Güntherodt, Physica C 175C, 127 (1991).
- C. A. Bolle, P. I. Gammel, D. G. Grier, C. A. Murray, D. J. Bishop, D. B. Mitzi, and A. Kapitulnik, Phys. Rev. Lett. 66, 112 (1991).
- J. E. Bonevich, K. Harada, T. Matsuda, H. Kasai, T. Yoshida, G. Pozzi, and A. Tonomura, Phys. Rev. Lett. 70, 2952 (1993).
- P. Böni, J. D. Axe, G. Shirane, R. J. Birgeneau, D. R. Gabbe, H. P. Jenssen, M. A. Kastner, C. J. Peters, P. J. Picone, and T. R. Thurston, Phys. Rev. B 38, 185 (1988).
- E. Bonjour, R. Calemczuk, J. Y. Henry, and A. F. Khoder, Phys. Rev. B 43, 106 (1991).
- D. A. Bonn, A. H. O'Reilly, J. E. Greedan, C. V. Stager, T. Timusk, K. Kamarás, and D. B. Tanner, Phys. Rev. B 37, 1574 (1988).
- B. P. Bonner, R. Reichlin, S. Martin, H. B. Radousky, T. J. Folkerts, and R. N. Shelton, Phys. Rev. B 41, 11576 (1990).
- N. Bontemps, D. Davidov, P. Monod, and R. Even, Phys. Rev. B 43, 11512 (1991).
- P. Boolchand, C. Blue, K. Elgaid, I. Zitkovsky,
  D. McDaniel, W. Huff, B. Goodman, G. Lemon,
  D. E. Farrell, and B. S. Chandrasekhar, Phys. Rev. B 38, 11313 (1988).
- P. Boolchand, S. Pradhan, Y. Wu, M. Abdelgadir, W. Huff, D. Farrell, R. Coussement, and D. Mc-Daniel, Phys. Rev. B 45, 921 (1992).
- P. Bordet, C. Chaillout, J. Chenavas, J. L. Hodeau, M. Marezio, J. Karpinski, and E. Kaldis, Nature (London) 334, 596 (1988).
- H. J. Bornemann, D. E. Morris, C. Steinleitner, and G. Czjzek, Phys. Rev. B 44, 12567 (1991).
- F. Borsa, A. Rigamonti, M. Corti, J. Ziolo, O. Hyun, and D. R. Torgeson, Phys. Rev. Lett. 68, 698 (1992).
- I. Bose, Phys. Rev. B 43, 13602 (1991).
- R. Böttner, N. Schroeder, E. Dietz, U. Gerhardt, W. Assmus, and J. Kowalewski, Phys. Rev. B 41, 8679 (1990).
- L. Bottyán, B. Molnár, D. L. Nagy, I. S. Szücs, J. Tóth, J. Dengler, G. Ritter, and J. Schober, Phys. Rev. B 38, 11373 (1988).
- R. Boyn, K. Löbe, H.-U. Habermeier, and N. Pruß, Physica C 181C, 75 (1991).

- I. Božovic, K. Char, S. J. B. Yoo, A. Kapitulnik, M. R. Beasley, T. H. Geballe, Z. Z. Wang, S. Hagen, N. P. Ong, D. E. Aspnes, and M. K. Kelly, Phys. Rev. B 38, 5077 (1988).
- I. Božovic, J. H. Kim, J. S. Harris, Jr., and W. Y. Lee, Phys. Rev. B 43, 1169 (1991).
- I. Božovic, J. Supercond. 4, 193 (1991).
- I. Božovic, J. H. Kim, J. S. Harris, Jr., E. S. Hellman, E. H. Hartford, and P. K. Chan, Phys. Rev. B 46, 1182 (1992).
- A. I. Braginski, Physica C 180, 642 (1991).
- B. H. Brandow, J. Solid State Chem. 88, 28 (1990).
- E. H. Brandt, Physica C 162C-164C, 1167 (1989).
- E. H. Brandt, Physica B 165-166, 1129 (1990); Int. Conf. Low Temperature Phys., Brighton, U.K., August 1990.
- E. H. Brandt and A. Sudbø, Physica C 180C, 426 (1991).
- E. H. Brandt, Phys. Rev. Lett. 69, 1105 (1992).
- A. Brass, H. J. Jensen, and A. J. Berlinsky, Phys. Rev. B 39, 102 (1989).
- A. Brass and H. J. Jensen, Phys. Rev. B 39, 9587 (1989)
- D. A. Brawner, A. Schilling, H. R. Ott, R. J. Haug, K. Ploog, and K. von Klitzing, Phys. Rev. Lett. 71, 785 (1993).
- Y. J. M. Brechet, B. Douçot, H. J. Jensen, and A.-C. Shi, Phys. Rev. B 42, 2116 (1990).
- E. Brézin, A. Fujita, and S. Hikami, Phys. Rev. Lett. 65, 1949 (1990).
- G. Briceño, M. F. Crommie, and A. Zettl, Phys. Rev. Lett. 66, 2164 (1991).
- D. Brinkmann and M. Mali, in "NMR Basic Principles and Progress," Vol. 31, Springer-Verlag, Berlin, 1994.
- M. B. Brodsky, R. C. Dynes, K. Kitazawa, and H. L. Tuller (Eds.), "High Temperature Superconductors," Vol. 99, Materials Research Society, Pittsburgh, 1988.
- C. Broholm, G. Aeppli, R. N. Kleiman, D. R. Harshman, D. J. Bishop, E. Bucher, D. Ll. Williams, E. J. Ansaldo, and R. H. Heffner, Phys. Rev. Lett. 65, 2062 (1990).
- N. B. Brookes, A. J. Viescas, P. D. Johnson, J. P. Remeika, A. S. Cooper, and N. V. Smith, Phys. Rev. B 39, 2736 (1989).
- J. S. Brooks, C. C. Agosta, S. J. Klepper, M. Tokumoto, N. Kinoshita, H. Anzai, S. Uji, H. Aoki, A. S. Perel, G. J. Athas, and D. A. Howe, Phys. Rev. Lett. 69, 156 (1992).
- S. D. Brorson, A. Kazeroonian, J. S. Moodera, D. W. Face, T. K. Cheng, E. P. Ippen, M. S. Dresselhaus, and G. Dresselhaus, Phys. Rev. Lett. 64, 2172 (1990).
- P. R. Broussard, Phys. Rev. B 43, 2783 (1991).
- P. Brüll, D. Kirchgässner, and P. Liederer, Physica C 182C, 339 (1991).
- T. Brun, M. Grimsditch, K. E. Gray, R. Bhadra, V. Maroni, and C. K. Loong, Phys. Rev. B 35, 8837 (1987).

- L. C. Brunel, S. G. Louie, G. Martinez, S. Labdi, and H. Raffy, Phys. Rev. Lett. 66, 1346 (1991).
- O. Brunner, L. Antognazza, J.-M. Triscone, L. Miéville, and Ø. Fischer, Phys. Rev. Lett. 67, 1354 (1991).
- R. Brusetti, A. J. Dianoux, P. Gougeon, M. Potel, E. Bonjour, and R. Calemczuk, Phys. Rev. B 41, 6315 (1990).
- W. Buckel, "Superconductivity, Fundamentals and Applications," VCH, Weinheim, Germany, 1991.
- R. C. Budhani, L. Lesyna, D. DiMarzio, H. Wiesmann, and G. P. Williams, Phys. Rev. B 44, 7087 (1991).
- J. I. Budnick, A. Golnik, Ch. Niedermayer, E. Recknagel, M. Rossmanith, A. Weidinger, B. Chamberland, M. Filipkowski, and D. P. Yang, Phys. Lett. A 124, 103 (1987).
- J. I. Budnick, B. Chamberland, D. P. Yang, Ch. Niedermayer, A. Golnik, E. Recknagel, M. Rossmanith, and A. Weidinger, Europhys. Lett. 5, 651 (1988).
- L. N. Bulaevskii, Zh. Eksp. Teor. Fiz. 64, 2241 (1973); Sov. Phys. JETP (Engl. Trans.) 37, 1133 (1988).
- L. N. Bulaevskii, O. V. Dolgov, and M. O. Ptitsyn, Phys. Rev. B 38, 11290 (1988).
- L. N. Bulaevskii and M. V. Zyskin, Phys. Rev. B 42, 10230 (1990).
- L. N. Bulaevskii and I. D. Vagner, Phys. Rev. B 43, 8694 (1991).
- L. N. Bulaevskii, Phys. Rev. B 44, 910 (1991).
- L. N. Bulaevskii, M. Ledvij, and V. G. Kogan, Phys. Rev. B 46, 366, 11807 (1992).
- N. Bulut and D. J. Scalapino, Phys. Rev. B 45, 2371 (1992).
- G. Burns, "Solid State Physics," Academic Press, Orlando, FL 1985.
- G. Burns, B. V. Chandrashekhar, F. H. Dacol, M. W. Shafer, and P. Strobel, Solid State Commun. 67, 603 (1988).
- G. Burns, P. Strobel, G. V. Chandrashekhar, F. H. Dacol, F. Holtzberg, and M. W. Shafer, Phys. Rev. B 39, 2245 (1989).
- G. Burns and A. M. Glazer, "Space Groups for Solid State Scientists," Academic Press, San Diego, 1990.
- G. Burns, "High Temperature Superconductivity: An Introduction," Academic Press, Boston, 1992.
- M. J. Burns, Phys. Rev. B 40, 5473 (1989).
- R. Busch, G. Ries, H. Werthner, G. Kreiselmeyer, and G. Saemann-Ischenko, Phys. Rev. Lett. 69, 522 (1992).
- G. Busiello and D. I. Uzunov, Phys. Rev. B 42, 1018 (1990).
- G. Busiello, L. De Cesare, Y. T. Millev, I. Rabuffo, and D. I. Uzunov, Phys. Rev. B 43, 1150 (1991).
- A. Bussmann-Holder and A. R. Bishop, Phys. Rev. B 44, 2853 (1991).
- A. I. Buzdin, Phys. Rev. B 47, 11416 (1993).
- B. Cabrera, C. E. Cunningham, and D. Saroff, Phys. Rev. Lett. 62, 2040 (1989).

- Z.-X. Cai and D. O. Welch, Phys. Rev. B 45, 2385 (1992).
- J. Callaway, "Energy Band Theory," Academic Press, New York, 1964.
- H. B. Callen, "Thermodynamics and an Introduction to Thermostatics," Wiley, New York, 1985.
- P. Calvani, M. Capizzi, S. Lupi, P. Maselli, and E. Agostinelli, Physica C 180C, 116 (1991).
- I. A. Campbell, L. Fruchter, and R. Cabanel, Phys. Rev. Lett. 64, 1561 (1990).
- J. C. Campuzano, G. Jennings, M. Faiz, L. Beaulaigue, B. W. Veal, J. Z. Liu, A. P. Paulikas, K. Vandervoort, H. Claus, R. S. List, A. J. Arko, and R. L. Bartlett, Phys. Rev. Lett. 64, 2308 (1990).
- J. C. Campuzano, L. C. Smedskjaer, R. S. Benedek, G. Jennings, and A. J. Bansil, Phys. Rev. B 43, 2788 (1991).
- J. J. Capponi, C. Chaillout, A. W. Hewat, P. LeJay, M. Marezio, N. Nguyen, B. Raveau, J. L. Soubeyroux, J. L. Tholence, and R. Tournier, Europhys. Lett. 3, 1301 (1987).
- J. P. Carbotte, Rev. Mod. Phys. 62, 1027 (1990).
- J. R. Carbotte and C. Jiang, Phys. Rev. B 48, 4231 (1993).
- M. Cardona, Physica C 185C-189C, 65 (1991).
- G. Carneiro, Phys. Rev. B 45, 2391 (1992).
- P. Carretta and M. Corti, Phys. Rev. Lett. 68, 1236 (1992).
- P. Carretta and M. Corti, Phys. Rev. Lett. 68, 1236 (1992).
- P. Carretta, M. Corti, A. Rigamonti, R. De Renzi, F. Licci, C. Paris, L. Bonoldi, M. Sparpaglione, and L. Zini, Physica C 191C, 97 (1992).
- C. Castellani, M. Grilli, and G. Kotliar, Phys. Rev. B 43, 8000 (1991).
- R. J. Cava, A. Santoro, D. W. Johnson, Jr., and W. W. Rhodes, Phys. Rev. B *35*, 6716 (1987).
- R. J. Cava, B. Batlogg, J. J. Krajewski, R. Farrow, L. W. Rupp, Jr., A. E. White, K. Short, W. F. Pick, and T. Kometani, Nature 332, 814 (1988).
- M.-C. Cha, M. P. A. Fisher, S. M. Girvin, M. Wallin, and A. P. Young, Phys. Rev. B 44, 6883 (1991).
- P. Chaddah, K. V. Bhagwat, and G. Raulkumaer, Physica C 159C, 570 (1989).
- P. Chaddah and K. Bhagwat, in "High Temperature Superconductivity" (S. K. Malik and S. S. Shah, Eds.), Nova Science, New York, 1992.
- C. Chaillout, J. P. Remeika, A. Santoro, and M. Marezio, Solid State. Commun. 56, 829 (1985).
- T. K. Chaki and M. Rubinstein, Phys. Rev. B *36*, 7259 (1987).
- B. Chakraborty, Phys. Rev. B 43, 378 (1991).
- S. Chakravarty, B. I. Halperin, and D. R. Nelson, Phys. Rev. Lett. 60, 1057 (1988).
- S. Chakravarty, B. I. Ivlev, and Y. N. Ovchinnikov, Phys. Rev. B 42, 2143 (1990).
- S. Chakravarty, A. Sudbø, P. W. Anderson, and S. Strong, Science 261, 337 (1993).

1

E

D

B.

Т.-

- L. P. Chan, D. R. Harshman, K. G. Lynn, S. Massidda, and B. D. Mitzi, Phys. Rev. Lett. 67, 1350 (1991).
- B. S. Chandrasekhar, Appl. Phys. Lett. 1, 7 (1962).
- B. S. Chandrasekhar, in "Superconductivity" (R. D. Parks, Ed.), Vol. 1, Chap. 1, Dekker, New York, 1969.
- N. Chandrasekhar, O. T. Valls, and A. M. Goldman, Mod. Phys. Letters 8, 1863 (1994).
- C. L. Chang, A. Kleinhammes, W. G. Moulton, and L. R. Testardi, Phys. Rev. B 41, 11564 (1990).
- M. Charalambous, J. Chaussy, and P. Lejay, Phys. Rev. B 45, 5091 (1992).
- T. Chattopadhyay, P. J. Brown, B. C. Sales, L. A. Boatner, H. A. Mook, and H. Maletta, Phys. Rev. B 40, 2624 (1989).
- P. Chaudhari, R. T. Collins, P. Freitas, R. J. Gambino, J. R. Kirtley, R. H. Koch, R. B. Laibowitz, F. K. LeGoues, T. R. McGuire, T. Penney, Z. Schlesinger, A. P. Segmüller, S. Foner, and E. J. McNiff, Jr., Phys. Rev. B 36, 8903 (1987).
- S. V. Chekalin, V. M. Farztdinov, V. V. Golovlyov, V. S. Letokhov, Yu. E. Lozovlk, Yu. A. Matveets, and A. G. Stepanov, Phys. Rev. Lett. 67, 3860 (1991).
- J. Chela-Flores, M. P. Das, and A. G. Saif, Solid State Commun. 65, 77 (1988).
- D.-X. Chen, R. B. Goldfarb, J. Nogués, and K. V. Rao, J. Appl. Phys. 63, 980 (1988).
- D.-X. Chen and R. B. Goldfarb, J. Appl. Phys. 66, 2489 (1989).
- G. H. Chen, J. H. Wang, D. N. Zheng, Y. F. Yan, S. L. Jia, Q. S. Yang, Y. M. Ni, and Z. X. Zhao, Mod. Phys. Lett. B 3, 295 (1989).
- H. Chen and J. Callaway, Phys. Rev. B 40, 8800 (1989).
- C. H. Chen, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 2, Chap. 4, World Scientific, Singapore, 1990.
- J. H. Chen, Solid State Commun. 75, 557, 563, 567, 573 (1990a); Phys. Rev. B 42, 3952, 3957 (1990b).
- D.-X. Chen, A. Sanchez, J. Nogués, and J. S. Muñoz, Phys. Rev. B 41, 9510 (1990a).
- D.-X. Chen, A. Sanchez, and J. Muñoz, J. Appl. Phys. 67, 3430 (1990b).
- D.-X. Chen, A. Sanchez, T. Puig, L. M. Martinez, and J. S. Muñoz, Physica C 168C, 652 (1990c).
- C. Y. Chen, R. J. Birgeneau, M. A. Kastner, N. W. Preyer, and T. Thio, Phys. Rev. B 43, 392 (1991).
- D.-X. Chen, J. A. Brug, and R. B. Goldfarb, IEEE Trans. Magn. 27, 3601 (1991).
- D.-X. Chen and A. Sanchez, J. Appl. Phys. 70, 5463 (1991).
- C.-C. Chen, S. P. Kelty, and C. M. Lieber, Science 253, 886 (1991).
- B. Chen and J. Dong, Phys. Rev. B 44, 10206 (1991).
- C. T. Chen, L. H. Tjeng, J. Kwo, H. L. Kao, P. Rudolf, F. Sette, and R. M. Fleming, Phys. Rev. Lett. 68, 2543 (1992).
- T.-P. Chen, Z. X. Zhao, H. D. Yang, E. L. Wolf,

- R. N. Shelton, and P. Klavins, Phys. Rev. 45, 7945 (1992).
- Q. Y. Chen, in "Magnetic Susceptibility of Superconductors and other Spin Systems" (R. A. Hein, T. L. Francavilla, and D. H. Liebenberg, Eds.), Plenum, New York, 1992.
- L. Chengren and D. C. Larbalestier, Cryogenics 27, 171 (1987).
- S.-W. Cheong, S. E. Brown, Z. Fisk, R. S. Kwok, J. D. Thompson, E. Zirngiebl, G. Gruner, D. E. Peterson, G. L. Wells, R. B. Schwarz, and J. R. Cooper, Phys. Rev. B 36, 3913 (1987).
- S.-W. Cheong, M. F. Hundley, J. D. Thompson, and Z. Fisk, Phys. Rev. B *39*, 6567 (1989a).
- S.-W. Cheong, Z. Fisk, J. D. Thompson, and R. B. Schwarz, Physica C *159C*, 407 (1989b).
- H.-F. Cheung, Y. Gefen, E. K. Riedel, and W.-H. Shih, Phys. Rev. B *37*, 6050 (1988).
- X.-F. Chen, M. J. Marone, G. X. Tessema, M. J. Skove, M. V. Nevitt, D. J. Miller, and B. W. Veal, Phys. Rev. B 48, 1254 (1993).
- C. C. Chi and C. Vanneste, Phys. Rev. B 42, 9875 (1990).
- T. R. Chien, T. W. Jing, N. P. Ong, and Z. Z. Wang, Phys. Rev. Lett. 66, 3075 (1991).
- J. H. Cho, F. Borsa, D. C. Johnston, and D. R. Torgeson, Phys. Rev. B 46, 3179 (1992).
- C. H. Choi and P. Muzikar, Phys. Rev. B 39, 11296 (1989); Phys. Rev. B 40, 5144 (1989).
- J. Choi and J. V. José, Phys. Rev. Lett. 62, 320 (1989).
- M. Y. Choi and S. Kim, Phys. Rev. B 44, 10411 (1991).
- M. Y. Choi, C. Lee, and J. Lee, Phys. Rev. B 46, 1489 (1992).
- H. Chou, K. Yamada, J. D. Axe, S. M. Shapiro, G. Shirane, I. Tanaka, K. Yamane, and H. Kojima, Phys. Rev. B 42, 4272 (1990).
- D. B. Chrisey and G. K. Hubler (Eds.), "Pulsed Laser Deposition of Thin Films," Wiley, New York, 1994.
- C. W. Chu, P. H. Hor, R. L. Meng, L. Gao, and Z. J. Huang, Science 235, 567 (1987).
- C. W. Chu, P. H. Hor, R. L. Meng, L. Gao, Z. J. Huang, and Y. Q. Wang, Phys. Rev. Lett. 58, 405 (1987).
- C. W. Chu, P. H. Hor, R. L. Meng, L. Gao, Z. J. Huang, J. Bechtold, M. K. Wu, and C. Y. Huang, Mater. Res. Soc. Symp. Proc. 99, 15 (1987).
- C. W. Chu, J. Bechtold, L. Gao, P. H. Hor, Z. J. Huang, R. L. Meng, Y. Y. Sun, Y. Q. Wang, and Y. Y. Xue, Phys. Rev. Lett. 60, 941 (1988).
- C. W. Chu, L. Gao, F. Chen, Z. J. Huang, R. L. Meng, and Y. Y. Xue, Nature 365, 323 (1993b).
- C. W. Chu, J. Superconductivity 7, 1 (1994).
- C. W. Chu, "Unusual High Temperature Superconductors," Proc. Symp. Quantum Theory of Real Materials, Berkeley, California, Aug. 1994, in press.
- E. M. Chudnovsky, Phys. Rev. B 40, 11355 (1989).
- E. M. Chudnovsky, Phys. Rev. Lett. 65, 3060 (1990).

- E. M. Chudnovsky, Phys. Rev. B 43, 7831 (1991).
- F. Chung and S. Sternberg, Amer. Scientist 81, 56 (1993).
- L. Civale, A. D. Marwick, M. W. McElfresh, T. K. Worthington, A. P. Malozemoff, F. H. Holtzberg, J. R. Thompson, and M. A. Kirk, Phys. Rev. Lett. 65, 1164 (1990).
- L. Civale, T. K. Worthington, and A. Gupta, Phys. Rev. B 43, 5425 (1991).
- L. Civale, A. D. Marwick, T. K. Worthington, M. A. Kirk, J. R. Thompson, L. Krusin-Elbaum, Y. Sun, J. R. Clem, and F. Holtzberg, Phys. Rev. Lett. 67, 648 (1991).
- J. H. Claassen, J. F. Evetts, R. E. Somekh, and Z. H. Barber, Phys. Rev. B 44, 9605 (1991).
- J. Clarke, Phys. Rev. Lett. 28, 1363 (1972).
- J. Clarke and J. L. Paterson, J. Low Temp. Phys. 15, 491 (1974).
- J. Clayhold, N. P. Ong, P. H. Hor and C. W. Chu, Phys. Rev. B 38, 7016 (1988).
- J. R. Clem, Physica C 162-164, 1137 (1989).
- J. R. Clem and M. W. Coffey, Phys. Rev. B 42, 6209 (1990).
- J. R. Clem, Phys. Rev. B 43, 7837 (1991).
- J. Clem, "A. C. Losses in Type-II Superconductors, Chap. in Magnetic Susceptibility of Superconductors and Other Spin Systems," (R. A. Hein, T. L. Francavilla, and D. H. Liebenberg, Eds.), Plenum, New York, 1992.
- J. R. Clem and Z. Hao, Phys. Rev. B 48, 13774 (1993).
- A. M. Clogston and J. Jaccarino, Phys. Rev. 121, 1357 (1961).
- A. M. Clogston, Phys. Rev. Lett. 9, 266 (1962).
- M. W. Coffey and J. R. Clem, Phys. Rev. B 44, 6903 (1991).
- M. W. Coffey, Phys. Rev. B 46, 567 (1992).
- M. W. Coffey, Phys. Rev. B 47, 12284 (1993).
- M. W. Coffey, Phys. Rev. B 49, 9774 (1994).
- R. W. Cohen, G. D. Cody, and L. J. Vieland, in Electronic Density of States, NBS Spec. Publ. (U.S.) 323, 767 (1971).
- M. L. Cohen, in "Novel Superconductivity" (S. A. Wolf and V. Z. Kresin, Eds.), p. 1095. Plenum, New York, 1987.
- M. L. Cohen and D. R. Penn, Phys. Rev. B 42, 8702 (1990).
- R. E. Cohen, Computers in Phys., in press, 1994.
- J. L. Cohn, S. A. Wolf, V. Selvamanickam, and K. Salama, Phys. Rev. Lett. 66, 1098 (1991).
- M. B. Cohn, M. S. Rzchowski, S. P. Benz, and C. J. Lobb, Phys. Rev. B 43, 12823 (1991).
- J. L. Cohn, S. A. Wolf, and T. A. Vanderah, Phys. Rev. B 45, 511 (1992).
- J. L. Cohn, E. F. Skelton, S. A. Wolf, J. Z. Liu, and R. N. Shelton, Phys. Rev. B 45, 13144 (1992).
- J. L. Cohn, E. F. Skelton, S. A. Wolf, J. Z. Liu, and R. N. Shelton, Phys. Rev. B 45, 13140, 13144 (1992).
- B. R. Coles, Cont. Phys. 28, 143 (1987).

- G. Collin and R. Comes, C. R. Acad. Sci. Paris 304, 1159 (1987).
- R. T. Collins, Z. Schlesinger, F. Holtzberg, and C. Feild, Phys. Rev. Lett. 63, 422 (1989).
- R. T. Collins, Z. Schlesinger, G. V. Chandrasehekhar, and M. W. Shafer, Phys. Rev. B 39, 2251 (1989).
- R. T. Collins, Z. Schlesinger, F. Holtzberg, P. Chaudhari, and C. Feild, Phys. Rev. B 39, 6571 (1989).
- R. T. Collins, Z. Schlesinger, F. Holtzberg, C. Feild, U. Welp, G. W. Crabtree, J. Z. Liu, and Y. Fang, Phys. Rev. B, 43, 8701 (1991).
- S. J. Collocott, R. Driver, and E. R. Vance, Phys. Rev. B 41, 6329 (1990a).
- S. J. Collocott, N. Savvides, and E. R. Vance, Phys. Rev. B 42, 4794 (1990b).
- S. Collocott, R. Driver, and C. Andrikidis, Phys. Rev. B 45, 945 (1992).
- R. Combescot, Phys. Rev. Lett. 67, 148 (1991a); Phys.Rev. B 42, 7810 (1991b).
- E. Compans and F. Baumann, Jpn. J. Appl. Phys. 26 Suppl. 3, 805 (1987).
- L. D. Cooley, G. Stejic, and D. C. Labalestier, Phys. Rev. B 46, 2964 (1992).
- L. N. Cooper, Phys. Rev. 104, 1189 (1956).
- S. L. Cooper, G. A. Thomas, J. Orenstein, D. H. Rapkine, M. Capizzi, T. Timusk, A. J. Millis, L. F. Schneemeyer, and J. V. Waszczak, Phys. Rev. B 40, 11358 (1989).
- S. L. Cooper, A. L. Kotz, M. A. Karlow, M. V. Klein, W. C. Lee, J. Giapintzakis, and D. M. Ginzberg, Phys. Rev. B 45, 2549 (1992).
- S. L. Cooper, D. Reznik, A. Kotz, M. A. Karlow, R. Liu, M. V. Klein, W. C. Lee, J. Giapintzakis, D. M. Ginsberg, B. W. Veal, and A. P. Paulikas, Phys. Rev. B 47, 8233 (1993).
- S. L. Cooper and K. E. Gray in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 4, Chap. 3, World Scientific, Singapore, 1994.
- C. Coretsopoulos, H. C. Lee, E. Ramli, L. Raven, T. B. Rauchfuss, and E. Oldfield, Phys. Rev. B 39, 781 (1989).
- D. L. Cox and M. B. Maple, Phys. Today, Feb. 1995, p. 32.
- L. A. Curtiss and S. W. Tam, J. Mater. Res. 3, 1269 (1988).
- J. Costa-Quintana, F. López-Aguilar, S. Balle, and R. Salvador, Phys. Rev. B 39, 9675 (1989).
- L. Cota, L. Morales de la Garza, G. Hirata, L. Martínez, E. Orozco, E. Carrillo, A. Mendoza, J. L. Albarrán, J. Fuentes-Maya, J. L. Boldú, J. G. Pérez-Ramírez, R. Pérez, J. Reyes Gasga, M. Avalos, and M. José-Yacamán, J. Mater. Res. 3, 417 (1988).
- R. Côte and A. Griffin, Phys. Rev. B 48, 10404 (1993).
- F. A. Cotton, "Chemical Applications of Group Theory." Wiley, New York, 1963.
- D. E. Cox and A. W. Sleight, Solid State Commun. 19, 969 (1976).

ì

١.

R.

М. М.

M.

М.

R. '

J. E

M. / a A. N

n (1 S.-M.

J. C. E.

12 J. C. Fu

L. A. (19

L. A. (19

E. L. J 413

L. L. J Phy

L. L. C V. (

L. L. D 40, 1

L. L. D:

314 ( E. Dago

Gagi

- D. E. Cox and A. W. Sleight, Acta Cryst. B 35, 1 (1979).
- D. L. Cox and M. B. Maple, *Phys. Today*, February 1995, p. 32.
- G. W. Crabtree, J. Z. Liu, A. Umezawa, W. K. Kwok, C. H. Sowers, S. K. Malik, B. W. Veal, D. J. Lam, M. B. Brodsky, and J. W. Downey, Phys. Rev. B 36, 4021 (1987).
- M. K. Crawford, G. Burns, and F. Holtzberg, Solid State Commun. 70, 557 (1989).
- M. K. Crawford, G. Burns, G. V. Chandrashekhar, F. H. Dacol, W. E. Farneth, E. M. McCarron III, and R. J. Smalley, Phys. Rev. B 41, 8933 (1990a).
- M. K. Crawford, G. Burns, G. V. Chandrashekhar, F. H. Dacol, W. E. Farneth, E. M. McCarron III, and R. J. Smalley, Solid State Commun. 73, 507 (1990b).
- R. J. Creswick, H. A. Farach, C. P. Poole, Jr., "Introduction to Renormalization Group Methods in Physics," Wiley, New York, 1992.
- M. Crisan, Phys. Lett. A 124, 195 (1987).
- M. F. Crommie, A. Zettl, T. W. Barbee, III, and M. L. Cohen, Phys. Rev. B 37, 9734 (1988).
- M. F. Crommie, G. Briceño, and A. Zettl, Physica C 162C-164C, 1397 (1989).
- M. F. Crommie and A. Zettl, Phys. Rev. B 43, 408 (1991).
- R. W. Cross and R. B. Goldfab, Appl. Phys. Lett. 58, 415 (1991).
- J. E. Crow and N.-P. Ong, in "High Temperature Superconductivity" (J. W. Lynn, Ed.), Chap. 7, Springer-Verlag, Berlin, 1990.
- M. A. Crusellas, J. Fontcuberta, S. Piñol, T. Grenet, and J. Beille, Physica C 180, 313 (1991).
- A. M. Cucolo, R. Di Leo, P. Romano, L. F. Schneemeyer, and J. V. Waszczak, Phys. Rev. B 44, 2857 (1991).
- S.-M. Cui and C.-H. Tsai, Phys. Rev. B 44, 12500 (1991).
- J. C. Culbertson, U. Strom, S. A. Wolf, P. Skeath, E. J. West, and W. K. Burns, Phys. Rev. B 39, 12359 (1989).
- J. C. Culbertson, U. Strom, S. A. Wolf, and W. W. Fuller, Phys. Rev. B 44, 9609 (1991).
- L. A. Curtiss and S. W. Tam, J. Mater. Res. 3, 1269 (1988).
- L. A. Curtiss and S. W. Tam, Phys. Rev. B 41, 1824 (1990).
- L. L. Daemen and J. E. Gubernatis, Phys. Rev. 43, 413, 2625 (1991).
- L. L. Daeman, L. J. Campbell, and V. G. Kogan, Phys. Rev. B 46, 3631 (1992).
- L. L. Daemen, L. J. Campbell, A. Yu Simonov, and V. G. Kogan, Phys. Rev. Lett. 70, 2948 (1993).
- L. L. Daemen and A. W. Overhauser, Phys. Rev. B 40, 10778 (1989).
- L. L. Daemen and J. E. Gubernatis, Phys. Rev. B 45, 314 (1992b).
- E. Dagotto, A. Moreo, R. Joynt, S. Bacci, and E. Gagliano, Phys. Rev. B 41, 2585, (1990).

- E. Dagotto, Rev. Mod. Phys. 66, 763 (1994).
- E. Dagotto, A. Moreo, F. Ortolani, D. Poilblanc, and J. Riera, Phys. Rev. B 45, 10741 (1992).
- P. Dai, Y. Zhang, and M. P. Sarachik, Phys. Rev. Lett. 67, 136 (1991).
- Y. Dalichaouch, M. B. Maple, J. Y. Chen, T. Kohara, C. Rossel, M. S. Torikachvili, and A. L. Giorgi, Phys. Rev. 41, 1829 (1990a).
- Y. Dalichaouch, B. W. Lee, C. L. Seaman, J. T. Markert, and M. B. Maple, Phys. Rev. Lett. 64, 599 (1990b).
- Y. Dalichaouch, B. W. Lee, S. E. Lambert, M. P. Maple, J. L. Smith, and Z. Fisk, Phys. Rev. B 43, 299 (1991).
- M. Das, in "Studies in High Temperature Superconductors" (A. V. Narlikar, Ed.), Vol. 3, Nova Sci., New York, 1989.
- C. Dasgupta and T. V. Ramakrishnan, Physica C (Amsterdam) 183C, 62 (1991).
- T. Datta, C. P. Poole, Jr., H. A. Farach, C. Almasan, J. Estrada, D. U. Gubser, and S. A. Wolf, Phys. Rev. B 37, 7843 (1988).
- M. Däumling and G. V. Chandrashekhar, Phys. Rev. B 46, 6422 (1992).
- D. Davidov, P. Monod, and N. Bontemps, Phys. Rev. B 45, 8036 (1992).
- M. C. de Andrade, C. C. Almasan, Y. Dalichaouch, and M. B. Maple, Physica C 184C, 378 (1991).
- L. De Cesare, Phys. Rev. B 43, 10555 (1991).
- P. G. de Gennes, Rev. Mod. Phys. 36, 225 (1964).
- P. G. de Gennes, "Superconductivity of Metals and Alloys," Benjamin, New York, 1966.
- L. Degiorgi, P. Wachter, G. Grüner, S.-M. Huang, J. Wiley, and R. B. Kaner, Phys. Rev. Lett. 69, 2987 (1992).
- L. J. de Jongh, Europ. J. Solid State Inorg. Chem., in press.
- C. Dekker, W. Eidelloth, and R. H. Koch, Phys. Rev. Lett. 68, 3347 (1992).
- O. L. de Lange and V. V. Gridin, Phys. Rev. B 46, 5735 (1992).
- P. Delsing, K. K. Likharev, L. S. Kuzmin, and T. Claeson, Phys. Rev. Lett. 63, 1180, 1861 (1989).
- H. Dersch and G. Blatter, Phys. Rev. B 38, 11391 (1988).
- S. M. DeSoto, C. P. Slichter, H. H. Wang, U. Geiser, and J. M. Williams, Phys. Rev. Lett. 70, 2956 (1993).
- D. S. Dessau, B. O. Wells, Z.-X. Shen, W. E. Spicer, A. J. Arko, R. S. List, D. B. Mitzi, and A. Kapitulnik, Phys. Rev. Lett. 66, 2160 (1991).
- D. S. Dessau, Z.-X. Shen, B. O. Wells, D. M. King, W. E. Spicer, A. J. Arko, L. W. Lombardo, D. B. Mitzi, and A. Kapitulnik, Phys. Rev. B 45, 5095 (1992).
- G. Deutscher and P. Chaudhari, Phys. Rev. B 44, 4664 (1991).
- F. Devaux, A. Manthiram, and J. B. Goodenough, Phys. Rev. B 41, 8723 (1990).

- M. J. DeWeert, D. A. Papaconstantopoulos, and W. E. Pickett, Phys. Rev. B 39, 4235 (1989).
- F. W. de Wette, A. D. Kulkarni, J. Prade, U. Schröder, and W. Kress, Phys. Rev. B 42, 6707 (1990).
- A. DiChiara, F. Fontana, G. Peluso, and F. Tafuri, Phys. Rev. B 44, 12026 (1991).
- A. DiChiara, F. Fontana, G. Peluso, and F. Tafuri, Phys. Rev. B 48, 6695 (1993).
- F. Diederich and R. L. Whetten, Acc. Chem. Res. 25, 119 (1992).
- D. DiMarzio, H. Wiesmann, D. H. Chen, and S. M. Heald, Phys. Rev. B 42, 294 (1990).
- H.-Q. Ding, Phys. Rev. Lett. 68, 1927 (1992).
- T. R. Dinger, T. K. Worthington, W. J. Gallagher, and R. L. Sandstrom, Phys. Rev. Lett. 58, 2687 (1987).
- M. I. Dobroliubov and S. Yu. Khlebnikov, Phys. Rev. Lett. 67, 2084 (1991).
- R. K. Dodd, J. C. Eilbeck, J. D. Gibbon, and H. C. Morris, "Solitons and Nonlinear Wave Equations." Academic Press, New York, 1982.
- Doi, K. Sano, and K. Takano, Phys. Rev. B 45, 274 (1992).
- G. J. Dolan, G. V. Chandrashekhar, T. R. Dinger, C. Feild, and F. Holtzberg, Phys. Rev. Lett. 62, 827 (1989a).
- G. J. Dolan, F. Holtzberg, C. Feild, and T. R. Dinger, Phys. Rev. Lett. 62, 2184 (1989b).
- S. Doniach, in "Proceedings Los Alamos Symposium, High Temp. Supercond.," p. 406. Addison-Wesley, New York, 1989.
- S. Doniach and M. Inui, Phys. Rev. B 41, 6668 (1990).
- G. Dopf, A. Muramatsu, and W. Hanke, Phys. Rev. Lett. 68, 353 (1992).
- M. M. Doria, J. E. Gubernatis, and D. Rainer, Phys. Rev. B 41, 6335 (1990).
- A. T. Dorsey, M. Huang, and M. P. A. Fisher, Phys. Rev. B 45, 523 (1992).
- S. X. Dou, H. K. Liu, A. J. Bourdillon, M. Kviz, N. X. Tan, and C. C. Sorrell, Phys. Rev. B 40, 5266 (1989).
- R. A. Doyle, O. L. deLange, and V. V. Gridin, Phys. Rev. B 45, 12580 (1992).
- T. B. Doyle and R. A. Doyle, Phys. Rev. B 47, 8111 (1993).
- P. G. Drazin and R. S. Johnson, "Solitons: An Introduction." Cambridge Univ. Press Cambridge, U.K., 1989.
- L. Dresner, Cryogenics, May, p. 285, 1978.
- M. S. Dresselhaus, G. Dresselhaus, and R. Saito, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 4, Chap. 7, World Scientific, Singapore, 1994.
- H. Drulis, Z. G. Xu, J. W. Brill, L. E. De Long, and J.-C. Hou, Phys. Rev. Lett. 44, 4731 (1991).
- Q. Du, M. D. Gunzberger, and J. S. Peterson, Phys. Rev. B 46, 9027 (1992).
- L. Dubeck, P. Lindenfeld, E. A. Lynten, and H. Rohrer, Rev. Mod. Phys. 36, 110 (1964).

- A. Dulčic, R. H. Crepeau, and J. H. Freed, Phys. Rev. B 39, 4249 (1989).
- B. D. Dunlap, M. Slaski, Z. Sungaila, D. G. Hinks, K. Zhang, C. Segre, S. K. Malik, and E. E. Alp, Phys. Rev. B 37, 592 (1988).
- C. Duran, J. Yazyi, F. de la Cruz, D. J. Bishop, D. B. Mitzi, and A. Kapitulnik, Phys. Rev. B 44, 7737 (1991).
- C. H. Eab and I. M. Tang, Phys. Rev. B 40, 4427 (1989).
- D. E. Eastman, Solid State Commun. 7, 1697 (1969).
- C. Ebner and D. Stroud, Phys. Rev. B 31, 165 (1985).
- C. Ebner and D. Stroud, Phys. Rev. B 39, 789 (1989).
- U. Eckern and E. B. Sonin, Phys. Rev. B 47, 505 (1993).
- G. L. Eesley, J. Heremans, M. S. Meyer, G. L. Doll, and S. H. Liou, Phys. Rev. Lett. 65, 3445 (1990).
- H. Eikmans and J. E. van Himbergen, Phys. Rev. 44, 6937 (1991).
- R. Eisberg and R. Resnick, "Quantum Physics," Wiley, New York, 1974.
- J. W. Ekin, H. R. Hart, and A. R. Gaddipati, J. Appl. Phys. 68, 2285 (1990).
- J. W. Ekin, K. Salama, and V. Selvamanickam, Appl. Phys. Lett. 59, 360 (1991).
- T. Ekino and J. Akimitsu, Phys. Rev. B 40, 6902, 7364 (1989a).
- T. Ekino and J. Akimitsu, J. Phys. Soc. Jpn. 58, 2135 (1989b).
- T. Ekino and J. Akimitsu, Phys. Rev. B 42, 8049 (1990).
- G. M. Eliashberg, Zh. Eksp. Teor. Fiz. 38, 966 (1960a).
- G. M. Eliashberg, Zh. Eksp. Teor. Fiz. 39, 1437 (1960b).
- B. Ellman, J. Yang, T. F. Rosenbaum, and E. Bucher, Phys. Rev. Lett. *64*, 1569 (1990).
- V. J. Emery, Phys. Rev. Lett. 58, 2794 (1987) (reprinted in Halley, 1988, p. 227).
- V. J. Emery and G. Reiter, Phys. Rev. B 38, 4547 (1988).
- J. W. Emsley, J. Feeney, and L. H. Sutcliffe, "High Resolution Nuclear Magnetic Resonance Spectroscopy, Pergamon, New York, 1965, Vol. 1.
- D. Emin, Phys. Rev. B 49, 9157 (1994).
- P. Entel and J. Zielinski, Phys. Rev. B 42, 307 (1990).
- O. Entin-Wohlman and Y. Imry, Phys. Rev. B 40, 6731 (1989).
- L. E. Erickson, Phys. Rev. B 43, 12723 (1991).
- R. Escudero, E. Guarner, and F. Morales, Physica C 162C-164C, 1059 (1989).
- R. Escudero, F. Morales, and E. Guarner, Physica C 166C, 15 (1990).
- D. Estève, J. M. Martinis, C. Urbina, M. H. Devoret, G. Collin, P. Monod, M. Ribault, and A. Revcolevschi, Europhys. Lett. 3, 1237 (1987).
- J. P. Estrera and G. B. Arnold, Phys. Rev. B 39, 2094 (1989).
- L. M. Falicov and C. R. Proetto, Phys. Rev. B 47, 14407 (1993).

l

r

D

D

D.

D.

D.

D.

D.

D. ]

E. I

Y R. F:

J. F. H R. Fe

Bı R. Fe

D. Fe

Pł

L. F. 1 45, L. F. I

I. Fel: dra

> 532 J. C.

Rei

M. J. F D.

Get Rev

M. J. F Clar

R. A. Fo ity" Berli REFERENCES 559

- M. M. Fang, J. E. Ostenson, D. K. Finnemore, D. E. Farrell, and N. P. Bansal, Phys. Rev. B 39, 222 (1989).
- H. A. Farach, E. Quagliata, T. Mzoughi, M. A. Mesa, C. P. Poole, Jr., and R. Creswick, Phys. Rev. B 41, 2046 (1990).
- D. E. Farrell, B. S. Chandrasekhar, M. R. DeGuire, M. M. Fang, V. G. Kogan, J. R. Clem, and D. K. Finnemore, Phys. Rev. B 36, 4025 (1987).
- D. E. Farrell, C. M. Williams, S. A. Wolf, N. P. Bansal, and V. G. Kogan, Phys. Rev. Lett. 61, 2805 (1988).
- D. E. Farrell, M. M. Fang, and N. P. Bansal, Phys. Rev. B 39, 718 (1989a).
- D. E. Farrell, S. Bonham, J. Foster, Y. C. Chang, P. Z. Jiang, K. G. Vandervoort, D. J. Lam, and V. G. Kogan, Phys. Rev. Lett. 63, 782 (1989b).
- D. E. Farrell, R. G. Beck, M. F. Booth, C. J. Allen, E. D. Bukowski, and D. M. Ginsberg, Phys. Rev. B 42, 6758 (1990a).
- D. E. Farrell, C. J. Allen, R. C. Haddon, and S. V. Chichester, Phys. Rev. B 42, 8694 (1990b).
- D. E. Farrell, J. P. Rice, D. M. Ginsberg, and J. Z. Liu, Phys. Rev. Lett. 64, 1573 (1990c).
- D. E. Farrell, J. P. Rice, and D. M. Ginsberg, Phys. Rev. Letts. 67, 1165 (1991).
- D. E. Farrell, in "Physical Properties of High Temperature Superconductors," (D. M. Ginsberg, Ed.), Vol. 4, Chap. 2, World Scientific, Singapore, 1994.
- E. Faulques and R. E. Russo, in "Applications of Analytical Techniques to the Characterization of Materials" (D. L. Perry, Ed.), p. 59. Plenum, New York, 1991.
- R. Fazio and G. Schön, Phys. Rev. B 43, 5307 (1991).
- J. F. Federici, B. I. Greene, H. Hartford, and E. S. Hellman, Phys. Rev. B 42, 923 (1990).
- R. Feenstra, D. K. Christen, C. Klabunde, and J. D. Budai, Phys. Rev. B 45, 7555 (1992).
- R. Fehrenbacher, V. B. Geshkenbein, and G. Blatter, Phys. Rev. B 45, 5450 (1992).
- D. Feinberg and C. Villard, Phys. Rev. Lett. 65, 919 (1990).
- L. F. Feiner, M. Grilli, and C. DiCastro, Phys. Rev. B 45, 10647 (1992).
- L. F. Feiner, Phys. Rev. B 48, 16857 (1993).
- I. Felner, U. Yaron, Y. Yeshurun, G. V. Chandrashekhar, and F. Holtzberg, Phys. Rev. B 40, 5329 (1989).
- J. C. Fernandez, R. Grauer, K. Pinnow, and G. Reinisch, Phys. Rev. B 42, 9987 (1990).
- M. J. Ferrari, M. Johnson, F. C. Wellstood, J. Clarke, D. Mitzi, P. A. Rosenthal, C. B. Eom, T. H. Geballe, A. Kapitulnik, and M. R. Beasley, Phys. Rev. Lett. 64, 72 (1989).
- M. J. Ferrari, F. C. Wellstood, J. J. Kingston, and J. Clarke, Phys. Rev. Lett. 67, 1346 (1991).
- R. A. Ferrell, in "High Temperature Superconductivity" (J. W. Lynn, Ed.), Chap. 3, Springer-Verlag, Berlin, 1990.

- K. Fesser, U. Sum, and H. Büttner, Phys. Rev. B 44, 421 (1991).
- A. L. Fetter and J. D. Walecka, "Quantum Theory of Many Particle Systems." McGraw-Hill, New York, 1971.
- R. P. Feynman, "Lectures on Physics," Vol. 3, Chap.21. Addison-Wesley, New York, 1965.
- W. A. Fietz, M. R. Beasley, J. Silcox, and W. W. Webb, Phys. Rev. 136, A335 (1964).
- A. T. Fiory, M. Gurvitch, R. J. Cava, and G. P. Espinosa, Phys. Rev. B 36, 7262 (1987).
- A. T. Fiory, G. P. Espinosa, R. M. Fleming, G. S. Grader, M. Gurvitch, A. F. Hebard, R. E. Howard, J. R. Kwo, A. F. J. Levi, P. M. Mankiewich, S. Martin, C. E. Rice, L. F. Schneemeyer, and A. E. White, International Conference on Electronic Materials, Tokyo, 1988.
- A. T. Fiory, S. Martin, R. M. Fleming, L. F. Schneemeyer, J. V. Waszczak, A. F. Hebard, and S. A. Sunshine, Physica C 162C-164C, 1195 (1989).
- A. T. Fiory, M. A. Paalanen, R. R. Ruel, L. F. Schneemeyer, and J. V. Waszczak, Phys. Rev. B 41, 4805 (1990).
- O. Fischer, Appl. Phys. 16, 1 (1978).
- O. Fischer, in "Earlier and Recent Aspects of Superconductivity" (J. G. Bednorz and K. A. Müller, Eds.), p. 96, Springer, Berlin, 1990.
- P. Fischer, K. Kakurai, M. Steiner, K. N. Clausen, B. Lebech, F. Hulliger, H. R. Ott, P. Brüesch, and P. Unternährer, Physica C 152C, 145 (1988).
- P. Fischer, H. W. Neumüller, B. Roas, H. F. Braun, and G. Saemann-Ischenko, Solid State Commun. 72, 871 (1989).
- J. E. Fischer, P. A. Heiney, A. R. McGhie, W. J. Romanow, A. M. Denenstein, J. P. McCauley, Jr., and A. B. Smith, III, Science 252, 1288 (1991).
- J. E. Fischer, P. A. Heiney, and A. B. Smith, III, Acc. Chem. Res. 25, 97 (1992).
- K. H. Fischer, Physica C 178C, 161 (1991).
- D. S. Fisher and D. A. Huse, Phys. Rev. B 38, 373, 386 (1988).
- M. P. A. Fisher, Phys. Rev. Lett. 62, 1415 (1989).
- R. A. Fisher, S. Kim, B. F. Woodfield, N. E. Phillips, L. Taillefer, K. Hasselbach, J. Flouquet, A. L. Giorgi, and J. L. Smith, Phys. Rev. Lett. 62, 1411 (1989).
- M. P. A. Fisher, Phys. Rev. Lett. 65, 923 (1990).
- D. S. Fisher, M. P. A. Fisher, and D. A. Huse, Phys. Rev. B 43, 130 (1991).
- R. S. Fishman, Phys. Rev. B 38, 11996 (1988).
- R. S. Fishman, Phys. Rev. Lett. 63, 89 (1989).
- Z. Fisk, P. C. Canfield, W. P. Beyermann, J. D. Thompson, M. F. Hundley, H. R. Ott, E. Felder, M. B. Maple, M. A. Lopez de la Torre, P. Visani, and C. L. Seaman, Phys. Rev. Lett. 67, 3310 (1991).
- M. D. Fiske, Rev. Mod. Phys. 36, 221 (1964).

- M. J. DeWeert, D. A. Papaconstantopoulos, and W. E. Pickett, Phys. Rev. B 39, 4235 (1989).
- F. W. de Wette, A. D. Kulkarni, J. Prade, U. Schröder, and W. Kress, Phys. Rev. B 42, 6707 (1990).
- A. DiChiara, F. Fontana, G. Peluso, and F. Tafuri, Phys. Rev. B 44, 12026 (1991).
- A. DiChiara, F. Fontana, G. Peluso, and F. Tafuri, Phys. Rev. B 48, 6695 (1993).
- F. Diederich and R. L. Whetten, Acc. Chem. Res. 25, 119 (1992).
- D. DiMarzio, H. Wiesmann, D. H. Chen, and S. M. Heald, Phys. Rev. B 42, 294 (1990).
- H.-Q. Ding, Phys. Rev. Lett. 68, 1927 (1992).
- T. R. Dinger, T. K. Worthington, W. J. Gallagher, and R. L. Sandstrom, Phys. Rev. Lett. 58, 2687 (1987).
- M. I. Dobroliubov and S. Yu. Khlebnikov, Phys. Rev. Lett. 67, 2084 (1991).
- R. K. Dodd, J. C. Eilbeck, J. D. Gibbon, and H. C. Morris, "Solitons and Nonlinear Wave Equations." Academic Press, New York, 1982.
- I. Doi, K. Sano, and K. Takano, Phys. Rev. B 45, 274 (1992).
- G. J. Dolan, G. V. Chandrashekhar, T. R. Dinger, C. Feild, and F. Holtzberg, Phys. Rev. Lett. 62, 827 (1989a).
- G. J. Dolan, F. Holtzberg, C. Feild, and T. R. Dinger, Phys. Rev. Lett. 62, 2184 (1989b).
- S. Doniach, in "Proceedings Los Alamos Symposium, High Temp. Supercond.," p. 406. Addison-Wesley, New York, 1989.
- S. Doniach and M. Inui, Phys. Rev. B 41, 6668 (1990).
- G. Dopf, A. Muramatsu, and W. Hanke, Phys. Rev. Lett. 68, 353 (1992).
- M. M. Doria, J. E. Gubernatis, and D. Rainer, Phys. Rev. B 41, 6335 (1990).
- A. T. Dorsey, M. Huang, and M. P. A. Fisher, Phys. Rev. B 45, 523 (1992).
- S. X. Dou, H. K. Liu, A. J. Bourdillon, M. Kviz, N. X. Tan, and C. C. Sorrell, Phys. Rev. B 40, 5266
- R. A. Doyle, O. L. deLange, and V. V. Gridin, Phys. Rev. B 45, 12580 (1992).
- T. B. Doyle and R. A. Doyle, Phys. Rev. B 47, 8111
- P. G. Drazin and R. S. Johnson, "Solitons: An Introduction." Cambridge Univ. Press Cambridge, U.K., 1989.
- L. Dresner, Cryogenics, May, p. 285, 1978.
- M. S. Dresselhaus, G. Dresselhaus, and R. Saito, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 4, Chap. 7, World Scientific, Singapore, 1994.
- H. Drulis, Z. G. Xu, J. W. Brill, L. E. De Long, and J.-C. Hou, Phys. Rev. Lett. 44, 4731 (1991).
- Q. Du, M. D. Gunzberger, and J. S. Peterson, Phys. Rev. B 46, 9027 (1992).
- L. Dubeck, P. Lindenfeld, E. A. Lynten, and H. Rohrer, Rev. Mod. Phys. 36, 110 (1964).

- A. Dulčic, R. H. Crepeau, and J. H. Freed, Phys. Rev. B 39, 4249 (1989).
- B. D. Dunlap, M. Slaski, Z. Sungaila, D. G. Hinks, K. Zhang, C. Segre, S. K. Malik, and E. E. Alp, Phys. Rev. B 37, 592 (1988).
- C. Duran, J. Yazyi, F. de la Cruz, D. J. Bishop, D. B. Mitzi, and A. Kapitulnik, Phys. Rev. B 44, 7737 (1991).
- C. H. Eab and I. M. Tang, Phys. Rev. B 40, 4427 (1989).
- D. E. Eastman, Solid State Commun. 7, 1697 (1969).
- C. Ebner and D. Stroud, Phys. Rev. B 31, 165 (1985).
- C. Ebner and D. Stroud, Phys. Rev. B 39, 789 (1989).
- U. Eckern and E. B. Sonin, Phys. Rev. B 47, 505 (1993).
- G. L. Eesley, J. Heremans, M. S. Meyer, G. L. Doll, and S. H. Liou, Phys. Rev. Lett. 65, 3445 (1990).
- H. Eikmans and J. E. van Himbergen, Phys. Rev. 44, 6937 (1991).
- R. Eisberg and R. Resnick, "Quantum Physics," Wiley, New York, 1974.
- J. W. Ekin, H. R. Hart, and A. R. Gaddipati, J. Appl. Phys. 68, 2285 (1990).
- J. W. Ekin, K. Salama, and V. Selvamanickam, Appl. Phys. Lett. 59, 360 (1991).
- T. Ekino and J. Akimitsu, Phys. Rev. B 40, 6902, 7364 (1989a).
- T. Ekino and J. Akimitsu, J. Phys. Soc. Jpn. 58, 2135 (1989b).
- T. Ekino and J. Akimitsu, Phys. Rev. B 42, 8049 (1990).
- G. M. Eliashberg, Zh. Eksp. Teor. Fiz. 38, 966 (1960a).
- G. M. Eliashberg, Zh. Eksp. Teor. Fiz. 39, 1437 (1960b).
- B. Ellman, J. Yang, T. F. Rosenbaum, and E. Bucher, Phys. Rev. Lett. 64, 1569 (1990).
- V. J. Emery, Phys. Rev. Lett. 58, 2794 (1987) (reprinted in Halley, 1988, p. 227).
- V. J. Emery and G. Reiter, Phys. Rev. B 38, 4547 (1988).
- J. W. Emsley, J. Feeney, and L. H. Sutcliffe, "High Resolution Nuclear Magnetic Resonance Spectroscopy, Pergamon, New York, 1965, Vol. 1.
- D. Emin, Phys. Rev. B 49, 9157 (1994).
- P. Entel and J. Zielinski, Phys. Rev. B 42, 307 (1990).
- O. Entin-Wohlman and Y. Imry, Phys. Rev. B 40, 6731 (1989).
- L. E. Erickson, Phys. Rev. B 43, 12723 (1991).
- R. Escudero, E. Guarner, and F. Morales, Physica C 162C-164C, 1059 (1989).
- R. Escudero, F. Morales, and E. Guarner, Physica C 166C, 15 (1990).
- D. Estève, J. M. Martinis, C. Urbina, M. H. Devoret, G. Collin, P. Monod, M. Ribault, and A. Revcolevschi, Europhys. Lett. 3, 1237 (1987).
- J. P. Estrera and G. B. Arnold, Phys. Rev. B 39, 2094 (1989).
- L. M. Falicov and C. R. Proetto, Phys. Rev. B 47, 14407 (1993).

L D

D.

D. E.

R. F J. F.

R. F

R. F€ Pl

D. Fe (19)L. F. 1

45, L. F. I

I. Feli dra

532 J. C.

Rei

M. J. F. D. 1

Geb. Rev.

M. J. F€ Clark R. A. Fe

ity" ( Berlin

- M. M. Fang, J. E. Ostenson, D. K. Finnemore, D. E. Farrell, and N. P. Bansal, Phys. Rev. B 39, 222 (1989).
- H. A. Farach, E. Quagliata, T. Mzoughi, M. A. Mesa, C. P. Poole, Jr., and R. Creswick, Phys. Rev. B 41, 2046 (1990).
- D. E. Farrell, B. S. Chandrasekhar, M. R. DeGuire, M. M. Fang, V. G. Kogan, J. R. Clem, and D. K. Finnemore, Phys. Rev. B 36, 4025 (1987).
- D. E. Farrell, C. M. Williams, S. A. Wolf, N. P. Bansal, and V. G. Kogan, Phys. Rev. Lett. 61, 2805 (1988).
- D. E. Farrell, M. M. Fang, and N. P. Bansal, Phys. Rev. B 39, 718 (1989a).
- D. E. Farrell, S. Bonham, J. Foster, Y. C. Chang, P. Z. Jiang, K. G. Vandervoort, D. J. Lam, and V. G. Kogan, Phys. Rev. Lett. 63, 782 (1989b).
- D. E. Farrell, R. G. Beck, M. F. Booth, C. J. Allen, E. D. Bukowski, and D. M. Ginsberg, Phys. Rev. B 42, 6758 (1990a).
- D. E. Farrell, C. J. Allen, R. C. Haddon, and S. V. Chichester, Phys. Rev. B 42, 8694 (1990b).
- D. E. Farrell, J. P. Rice, D. M. Ginsberg, and J. Z. Liu, Phys. Rev. Lett. 64, 1573 (1990c).
- D. E. Farrell, J. P. Rice, and D. M. Ginsberg, Phys. Rev. Letts. 67, 1165 (1991).
- D. E. Farrell, in "Physical Properties of High Temperature Superconductors," (D. M. Ginsberg, Ed.), Vol. 4, Chap. 2, World Scientific, Singapore, 1994.
- E. Faulques and R. E. Russo, in "Applications of Analytical Techniques to the Characterization of Materials" (D. L. Perry, Ed.), p. 59. Plenum, New York, 1991.
- R. Fazio and G. Schön, Phys. Rev. B 43, 5307 (1991).
- J. F. Federici, B. I. Greene, H. Hartford, and E. S. Hellman, Phys. Rev. B 42, 923 (1990).
- R. Feenstra, D. K. Christen, C. Klabunde, and J. D. Budai, Phys. Rev. B 45, 7555 (1992).
- R. Fehrenbacher, V. B. Geshkenbein, and G. Blatter, Phys. Rev. B 45, 5450 (1992).
- D. Feinberg and C. Villard, Phys. Rev. Lett. 65, 919 (1990).
- L. F. Feiner, M. Grilli, and C. DiCastro, Phys. Rev. B 45, 10647 (1992).
- L. F. Feiner, Phys. Rev. B 48, 16857 (1993).
- I. Felner, U. Yaron, Y. Yeshurun, G. V. Chandrashekhar, and F. Holtzberg, Phys. Rev. B 40, 5329 (1989).
- J. C. Fernandez, R. Grauer, K. Pinnow, and G. Reinisch, Phys. Rev. B 42, 9987 (1990).
- M. J. Ferrari, M. Johnson, F. C. Wellstood, J. Clarke, D. Mitzi, P. A. Rosenthal, C. B. Eom, T. H. Geballe, A. Kapitulnik, and M. R. Beasley, Phys. Rev. Lett. 64, 72 (1989).
- M. J. Ferrari, F. C. Wellstood, J. J. Kingston, and J. Clarke, Phys. Rev. Lett. 67, 1346 (1991).
- R. A. Ferrell, in "High Temperature Superconductivity" (J. W. Lynn, Ed.), Chap. 3, Springer-Verlag, Berlin, 1990.

- K. Fesser, U. Sum, and H. Büttner, Phys. Rev. B 44, 421 (1991).
- A. L. Fetter and J. D. Walecka, "Quantum Theory of Many Particle Systems." McGraw-Hill, New York, 1971
- R. P. Feynman, "Lectures on Physics," Vol. 3, Chap.21. Addison-Wesley, New York, 1965.
- W. A. Fietz, M. R. Beasley, J. Silcox, and W. W. Webb, Phys. Rev. 136, A335 (1964).
- A. T. Fiory, M. Gurvitch, R. J. Cava, and G. P. Espinosa, Phys. Rev. B 36, 7262 (1987).
- A. T. Fiory, G. P. Espinosa, R. M. Fleming, G. S. Grader, M. Gurvitch, A. F. Hebard, R. E. Howard, J. R. Kwo, A. F. J. Levi, P. M. Mankiewich, S. Martin, C. E. Rice, L. F. Schneemeyer, and A. E. White, International Conference on Electronic Materials, Tokyo, 1988.
- A. T. Fiory, S. Martin, R. M. Fleming, L. F. Schneemeyer, J. V. Waszczak, A. F. Hebard, and S. A. Sunshine, Physica C 162C-164C, 1195 (1989).
- A. T. Fiory, M. A. Paalanen, R. R. Ruel, L. F. Schneemeyer, and J. V. Waszczak, Phys. Rev. B 41, 4805 (1990).
- O. Fischer, Appl. Phys. 16, 1 (1978).
- O. Fischer, in "Earlier and Recent Aspects of Superconductivity" (J. G. Bednorz and K. A. Müller, Eds.), p. 96, Springer, Berlin, 1990.
- P. Fischer, K. Kakurai, M. Steiner, K. N. Clausen, B. Lebech, F. Hulliger, H. R. Ott, P. Brüesch, and P. Unternährer, Physica C *152C*, 145 (1988).
- P. Fischer, H. W. Neumüller, B. Roas, H. F. Braun, and G. Saemann-Ischenko, Solid State Commun. 72, 871 (1989).
- J. E. Fischer, P. A. Heiney, A. R. McGhie, W. J. Romanow, A. M. Denenstein, J. P. McCauley, Jr., and A. B. Smith, III, Science 252, 1288 (1991).
- J. E. Fischer, P. A. Heiney, and A. B. Smith, III, Acc. Chem. Res. 25, 97 (1992).
- K. H. Fischer, Physica C 178C, 161 (1991).
- D. S. Fisher and D. A. Huse, Phys. Rev. B 38, 373, 386 (1988).
- M. P. A. Fisher, Phys. Rev. Lett. 62, 1415 (1989).
- R. A. Fisher, S. Kim, B. F. Woodfield, N. E. Phillips, L. Taillefer, K. Hasselbach, J. Flouquet, A. L. Giorgi, and J. L. Smith, Phys. Rev. Lett. 62, 1411 (1989).
- M. P. A. Fisher, Phys. Rev. Lett. 65, 923 (1990).
- D. S. Fisher, M. P. A. Fisher, and D. A. Huse, Phys. Rev. B 43, 130 (1991).
- R. S. Fishman, Phys. Rev. B 38, 11996 (1988).
- R. S. Fishman, Phys. Rev. Lett. 63, 89 (1989).
- Z. Fisk, P. C. Canfield, W. P. Beyermann, J. D. Thompson, M. F. Hundley, H. R. Ott, E. Felder, M. B. Maple, M. A. Lopez de la Torre, P. Visani, and C. L. Seaman, Phys. Rev. Lett. 67, 3310 (1991).
- M. D. Fiske, Rev. Mod. Phys. 36, 221 (1964).

- S. A. FitzGerald, S. G. Kaplan, A. Rosenberg, A. J. Sievers, and R. A. S. McMordie, Phys. Rev. B 45, 10165 (1992).
- R. L. Fleisher, H. R. Hart, Jr., K. W. Lay, and F. E. Luborsky, Phys. Rev. B 40, 2163 (1989).
- R. B. Flippen, Phys. Rev. B 44, 7708 (1991).
- M. Florjanczyk and M. Jaworski, Phys. Rev. B 40, 2128 (1989).
- R. Flükiger and W. Klose, "Landolt-Börnstein, Group III Solid State Physics," Vol. 21, Superconductors. Springer-Verlag, Berlin/New York, 1993.
- M. Foldeaki, M. E. McHenry, and R. C. O'Handley, Phys. Rev. B 39, 2883 (1989).
- W. Folkerts and C. Haas, Phys. Rev. B 41, 6341 (1990).
- S. Foner, E. J. McNiff, Jr., D. Heiman, S.-M. Huang, and R. B. Kaner, Phys. Rev. B 46, 14936 (1992).
- J. Fonteuberta and L. Fàbrega, in "Studies in High Temperature Superconductors" (A. V. Narlikar, Ed.), Vol. 16, Nova Sci., New York, in press.
- A. Forkl, T. Dragon, and H. Kronmüller, J. Appl. Phys. 67, 3047 (1990).
- A. Forkl, H. U. Habermeier, B. Liebold, T. Dragon, and H. Kronmüller, Physica C 180C, 155 (1991).
- M. Forsthuber and G. Hilscher, Phys. Rev. B 45, 7996 (1992).
- N. A. Fortune, K. Murata, K. Ikeda, and T. Takahashi, Phys. Rev. Lett. 68, 2933 (1992).
- C. M. Foster, K. F. Voss, T. W. Hagler, D. Mihailovic, A. S. Heeger, M. M. Eddy, W. L. Olsen, and E. J. Smith, Solid State Commun. 76, 651 (1990).
- H. Frahm, S. Ullah, and A. T. Dorsey, Phys. Rev. 66, 3067 (1991).
- Z. Frait, D. Fraitová, and L. Pust, J. Phys. Colloque C 8, 2235 (1988a); Z. Frait, D. Fraitová, E. Pollert, and L. Pust, Phys. Status Solidi 146, K119 (1988b).
- J. P. Franck, in "Physical Properties of High Temperature Superconductors," (D. M. Ginsberg, Ed.), Vol. 4, Chap. 4, World Scientific, Singapore (1994).
- G. Frank, Ch. Ziegler and W. Göpel, Phys. Rev. B 43, 2828 (1991).
- A. Freimuth, C. Hohn, and M. Galffy, Phys. Rev. B 44, 10396 (1991).
- T. Freltoft, G. Shirane, S. Mitsuda, J. P. Remeika, and A. S. Cooper, Phys. Rev. B 37, 137 (1988).
- T. Freltoft, H. J. Jensen, and P. Minnhagen, Solid State Commun. 78, 635 (1991).
- T. A. Friedmann, J. P. Rice, J. Giapintzakis, and D. M. Ginsberg, Phys. Rev. B 39, 4258 (1989).
- B. Friedl, C. Thomsen, and M. Cardona, Phys. Rev. Lett. 65, 915 (1990).
- T. A. Friedmann, M. W. Rabin, J. Giapintzakis, J. P. Rice, and D. M. Ginsberg, Phys. Rev. B 42, 6217 (1990).
- H. Fröhlich, Phys. Rev. 79, 845 (1950).
- L. Fruchter and I. A. Campbell, Phys. Rev. B 40, 5158 (1989).
- A. Fujimori, S. Takekawa, E. Takayama-Muromachi,

- Y. Uchida, A. Ono, T. Takahashi, Y. Okabe and H. Katayama-Yoshida, Phys. Rev. B 39, 2255 (1989).
- H. Fujishita, M. Sera, and M. Sato, Physica C 175, 165 (1991).
- K. Fujiwara, Y. Kitaoka, K. Ishida, K. Asayama, Y. Shimakawa, T. Manako, and Y. Kubo, Physica C 184, 207 (1991).
- T. Fukami, T. Kamura, A. A. Youssef, Y. Hori, and S. Mase, Physica C 159, 427 (1989).
- T. Fukami, K. Hayashi, T. Yamamoto, T. Nishizaki, Y. Horie, F. Ichikawa, T. Aomine, V. Soares, and L. Rinderer, Physica C 184, 65 (1991a).
- T. Fukami, T. Yamamoto, K. Hayashi, T. Nishizaki, Y. Hori, F. Ichikawa, and T. Aomine, Physica C 185, 2255 (1991b).
- T. A. Fulton, P. L. Gammei, D. J. Bishop, L. N. Dunkleberger, and G. J. Dolan, Phys. Rev. Lett. 63, 1307 (1989).
- P. Fumagalli and J. Schoenes, Phys. Rev. B 44, 2246 (1991).
- A. Furusaki, H. Takayanagi, and M. Tsukada, Phys. Rev. Lett. 67, 132 (1991).
- A. Furusaki and M. Tsukada, Phys. Rev. B 43, 10164 (1991).
- A. Furusaki and M. Ueda, Phys. Rev. B 45, 10576 (1992).
- A. Furusaki, H. Takayanagi, and M. Tsukada, Phys. Rev. B 45, 10563 (1992).
- M. Furuyama, N. Kobayashi, and Y. Muto, Phys. Rev. B 40, 4344 (1989).
- E. Gagliano and S. Bacci, Phys. Rev. B 42, 8772 (1990).
- P. L. Gai and J. M. Thomas, Supercond. Rev. 1, 1 (1992).
- M. C. Gallagher, J. G. Adler, J. Jung, and J. P. Franck, Phys. Rev. B *37*, 7846 (1988).
- W. J. Gallagher, J. Appl. Phys. 63, 4216 (1988).
- C. F. Gallo, L. R. Whitney, and P. J. Walsh, in "Novel Superconductivity" (S. A. Wolf and V. Z. Kresin, Eds.), p. 385, Plenum, New York, 1987.
- C. F. Gallo, L. R. Whitney, and P. J. Walsh, Mater. Res. Soc. Symp. Proc. 99, 165 (1988).
- P. L. Gammel, D. J. Bishop, G. J. Dolan, J. R. Kwo, C. A. Murray, L. F. Schneemeyer, and J. V. Waszczak, Phys. Rev. Lett. 59, 2592 (1987).
- P. L. Gammel, L. F. Schneemeyer, J. K. Waszczak, and A. J. Bishop, Phys. Rev. Lett. 61, 1666 (1988).
- P. L. Gammel, A. Hebard, and D. J. Bishop, Phys. Rev. B 40, 7354 (1989).
- J. T. Gammel, R. J. Donohoe, A. R. Bishop, and B. I. Swanson, Phys. Rev. B 42, 10566 (1990).
- P. L. Gammel, L. F. Schneemeyer, and D. J. Bishop, Phys. Rev. Lett. 66, 953 (1991).
- P. L. Gammel, D. J. Bishop, T. P. Rice, and D. M. Ginsberg, Phys. Rev. Lett. 68, 3343 (1992).
- F. Gao, G. L. Carr, C. D. Porter, D. B. Tanner, S. Etemad, T. Venkatesan, A. Inam, B. Dutta, X. D. Wu, G. P. Williams, and C. J. Hirschmugl, Phys. Rev. B 43, 10383 (1991).

١

J.

J.

M.

141

D.

M.

**VCES** 175. ca C

and 2255

a, Y.

nd S.

zaki, . and

zaki, ca C

.. N. Lett.

2246

Phys. 0164

0576

hys.

Rev. 8772

1, 1

I. P.

ı, in 1. Z. 7.

ater.

(wo. . V.

zak. )88). 'hys.

B. I.

hop,

. M.

r, S.

. D.

hys.

- L. Gao, R. L. Meng, Y. Y. Xue, P. H. Hor and C. W. Chu, Appl. Phys. Lett. 58, 92 (1991).
- L. Gao, Z. J. Huang, R. L. Menag, J. G. Lin, F. Chen, L. Beauvais, Y. Y. Sun, Y. Y. Xue, and C. W. Chu, Physica C 213, 261 (1993).
- L. Gao, Y. Y. Xue, F. Chen, Q. Xiong, R. L. Meng, D. Ramirez, C. W. Chu, J. H. Eggert, and H. K. Mao, submitted for publication.
- M. M. Garland, J. Mater. Res. 3, 830 (1988).
- P. Garoche, R. Brusett, D. Jérome, and K. Bechgaard, J. Physique Lett. 43, L147 (1982).
- L. J. Geerligs, M. Peters, L. E. M. de Groot, A. Verbruggen, and J. E. Mooij, Phys. Rev. Lett. 63, 326 (1989).
- I. I. Geguzin, I. Ya. Nikiforov, and G. I. Alperovitch, Fiz. Tverd. Tela. 15, 931 (1973).
- C. Geibel, S. Thies, D. Kaczorowski, A. Mehner, A. Grauel, B. Seidel, U. Ahlheim, R. Helfrich, K. Petersen, C. D. Bredl, and F. Steglich, Z. Phys. B-Cond. Matt. 83, 305 (1991a).
- C. Geibel, C. Schank, S. Thies, H. Kitzawa, C. D. Bredl, A. Böhm, M. Rau, A. Grauel, R. Caspary, R. Helfrich, U. Anlheim, G. Weber, and F. .Steglich, Z. Phys. B-Cond. Matt. 84, 1 (1991b).
- C. Geibel, U. Ahlheim, C. D. Bredl, J. Diehl, A. Grauel, R. Helfrich, H. Kitazawa, R. Köhler, R. Modler, M. Lang, C. Schank, S. Thies, F. Steglich, N. Sato, and T. Komatsubara, Physica C 185, 2651 (1991c).
- A. K. Geim, I. V. Grigorieva, and S. V. Dubonos, Phys. Rev. B 46, 324 (1992).
- B. Y. Gelfand and B. I. Halperin, Phys. Rev. B 45, 5517 (1992).
- A. Gerber, Th. Grenet, M. Cyrot, and J. Beille, Phys. Rev. B 45, 5099 (1992).
- W. Gerhäuser, G. Ries, H. W. Neumüller, W. Schmidt, O. Eibl, G. Saemann-Ischenko, and S. Klaumünzer, Phys. Rev. Lett. 68, 879 (1992).
- V. B. Geshkenbein, V. M. Vinokur, and R. Fehrenbacher, Phys. Rev. B 43, 3748 (1991).
- S. K. Ghatak, A. Mitra, and D. Sen, Phys. Rev. B 45, 951 (1992).
- J. Ghijsen, L. H. Tjeng, H. Eskes, G. A. Sawatzky, and R. L. Johnson, Phys. Rev. B 42, 2268 (1990).
- I. Giaever and H. R. Zeller, Phys. Rev. Lett. 20, 1504
- J. Giapintzakis, W. C. Lee, J. P. Rice, D. M. Ginsberg, I. M. Robertson, R. Wheeler, M. Kirk, and M.-Q. Ruault, Phys. Rev. B 45, 10677 (1992).
- M. A. M. Gijs, D. Scholten, Th. van Rooy, and A. M. Gerrits, Phys. Rev. B 41, 11627 (1990a).
- M. A. M. Gijs, A. M. Gerrits, and C. W. J. Beenakker, Phys. Rev. B 42, 10789 (1990b).
- L. R. Gilbert, R. Messier, and R. Roy, Thin Solid Films 54, 129 (1978).
- D. B. Gingold and C. J. Lobb, Phys. Rev. B 42, 8220
- M. J. P. Gingras, Phys. Rev. B 45, 7547 (1992).

- D. M. Ginsberg (Ed.), "Physical Properties of High Temperature Superconductors," Vol. 1, World Scientific, Singapore, 1989.
- D. M. Ginsberg (Ed.), "Physical Properties of High Temperature Superconductors," Vol. 2, World Scientific, Singapore, 1990.
- D. M. Ginsberg (Ed.), "Physical Properties of High Temperature Superconductors," Vol. 3, World Scientific, Singapore, 1992.
- D. M. Ginsberg (Ed.), "Physical Properties of High Temperature Superconductors," Vol. 4, World Scientific, Singapore, 1994.
- V. L. Ginzburg and L. Landau, Zh. Eksp. Teor. Fiz. 20, 1064 (1950).
- V. L. Ginzburg and D. A. Kirzhnits, "High Temperature Superconductivity," Nauka, Moscow, 1977 [Engl. Transl. Consultants Bureau, New York, 1982].
- S. L. Ginzburg, V. P. Khavronin, G. Yu. Logvinova, I. D. Luzyanin, J. Herrmann, B. Lippold, H. Börner and H. Schmiedel, Physica C 174, 109 (1991).
- J. I. Gittleman and B. Rosenblum, J. Appl. Phys. 39, 2617 (1968).
- S. H. Glarum, L. F. Schneemeyer, and J. V. Waszczak. Phys. Rev. B 41, 1837 (1990).
- N. E. Glass and D. Rogovin, Phys. Rev. B 39, 11327 (1989).
- D. Glatzer, A. Forkl, H. Theuss, H. U. Habermeier, and Kronmüller, Phys. Status Solidi 170, 549 (1992).
- L. I. Glazman and A. E. Koshelev, Phys. Rev. B 43, 2835 (1991a); Physica C 173, 180 (1991b).
- H. R. Glyde, L. K. Moleko, and P. Findeisen, Phys. Rev. B 45, 2409 (1992).
- A. Gold and A. Ghazali, Phys. Rev. B 43, 12952 (1991).
- R. B. Goldfarb, A. F. Clark, A. I. Braginski, and A. J. Panson, Cryogenics 27, 475 (1987a); R. B. Goldfarb, A. F. Clark, A. I. Braginski, and A. J. Panson, in "High Temperature Superconductors" (D. U. Grubser and M. Schluter, Eds.), p. 261, Mater. Res. Soc., Pittsburgh (1987b).
- D. Goldschmidt, Phys. Rev. B 39, 2372 (1989).
- M. J. Goldstein and W. G. Moulton, Phys. Rev. B 40, 8714 (1989).
- M. Golosovsky, D. Davidov, E. Farber, T. Tsach, and M. Schieber, Phys. Rev. B 43, 10390 (1991).
- M. Golosovsky, Y. Naveh, and D. Davidov, Phys. Rev. B 45, 7495 (1992).
- J. B. Goodenough and J.-S. Zhou, Phys. Rev. B 42, 4276 (1990).
- J. B. Goodenough, J.-S. Zhou, and J. Chan, Phys. Rev. B 47, 5275 (1993).
- L. F. Goodrich, A. N. Srivastava, and T. C. Stauffer, J. Res. NIST 96, 703 (1991).
- L. F. Goodrich and A. N. Srivastava, Supercond. Industry Spring, 28 (1992).
- L. P. Gor'kov, Zh. Eksp. Teor. Fiz. 36, 1918. [Sov. Phys. JETP 36, 1364] (1959).
- L. P. Gor'kov, Sov. Phys. JETP 38, 830<sup>-</sup>(1973).

- L. P. Gor'kov, Sov. Phys. JETP Lett. 20, 260 (1974).
- U. Gottwick, R. Held, G. Sparn, F. Steglich, H. Rietschel, D. Ewert, B. Renker, W. Bauhofer, S. von Molnar, M. Wilhelm, and H. E. Hoenig, Europhys. Lett. 4, 1183 (1987).
- C. E. Gough, M. S. Colclough, E. M. Forgan, R. G. Jordan, M. Keene, C. M. Muirhead, A. I. M. Rae, N. Thomas, J. S. Abell, and S. Sutton, Nature 326, 855 (1987).
- M. E. Gouvêa, G. M. Wysin, A. R. Bishop, and F. G. Mertens, Phys. Rev. B 39, 11840 (1989).
- G. S. Grader, P. K. Gallagher, and E. M. Gyorgy, Appl. Phys. Lett. 51, 1115 (1987).
- J. E. Gaebner, R. C. Haddon, S. V. Chichester, and S. M. Glarum, Phys. Rev. B 41, 4808 (1990).
- R. Graham, M. Schlautmann, and D. L. Shepelyansky, Phys. Rev. Lett. 67, 255 (1991).
- K. E. Gray, R. T. Kampwirth, and D. E. Farrell, Phys. Rev. B 41, 819 (1990).
- K. E. Gray, D. H. Kim, B. W. Veal, G. T. Seidler, T. F. Rosenbaum, and D. E. Farrell, Phys. Rev. B 45, 10071 (1992).
- K. E. Gray, Appl. Supercond., (D. Shi, Ed.), in press.
- L. H. Green and B. G. Bagley, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 2, Chap. 8, World Scientific, Singapore, 1990.
- R. L. Greene, in "Organic Superconductivity" (V. Z. Kresin and W. A. Little, Eds.), p. 7. Plenum, New York, 1990.
- E. Gregory, T. S. Kreilick, J. Wong, A. K. Ghosh, and W. B. Sampson, Cryogenics 27, 178 (1987).
- V. V. Gridin, P. Pernambuco-Wise, C. G. Trendall, W. R. Datars, and J. D. Garrett, Phys. Rev. B 40, 8814 (1989).
- D. G. Grier, C. A. Murray, C. A. Bolle, P. L. Gammel, D. J. Bishop, D. B. Mitzi, and A. Kapitulnik, Phys. Rev. Lett. 66, 2770 (1991).
- R. Griessen, Phys. Rev. Lett. 64, 1674 (1990).
- M. Grilli, R. Raimondi, C. Castellani, C. DiCastro, and G. Kotliar, Phys. Rev. Lett. 67, 259 (1991).
- H. H. Gröbke, Phys. Rev. B 41, 11047 (1990).
- N. Grønbech-Jensen, Phys. Rev. B 45, 7315 (1992).
- N. Grønbech-Jensen, N. F. Pedersen, A. Davidson, and R. D. Parmentier, Phys. Rev. B 42, 6035 (1990).
- N. Grønbech-Jensen, S. A. Hattel, and M. R. Samuelsen, Phys. Rev. 45, 12457 (1991).
- R. Gross, P. Chaudhari, M. Kawasaki, and A. Gupta, Phys. Rev. B 42, 10735 (1990a).
- R. Gross, P. Chaudhari, M. Kawasaki, M. B. Ketchen, and A. Gupta, Appl. Phys. Lett. 57, 727 (1990b).
- R. Gross and D. Koelle, Rept. Prog. Phys., 57, 651 (1994).
- D. Y. Gubser and M. Schluter, Eds., "High Temperature Superconductors," Proc. Symp., Spring Meet., Anaheim, CA, Apr. 1987, Mater. Res. Soc., Pittsburgh, 1987.
- S. Guha, D. Peebles, and T. J. Wieting, Phys. Rev. B *43*, 13092 (1991).

- F. Guinea and G. Zimanyi, Phys. Rev. B 47, 501 (1993).
- B. Gumhalter and V. Zlatic, Phys. Rev. B 42, 6446 (1990).
- J. Guo, D. E. Ellis, E. E. Alp, and G. L. Goodman Phys. Rev. B 42, 251 (1990).
- A. Gupta, P. Esquinazi, and H. F. Braun, Physica C. 184, 393 (1991).
- R. P. Gupta and M. Gupta, Phys. Rev. B 47, 11635 (1993a); Phys. Rev. B 48, 16068 (1993b).
- A. Gurevich and H. Küpfer, Phys. Rev. B 48, 6477 (1993).
- M. Gurvitch and A. T. Fiory, Phys. Rev. Lett. 59. 1337 (1987a); Appl. Phys. Lett. 51, 1027 (1987b); in "Novel Superconductivity" (S. A. Wolf and V. Z. Kresin, Eds.), p. 663, Plenum, New York, 1987c.
- M. Gurvitch, A. T. Fiory, L. F. Schneemeyer, R. J. Cava, G. P. Espinosa, and J. V. Waszczak, Physica C. 153-155, 1369 (1988).
- H. Gutfreund and W. A. Little, in "Highly Conducting One Dimensional Solids" (J. T. Devreese, R. P. Evrard, and V. E. van Doren, Eds.), Chap. 7. Plenum, New York, 1979.
- F. Gygi and M. Schlüter, Phys. Rev. Lett. 65, 1820 (1990a); Phys. Rev. B 41, 822 (1990b); 43, 7609 (1991).
- R. C. Haddon, Acc. Chem. Res. 25, 127 (1992).
- S. J. Hagen, T. W. Jing, Z. Z. Wang, J. Horvath, and N. P. Ong, Phys. Rev. B 37, 7928 (1988).
- S. J. Hagen, C. J. Lobb, R. L. Greene, M. G. Forrester and J. H. Kang, Phys. Rev. B 41, 11630 (1990a).
- S. J. Hagen, C. J. Lobb, R. L. Greene, M. G. Forrester and J. Talvacchio, Phys. Rev. B 42, 6777 (1990b).
- R. R. Hake, Phys. Rev. 166, 471 (1968).
- K. Hallberg, A. G. Rojo, and C. A. Balseiro, Phys. Rev. B 43, 8005 (1991).
- J. W. Halley, (Ed.), "Theories of High Temperature Superconductivity," Addison Wesley, Reading, MA, 1988.
- B. I. Halperin, Phys. Rev. Lett. 52, 1583, 2390 (1984).
- N. Hamada, S. Massidda, A. J. Freeman, and J. Redinger, Phys. Rev. B 40, 4442 (1989).
- D. R. Hamann and L. F. Mattheiss, Phys. Rev. B 38, 5138 (1988).
- P. D. Hambourger and F. J. Di Salvo, Physica B 99, 173 (1980).
- C. A. Hamilton, Phys. Rev. B 5, 912 (1972).
- P. C. Hammel, M. Takigawa, R. H. Heffner, Z. Fisk, and K. C. Ott, Phys. Rev. Lett. 63, 1992 (1989).
- P. C. Hammel, A. P. Reyes, Z. Fisk, M. Takigawa, J. D. Thompson, R. H. Heffner, W.-W. Cheong, and J. E. Schirber, Phys. Rev. B 42, 6781 (1990).
- D. P. Hampshire, X. Cai, J. Seuntjens, and D. C. Larbalestler, Supercond. Sci. Technol. 1, 12 (1988).
- S. Han, L. F. Cohen, and E. L. Wolf, Phys. Rev. B 42, 8682 (1990a).

- REI
- S. 1
- **Z**. ;
- Z. I
- S. F
- T. H
- M. I
- R
- Z. H (1
- Z. Ha M
- 28 Z. Ha
- J. Har 117
- A. B. (19
- R. K. tros
- D. C. Gar
- D. R. F G. 1 E. J

39, 8

Lett.

- D.R.H Chic T. Pi
- D. R. Ha 10684
- M. Hase Kimu Physic
- T. Hasegi Prope ductor World
- S. Hasega Igarasi
- and R. K. C. Hass
- N. Hatakei Rev. B
- J. Hauck, Mika, 2
- D. B. Havi Rev. Le
- R. M. Haze N. L. R Hor, A. 7238 (19

- S. G. Han, Z. V. Vardeny, K. S. Wong, and O. G. Symko, Phys. Rev. Lett. 65, 2708 (1990b).
- Z. P. Han, R. Dupree, D. McK. Paul, A. P. Howes, and L. W. J. Caves, Physica C 181, 355 (1991).
- Z. P. Han, R. Dupree, A. Gencten, R. S. Liu, and P. P. Edwards, Phys. Rev. Lett. 69, 1256 (1992).
- S. H. Han, C. C. Almasan, M. C. de Andrade, Y. Dalichaouch, and M. B. Maple, Phys. Rev. B 46, 14290 (1992).
- T. Hanaguri, T. Fukase, I. Tanaka, and H. Kojima, Phys. Rev. B 48, 9772 (1993).
- M. Hangyo, N. Nagasaki, and S. Nakashima, Phys. Rev. B 47, 14595 (1993).
- Z. Hao and J. R. Clem, Phys. Rev. Lett. 67, 2371 (1991).
- Z. Hao, J. R. Clem, M. W. McElfresh, L. Civale, A. P. Malozemoff, and F. Holtzberg, Phys. Rev. B 43, 2844 (1991).
- Z. Hao and J. R. Clem, Phys. Rev. B 46, 5853 (1992).
- J. Hara, M. Ashida, and K. Nagai, Phys. Rev. B 47, 11263 (1993).
- A. B. Harris and R. V. Lange, Phys. Rev. 157, 295 (1967).
- R. K. Harris, "Nuclear Magnetic Resonance Spectroscopy," Halsted, 1986.
- D. C. Harris, S. T. Herbert, D. Stroud, and J. C. Garland, Phys. Rev. Lett. 67, 3606 (1991).
- D. R. Harshman, L. F. Schneemeyer, J. V. Waszczak, G. Aeppli, R. J. Cava, B. Batlogg, L. W. Rupp, E. J. Ansaldo, and D. Ll. Williams, Phys. Rev. B 39, 851 (1989).
- D. R. Harshman, R. N. Kleiman, R. C. Haddon, S. V. Chichester-Hicks, M. L. Kaplan, L. W. Rupp, Jr., T. Pfiz, D. Ll. Williams, D. B. Mitzi, Phys. Rev. Lett. 64, 1293 (1990).
- D. R. Harshman and A. P. Mills, Jr., Phys. Rev. B 45, 10684 (1992).
- M. Hase, I. Terasaki, A. Maeda, K. Uchinokura, T. Kimura, K. Kishio, I. Tanaka, and H. Kojima, Physica C 185-189, 1855 (1991).
- T. Hasegawa, H. Ikuta, and K. Kitazawa, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 3, Chap. 7, World Scientific, Singapore, 1992.
- S. Hasegawa, T. Matsuda, J. Endo, N. Osakabe, M. Igarashi, T. Kobayashi, M. Naito, A. Tonomura, and R. Aoki, Phys. Rev. B 43, 7631 (1991).
- K. C. Hass, Solid State Phys. 42, 213 (1989).
- N. Hatakenaka, S. Kurihara, and H. Takayanagi, Phys. Rev. B 42, 3987 (1990).
- J. Hauck, S. Denker, H. Hindriks, S. Ipta, and K. Mika, Z. Phys. B 84, 31 (1991).
- D. B. Haviland, Y. Liu, and A. M. Goldman, Phys. Rev. Lett. 62, 2180 (1989).
- R. M. Hazen, L. W. Finger, R. J. Angel, C. T. Prewitt, N. L. Ross, H. K. Mao, C. G. Hadidiacos, P. H. Hor, A. L. Meng, and C. W. Chu, Phys. Rev. B 35, 7238 (1987).

- R. M. Hazen, L. W. Finger, R. J. Angel, C. T. Prewitt, N. L. Ross, C. G. Hadidiacos, P. J. Heaney, D. R. Veblen, Z. Z. Sheng, A. El Ali, and A. M. Hermann, Phys. Rev. Lett. 60, 1657 (1988).
- R. M. Hazen, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 2, Chap. 3, World Scientific, Singapore, 1990.
- A. F. Hebard, P. L. Gammel, C. E. Rice, and A. F. J. Levi, Phys. Rev. B 40, 5243 (1989).
- A. F. Hebard and M. A. Paalanen, Phys. Rev. Lett. 65, 927 (1990).
- A. F. Hebard, M. J. Rosseinsky, R. C. Haddon, D. W. Murphy, S. H. Glarum, T. T. M. Palstra, A. P. Ramirez, and A. R. Kortan, Nature, 350, 600 (1991).
- A. F. Hebard, in "Proc. R. L. Orbach Symp. Random Magnetism and High T<sub>c</sub> Supercond.," World Scientific, Singapore, 1994.
- A. F. Hebard, in "Strongly Correlated Electronic Materials" (K. S. Bedell, Ed.), Addison-Wesley, New York, 1994.
- S. E. Hebboul and J. C. Garland, Phys. Rev. B 43, 13703 (1991).
- P. Hedegård and M. B. Pedersen, Phys. Rev. B 42, 10035 (1990).
- R. H. Heffner, J. L. Smith, J. O. Willis, P. Birrer, C. Baines, F. N. Gygax, B. Hitti, E. Lippelt, H. R. Ott, A. Schenck, E. A. Knetsch, J. A. Mydosh, and D. E. MacLaughlin, Phys. Rev. Lett. 65, 2816 (1990).
- R. Heid, Phys. Rev. B 45, 5052 (1992).
- R. A. Hein, T. L. Francavilla, and D. H. Liebenberg (Eds.), "Magnetic Susceptibility of Superconductors and Other Spin Systems," Plenum, New York, 1991.
- C. S. Hellberg and E. J. Mele, Phys. Rev. B 48, 646 (1993).
- E. S. Hellman, B. Miller, J. M. Rosamilia, E. H. Hartford, and K. W. Baldwin, Phys. Rev. B 44, 9719 (1991).
- F. Hellman and T. H. Geballe, Phys. Rev. B 36, 107 (1987).
- N. F. M. Henry and K. Lonsdale, "International Tables for X-Ray Crystallography," Kynboh, Birmingham, England, 1965.
- J. Heremans, D. T. Morelli, G. W. Smith, and S. C. Strite III, Phys. Rev. B 37, 1604 (1988).
- F. Herman, R. V. Kasowski, and W. Y. Hsu, Phys. Rev. B 36, 6904 (1987).
- A. M. Hermann and J. V. Yakhmi, "Thallium Based High Temperature Superconductors," Dekker, Basel, 1993.
- S. L. Herr, K. Kamarás, D. B. Tanner, S.-W. Cheong, G. R. Stewart, and Z. Fisk, Phys. Rev. B 43, 7847 (1991).
- D. W. Hess, T. A. Tokuyasu, and J. A. Sauls, Phys. Condens. Matt. 1, 8135 (1989).
- H. F. Hess, R. B. Robinson, R. C. Dynes, J. M. Valles, Jr., and J. V. Waszczak, Phys. Rev. Lett. 62, 214 (1989).

- H. F. Hess, R. B. Robinson, and J. V. Waszczak, Phys. Rev. Lett. 64, 2711 (1990).
- H. F. Hess, R. B. Robinson, and J. V. Waszczak, Physica B *169*, 422 (1991).
- J. D. Hettinger and D. G. Steel, in "High Temperature Superconducting Science" (D. Shi, Ed.), Pergamon, New York, 1994.
- J. M. Hettinger, A. G. Swanson, W. J. Skocpol, J. S. Brooks, J. M. Graybeal, P. M. Mankiewich, R. E. Howard, B. L. Straughn, and E. G. Burkhardt, Phys. Rev. Lett. 62, 2044 (1989).
- R. E. Hetzel, A. Sudbø, and D. Huse, Phys. Rev. Lett. 69, 518 (1992).
- E. T. Heyen, R. Liu, C. Thomsen, R. Kremer, M. Cardona, J. Karpinski, E. Kaldis, and S. Rusiecki, Phys. Rev. B 41, 11058 (1990a).
- E. T. Heyen, S. N. Rashkeev, I. I. Mazin, O. K. Andersen, R. Liu, M. Cardona, and O. Jepsen, Phys. Rev. Lett. 65, 3048 (1990b).
- E. T. Heyen, G. Kliche, W. Kress, W. König, M. Cardona, E. Rampf, J. Prade, U. Schröder, A. D. Kulkarni, F. W. de Wette, S. Piñol, D. McK. Paul, E. Morán, and M. A. Alario-Franco, Solid State Commun. 74, 1299 (1990c).
- E. Heyen, M. Cardona, J. Karpinski, E. Kaldis, and S. Rusiecki, Phys. Rev. B 43, 12958 (1991).
- Y. Hidaka, Y. Enomoto, M. Suzuki, M. Oda, and T. Murakami, Jpn. J. Appl. Phys. 26, L377 (1987).
- S. Hikami and A. I. Larkin, Mod. Phys. Lett. B 2, 693 (1988).
- S. Hikami and A. Fujita, Prog. Theor. Phys. 83, 443 (1990a); Phys. Rev. B 41, 6379 (1990b).
- S. Hikami, A. Fujita, and A. Larkin, Phys. Rev. B 44, 10400 (1991).
- M. Hikita, Y. Tajima, A. Katsui, Y. Hidaka, T. Iwata, and S. Tsurumi, Phys. Rev. B 36, 7199 (1987).
- M. Hikita and M. Suzuki, Phys. Rev. B 39, 4756 (1989).
- G. Hilscher, H. Michor, N. M. Hong, T. Holubar, W. Perthold, M. Vybornov, and P. Rogl, *in* Int. Conf. Strongly Correlated Electron Systems, Amsterdam, Netherlands, Aug. 1994.
- D. G. Hinks, D. R. Richards, B. Dabrowski, D. T. Marx, and A. W. Mitchell, Nature 335, 419 (1988).
- D. G. Hinks, B. Dabrowski, D. R. Richards, J. D. Jorgensen, S. Pei, and J. F. Zasadzinski, Mat. Res. Soc. Symp. Proc. 156, 357 (1989).
- J. E. Hirsch, Phys. Rev. B 31, 4403 (1985a); Phys. Rev. Lett. 54, 1317 (1985b).
- J. E. Hirsch, Phys. Rev. Lett. 59, 228 (1987).
- T. Hocquet, P. Mathieu, and Y. Simon, Phys. Rev. B 46, 1061 (1992).
- J. A. Hodges, P. Imbert, and G. Jéhanno, Solid State Commun. 64, 1209 (1987).
- U. Hofmann and J. Keller, Z. Phys. B. Cond. Matter 74, 499 (1989).
- C. Hohn, M. Galffy, A. Dascoulidou, A. Freimuth, H. Soltner, and U. Poppe, Z. Phys. B 85, 161 (1991).

- K. Holczer, O. Klein, G. Grüner, J. D. Thompson, F. Deiderich, and R. L. Whetten, Phys. Rev. Lett. 67, 271 (1991).
- T. Holst, J. B. Hansen, N. Grønbech-Jensen, and J. A. Blackburn, Phys. Rev. B 42, 127 (1990).
- T. Holst and J. B. Hansen, Phys. Rev. B 44, 2238 (1991).
- X. Q. Hong and J. E. Hirsch, Phys. Rev. B 46, 14702 (1992).
- T. Honma, K. Yamaya, F. Minami, and S. Takekawa, Physica C *176*, 209 (1991).
- B. Hopfengärtner, B. Hensel, and G. Saemann-Ischenko, Phys. Rev. B 44, 741 (1991).
- M. L. Horbach, F. L. J. Vos, and W. van Saarloos, Phys. Rev. B 48, 4061 (1993).
- M. L. Horbach, F. L. J. Vos, and W. van Saarloos, Phys. Rev. B 49, 3539 (1994).
- M. Horvatic, T. Auler, C. Berthier, Y. Berthier, P. Butaud, W. G. Clark, J. A. Gillet, P. Ségransan, and J. Y. Henry, Phys. Rev. B 47, 3461 (1993).
- A. Houghton, R. A. Pelcovits, and A. Sudbø, Phys. Rev. B 40, 6763 (1989); 41, 4785(E) (1990).
- A. P. Howes, R. Dupree, D. McK. Paul, and S. Male, Physica C 185–189, 1137 (1991).
- T. C. Hsu and P. W. Anderson, Physica C 162-164, 1445 (1989).
- Q. Hu and M. Tinkham, Phys. Rev. B 39, 11358 (1989).
- Q. Hu, C. A. Mears, P. L. Richards, and F. L. Lloyd, Phys. Rev. Lett. 64, 2945 (1990).
- G. Y. Hu and R. F. O'Connell, Phys. Rev. B 47, 8823 (1993).
- W. F. Huang, P. J. Ouseph, K. Fang, and Z. J. Xu, Solid State Commun. 66, 283 (1988).
- Z. J. Huang, Y. Y. Xue, P. H. Hor, and C. W. Chu, Physica C 176, 195 (1991a).
- Z. J. Huang, H. H. Fang, Y. Y. Xue, P. H. Hor, C. W. Chu, M. L. Norton, and H. Y. Tang, Physica C 180, 331 (1991b).
- M.-Z. Huang, Y.-N. Xu, and W. Y. Ching, Phys. Rev. B 46, 6572 (1992).
- Z. J. Huang, Y. Y. Xue, R. L. Meng, and C. W. Chu, Phys. Rev. B 49, 4218 (1994).
- J. Hubbard, Proc. Royal Soc. London A 276, 238 (1963).
- J. Hubbard, Proc. Royal Soc. London A 281, 401 (1964).
- R. P. Huebener, R. T. Kampwirth, and A. Seher, J. Low Temp. Phys. 2, 113 (1970).
- R. P. Huebener, "Magnetic Flux Structures in Superconductors," Springer Verlag, Berlin, 1979.
- R. P. Huebener, A. V. Ustinov, and V. K. Kaplunenko, Phys. Rev. B 42, 4831 (1990).
- R. P. Huebener, Physica C 168, 605 (1990).
- H. J. Hug, A. Moser, I. Parashikov, O. Fritz, B. Stiefel, H.-J. Güntherodt, and H. Thomas, Physica, to be published.
- N. H. Hur, H.-G. Lee, J.-H. Park, H.-S. Shin, and I.-S. Yang, Physica C 218, 365 (1993).

)

S.

S. J.-J

Т.

S. E

Y. I: H M. J

P L. Id

(1 I. Iof Z. Iq

"§ (A

Z. Iqt Or

Z. Iqt Kh Mc

Z. Iqbi

Z. Iqb; F. Rei

F. Irie (197

E. D. I Bish Mase Rev.

- N. H. Hur, N. H. Kim, S. H. Kim, Y. K. Park, and J. C. Park, Physica C, 231, 227 (1994).
- M. S. Hybertsen, E. B. Stechel, W. M. C. Foulkes, and M. Schlüter, Phys. Rev. B 45, 10032 (1992).
- T. L. Hylton and M. R. Beasley, Phys. Rev. B 41, 11669 (1990).
- O. B. Hyun, D. K. Finnemore, L. Schwartzkopf, and J. R. Clem, Phys. Rev. Lett. 58, 599 (1987).
- O. B. Hyun, J. R. Clem, and D. K. Finnemore, Phys. Rev. B 40, 175 (1989).
- M. Iansiti, M. Tinkham, A. T. Johnson, W. F. Smith, and C. J. Lobb, Phys. Rev. B 39, 6465 (1989).
- H. Ihara, R. Sugise, K. Hayashi, N. Terada, M. Jo, M. Hirabayashi, A. Negishi, N. Atoda, H. Oyanagi, T. Shimomura, and S. Ohashi, Phys. Rev. B 38, 11952 (1988).
- H. Ihara, M. Hirabayashi, H. Tanino, K. Tokiwa, H. Ozawa, Y. Akahama, and H. Kawamura, Jpn. J. Appl. Phys. 32, L1732 (1993).
- J. Ihm and B. D Yu, Phys. Rev. B 39, 4760 (1989).
- S. Ikegawa, T. Wada, A. Ichinose, T. Yamashita, T. Sakurai, Y. Yaegashi, T. Kaneko, M. Kosuge, H. Yamauchi, and S. Tanaka, Phys. Rev. B 41, 11673 (1990).
- S. Ikegawa, T. Wada, T. Yamashita, H. Yamauchi, and S. Tanaka, Phys. Rev. B 45, 5659 (1992).
- J.-M. Imer, F. Patthey, B. Dardel, W. D. Schneider, Y. Baer, Y. Petroff, and A. Zettl, Phys. Rev. Lett. 62, 336 (1989).
- T. Inabe, H. Ogata, Y. Maruyama, Y. Achiba, S. Suzuki, K. Kikuchi, and I. Ikemoto, Phys. Rev. Lett. 69, 3797 (1992).
- S. E. Inderhees, M. B. Salamon, J. P. Rice, and D. M. Ginsberg, Phys. Rev. Lett. 66, 232 (1991).
- Y. Inoue, Y. Shichi, F. Munakata, and M. Yamanaka, Phys. Rev. B 40, 7307 (1989).
- M. Inui, P. B. Littlewood, and S. N. Coppersmith, Phys. Rev. Lett. 63, 2421 (1989).
- L. Ioffe and G. Kotliar, Phys. Rev. B 42, 10348 (1990).
- I. Ioffe and V. Kalmeyer, Phys. Rev. B 44, 750 (1991).
- Z. Iqbal, J. C. Barry, and B. L. Ramakrishna, in "Studies in High Temperature Superconductors" (A. V. Narlikar, Ed.), Nova Sci., New York, 1989.
- Z. Iqbal, G. H. Kwei, B. L. Ramakrishna, and E. W. Ong, Physica C 167, 369 (1990).
- Z. Iqbal, R. H. Baughman, B. L. Ramakrishna, S. Khare, N. S. Murthy, H. J. Bornemann, and D. E. Morris, Science 254, 826 (1991).
- Z. Iqbal, Supercond. Rev. 1, 49 (1992).
- Z. Iqbal, T. Datta, D. Kirven, A. Longu, J. C. Barry, F. J. Owens, A. G. Rinzler, D. Yang, and F. Reidinger, Phys. Rev. B 49, 12322 (1994).
- F. Irie and K. Yamafuji, J. Phys. Soc. Jpn. 23, 255 (1976).
- E. D. Isaacs, D. B. McWhan, R. N. Kleiman, D. J. Bishop, G. E. Ice, P. Zschack, B. D. Gaulin, T. E. Mason, J. D. Garrett, and W. J. L. Buyers, Phys. Rev. Lett. 65, 3185 (1990).

- K. Isawa, A. Tokiwa-Yamamoto, M. Itoh, S. Adachi, and H. Yamauchi, Physica C 217, 11 (1993).
- K. Isawa, A. Tokiwa-Yamamoto, M. Itoh, S. Adachi, and H. Yamauchi, Physica C 222, 33 (1994a).
- K. Isawa, T. Higuchi, T. Machi, A. Tokiwa-Yamamoto, S. Adachi, M. Murakami, and H. Yamauchi, Appl. Phys. Lett. 64, 1301 (1994b).
- T. Ishida and R. B. Goldfarb, Phys. Rev. B 41, 8937 (1990).
- T. Ishida, R. B. Goldfarb, S. Okayasu, and Y. Kazumata, Physica C 185-189, 2515 (1991).
- T. Ishiguro and K. Yamaji, "Organic Superconductors," Springer-Verlag, Berlin, 1990.
- A. Isihara, "Statistical Physics," Academic Press, New York, 1971.
- Y. Ishii and J. Ruvalds, Phys. Rev. B 48, 3455 (1993).
- T. Itoh and H. Uchikawa, Phys. Rev. B 39, 4690 (1989).
- M. Itoh, A. Tokiwa-Yamamoto, S. Adachi, and H. Yayauchi, Physica C 212, 271 (1993).
- R. Itti, F. Munakata, K. Ikeda, H. Yamauchi, N. Koshizuka, and S. Tanaka, Phys. Rev. B 43, 6249 (1991).
- Yu. M. Ivanchenko, Phys. Rev. B 48, 15966 (1993).
- B. I. Ivlev and N. B. Kopnin, Phys. Rev. Lett. 64, 1828 (1990).
- B. I. Ivlev, N. B. Kopnin, and M. M. Salomaa, Phys. Rev. B 43, 2896 (1991a).
- B. I. Ivlev, Yu. N. Ovchinnikov, and R. S. Thompson, Phys. Rev. B 44, 7023 (1991b).
- B. I. Ivlev and R. S. Thompson, Phys. Rev. B 45, 875 (1992).
- Y. Iwasa. K. Tanaka, T. Yasuda, T. Koda, and S. Koda, Phys. Rev. Lett. 69, 2284 (1992).
- Y. Iye, T. Tamegai, T. Sakakibara, T. Goto, and N. Miura, Physica C 153-155, 26 (1988).
- Y. Iye, S. Nakamura, T. Tamegai, T. Terashima, K. Yamamoto, and Y. Bundo, "High-Temperature Superconductors: Fundamental Properties and Novel Materials Processing" (D. Christen, J. Narayan, and L. Schneemeyer, Eds.), MRS Symposia Proceedings, No. 169, p. 871. Material Research Soc., Pittsburgh, 1990.
- Y. Iye, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 3, Chap. 4, World Scientific, Singapore, 1992.
- J. D. Jackson, "Classical Electrodynamics," Wiley, New York, 1975.
- H. M. Jaeger, D. B. Haviland, B. G. Orr, and A. M. Goldman, Phys. Rev. 40, 182 (1989).
- K. P. Jain and D. K. Ray, Phys. Rev. B 39, 4339 (1989).
- R. C. Jaklevic, J. Lambe, J. E. Mercereau, and A. H. Silver, Phys. Rev. A 140, 1628 (1965).
- G. Jakob, P. Przyslupski, C. Stölzel, C. Tomé-Rose, A. Walkenhorst, M. Schmitt, and H. Adrian, Appl. Phys. Lett. 59(13), 1626 (1991).
- G. M. Japiassú, M. A. Continentino, and A. Troper, Phys. Rev. B 45, 2986 (1992).

- M. Jarrell, H. R. Krishnamurthy, and D. L. Cox, Phys. Rev. B 38, 4584 (1988).
- B. Jeanneret, Ph. Flückiger, J. L. Gavilano, Ch. Leemann, and P. Martinoli, Phys. Rev. B 40, 11374 (1989).
- C. S. Jee, B. Andraka, J. S. Kim, H. Li, M. W. Meisel, and G. R. Stewart, Phys. Rev. B 42, 8630 (1990).
- J. H. Jefferson, H. Eskes, and L. F. Feiner, Phys. Rev. B 45, 7959 (1992).
- C. D. Jeffries, Q. H. Lam, Y. Kim, C. M. Kim, A. Zettl and M. P. Klein, Phys. Rev. B 39, 11526 (1989).
- H. J. Jensen, A. Brass, An-C. Shi, and A. J. Berlinsky, Phys. Rev. B 41, 6394 (1990).
- H. J. Jensen and P. Minnhagen, Phys. Rev. Lett. 66, 1630 (1991).
- Y. Jeon, G. Liang, J. Chen, M. Croft, M. W. Ruckman, D. Di Marizo, and M. S. Hegde, Phys. Rev. B 41, 4066 (1990).
- L. Ji, R. H. Sohn, G. C. Spalding, C. J. Lobb, and M. Tinkham, Phys. Rev. B 40, 10936 (1989).
- Y. X. Jia, J. Z. Liu, M. D. Lan, P. Klavins, R. N. Shelton, and H. B. Radousky, Phys. Rev. B 45, 10609 (1992).
- H. Jiang, Y. Huang, H. How, S. Zhang, C. Vittoria, A. Widom, D. B. Chrisey, J. S. Horwitz, and R. Lee, Phys. Rev. Lett. 66, 1785 (1991).
- C. Jiang and J. P. Carbotte, Phys. Rev. B 45, 10670 (1992a).
- C. Jiang and J. P. Carbotte, Phys. Rev. B 45, 7368 (1992b).
- W. Jin, C. K. Loong, D. G. Hinks, P. Vashishta, R. K. Kalia, M. H. Degani, D. L. Price, J. D. Jorgensen, and B. Dabrowski, Mat. Res. Soc. Symp. Proc. 209, 895 (1991).
- S. Jin, G. W. Kammlott, S. Nakahara, T. H. Tiefel, and J. Graebner, Science 253, 427 (1991).
- S. Jin, T. H. Tiefel, R. C. Sherwood, M. E. Davis, R. B. van Dover, G. W. Kammlott, R. A. Fastnacht, and H. D. Keith, Appl. Phys. Lett. 52, 2074 (1988).
- W. Jin, M. H. Dagani, R. K. Kalia, and P. Vashishta, Phys. Rev. B 45, 5535 (1992).
- T. W. Jing and N. P. Ong, Phys. Rev. B 42, 10781 (1990).
- R. Job and M. Rosenberg, Supercond. Sci. Technol. 5, 7 (1992).
- K. H. Johnson, Phys. Rev. B 42, 4783 (1990).
- M. W. Johnson, D. H. Douglass, and M. F. Bocko, Phys. Rev. B 44, 7726 (1991).
- R. D. Johnson, D.S. Bethune, and C. S. Yannoni, Acc. Chem. Res. 25, 169 (1992).
- C. E. Johnson, H. W. Jiang, K. Holczer, R. B. Kaner, R. L. Whetten, and F. Diederich, Phys. Rev. B 46, 5880 (1992).
- D. C. Johnston, H. Prakash, W. H. Zachariasen, and R. Viswanathan, Mat. Res. Bull. 8, 777 (1973).
- D. C. Johnston and J. H. Cho, Phys. Rev. B 42, 8710 (1990).

- Th. Jolicoeur and J. C. LeGuillou, Phys. Rev. B 44, 2403 (1991).
- M. L. Jones, D. W. Shortt, and A. L. Schawlow, Phys. Rev. B 42, 132 (1990).
- J. D. Jorgensen, M. A. Beno, D. G. Hinks, L. Soderholm, K. J. Volin, R. L. Hitterman, J. D. Grace, I. K. Schuller, C. U. Segre, K. Zhang, and M. S. Kleefisch, Phys. Rev. B 36, 3608 (1987a); see also Schuller et al. (1987).
- J. D. Jorgensen, B. W. Veal, W. K. Kwok, G. W. Crabtree, A. Umezawa, L. J. Nowicki, and A. P. Paulikas, Phys. Rev. B 36, 5731 (1987b).
- J. D. Jorgensen, B. W. Veal, A. P. Paulikas, L. J. Nowicki, G. W. Crabtree, H. Claus, and W. K. Kwok, Phys. Rev. B 41, 1863 (1990).
- B. D. Josephson, Phys. Lett. 1, 251 (1962).
- J. Jung, M. A.-K. Mohamed, S. C. Cheng, and J. P. Franck, Phys. Rev. B 42, 6181 (1990).
- A. Junod, A. Bezinge, and J. Muller, Physica C 152, 50 (1988).
- A. Junod, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 2, Chap. 2, World Scientific, Singapore, 1990.
- A. Junod, D. Sanchez, J.-Y. Genoud, T. Graf, G. Triscone, and J. Muller, Physica C 185-189, 1399 (1991).
- V. V. Kabanov and O. Yu. Mashtakov, Phys. Rev. B 47, 6060 (1993).
- K. K. Kadish and R. S. Ruoff, (Eds.), "Recent Advances in the Chemistry and Physics of Fullerenes and Related Materials," Electrochemical Society, Pennington, N. J., 1994.
- K. Kadowski, Y. Songliu, and K. Kitazawa, "Lorentz Force Independent Dissipation in HTSC," submitted for publication.
- A. Kadin, Phys. Rev. B 41, 4072 (1990).
- A. Kahan, Phys. Rev. B 43, 2678 (1991).
- A. B. Kaiser, Phys. Rev. B 35, 4677 (1987).
- A. B. Kaiser and C. Uher, Aust. J. Phys. 41, 597 (1988).
- A. B. Kaiser, Phys. Rev. B 37, 5924 (1988).
- A. B. Kaiser and C. Uher, in "Studies in High Temperature Superconductors" (A. V. Narlikar, Ed.), Vol. 7, Nova Sci., New York, 1990.
- A. B. Kaiser and G. Mountjoy, Phys. Rev. B 43, 6266 (1991).
- E. Kaldis, P. Fischer, A. W. Hewat, E. A. Hewat, J. Karpinski, and S. Rusiecki, Physica C 159, 668 (1989).
- C. Kallin, A. J. Berlinsky, and W.-K. Wu, Phys. Rev. B 39, 4267 (1989).
- V. Kalmeyer and R. B. Laughlin, Phys. Rev. Lett. 59, 2095 (1987).
- A. Kampf and J. R. Schrieffer, Phys. Rev. B 41, 6399 (1990).
- K. Kanoda, H. Mazaki, T. Mizutani, H. Hosoito, and T. Shinjo, Phys. Rev. B 40, 4321 (1989).
- K. Kanoda, K. Akiba, K. Suzuki, T. Takahashi, and G. Saito, Phys. Rev. Lett. 65, 1271 (1990).

1

r Z

R

K

R

M Z.

F.

O. P. :

I. E : A. I

l A. F

į t

A. K R. I

C L

P

B Y. B. R

Y. B.

- A. Kapitulnik and M. R. Beasley, C. Castellani, and D. DiCastro, Phys. Rev. B 37, 537 (1988).
- S. G. Kaplan, T. W. Noh, A. J. Sievers, S.-W. Cheong and Z. Fisk, Phys. Rev. B 40, 5190 (1989).
- V. R. Karasik, N. G. Vasil'ev, and V. G. Ershov, Zh. Eksp. Teor. Fiz. 59, 790 (1970); Sov Phys—JETP 32, 433 (1971).
- K. Karlsson, O. Gunnarsson, and O. Jepsen, Phys. Rev. B 45, 7559 (1992).
- K. Karraï, E. J. Choi, F. Dunmore, S. Liu, H. D. Drew, Q. Li, D. B. Fenner, Y. D. Zhu, and F.-C. Zhang, Phys. Rev. Lett. 69, 152 (1992).
- H. Kasatani, H. Terauchi, Y. Hamanaka, and S. Nakashima, Phys. Rev. B 47, 4022 (1993).
- A. Kastalsky, A. W. Kleinsasser, L. H. Greene, R. Bhat, F. P. Milliken, and J. P. Harbison, Phys. Rev. Lett. 67, 3026 (1991).
- R. Kato, Y. Enomoto, and S. Maekawa, Phys. Rev. B 44, 6916 (1991).
- R. Kato, Y. Enomoto, and S. Mackawa, Phys. Rev. B 47, 8016 (1993).
- K. Katti and S. H. Risbud, Phys. Rev. B 45, 10155 (1992).
- R. L. Kautz and J. M. Martinis, Phys. Rev. B 42, 9903 (1990).
- M. Kaveh and N. H. Mott, Phys. Rev. Lett. 68, 1904 (1992).
- Z. A. Kazei and I. B. Krynetskii, "Landolt-Börnstein, Group III," Solid State Physics, Vol. 27, Subvol. f2, Springer, Heidelberg, 1992.
- A. Kebede, C. S. Jee, J. Schwegler, J. E. Crow, T. Mihalisin, G. H. Myer, R. E. Salomon, P. Schlottmann, M. V. Kuric, S. H. Bloom, and R. P. Guertin, Phys. Rev. B 40, 4453 (1989).
- F. J. Kedves, S. Mészáros, K. Vad, G. Halász, B. Keszei, and L. Mihály, Solid State Commun. 63, 991 (1987).
- O. Keller, Phys. Rev. B 43, 10293 (1991).
- P. H. Kes, C. J. van der Beek, M. P. Maley, M. E. McHenry, D. A. Huse, M. J. V. Menken, and A. A. Menovsky, Phys. Rev. Lett. 67, 2383 (1991).
- I. B. Khalfin and B. Ya. Shapiro, Phys. Rev. B 46, 5593 (1992).
- A. F. Khoder, M. Couach, and J. L. Jorda, Phys. Rev. B 42, 8714 (1990).
- A. F. Khoder and M. Couach, in "Magnetic Susceptibility of Superconductors and Other Spin Systems"
   (R. A. Hein, T. L. Francavilla, and D. H. Liebenberg, Eds.), Plenum, New York, 1992.
- A. Khurana, Phys. Rev. B 40, 4316 (1989).
- R. F. Kiefl, J. W. Schneider, A. MacFarlane, K. Chow, T. L. Duty, T. L. Estle, B. Hitti, R. L. Lichti, E. J. Ansaldo, C. Schwab, P. W. Percival, G. Wei, S. Wlodek, K. Kojima, W. J. Ronamov, J. P. McCauley, Jr., N. Coustel, J. E. Fischer, and A. B. Smith III, Phys. Rev. Lett. 68, 1347 (1992).
- Y. B. Kim, C. F. Hempstead, and A. R. Strnad, Phys. Rev. Lett. 9, 306 (1962).
- Y. B. Kim, C. F. Hempstead, and A. R. Strand, Phys. Rev. 129, 528 (1963).

- Y. B. Kim and M. J. Stephan, in "Superconductivity" (R. D. Parks, Ed.), Vol. 2, p. 1107, Dekker, New York, 1969.
- H. K. Kim and P. S. Riseborough, Phys. Rev. B 42, 7975 (1990).
- D. H. Kim, K. E. Gray, R. T. Kampwirth, K. C. Woo, D. M. McKay, and J. Stein, Phys. Rev. B 41, 11642 (1990).
- D. H. Kim, K. E. Gray, R. T. Kampwirth, and D. M. McKay, Phys. Rev. B 42, 6249 (1990); 43, 2910 (1991a).
- D. H. Kim, D. J. Miller, J. C. Smith, R. A. Holoboff, J. H. Kang, and J. Talvacchio, Phys. Rev. B 44, 7607 (1991b).
- J.-J. Kim, H.-K. Lee, J. Chung, H. J. Shin, H. J. Lee, and J. K. Ku, Phys. Rev. B 43, 2962 (1991).
- D. M. King, Z.-X. Shen, D. S. Dessau, B. O. Wells, W. E. Spicer, A. J. Arko, D. S. Marshall, J. Di-Carlo, A. G. Loeser, C. H. Park, E. R. Ratner, J. L. Peng, Z. Y. Li, and R. L. Greene, Phys. Rev. Lett. 70, 3159 (1993).
- K. Kinoshita, F. Izumi, T. Yamada, and H. Asano, Phys. Rev. B 45, 5558 (1992).
- J. Kircher, M. K. Kelly, S. Rashkeev, M. Alouani, D. Fuchs, and M. Cardona, Phys. Rev. B 44, 217 (1991).
- D. Kirillov, C. B. Eom, and T. H. Geballe, Phys. Rev. B 43, 3752 (1991).
- W. P. Kirk, P. S. Kobiela, R. N. Tsumura, and R. K. Pandey, Ferroelectrics 92, 151 (1989).
- T. R. Kirkpatrick and D. Belitz, Phys. Rev. Lett. 68, 3232 (1992).
- J. R. Kirtley, R. T. Collins, Z. Schlesinger, W. J. Gallagher, R. L. Sandstrom, T. R. Dinger and D. A. Chance, Phys. Rev. B 35, 8846 (1987).
- J. R. Kirtley, Phys. Rev. 41, 7201 (1990a); Int. J. Mod. Phys. B 4, 201 (1990b).
- L. B. Kiss and P. Svedlindh, IEEE Trans. Electronic Devices, 41, 2112 (1994).
- T. J. Kistenmacher, Phys. Rev. B 39, 12279 (1989).
- Y. Kitaoka, S. Hiramatsu, T. Kohara, K. Asayama, K. Oh-ishi, M. Kikuchi, and N. Kobayashi, Jpn. J. Appl. Phys. 26, L397 (1987a).
- Y. Kitaoka, S. Hiramatsu, K. Ishida, T. Kohara, and K. Asayama, J. Phys. Soc. Jpn. 56, 3024 (1987b).
- Y. Kitaoka, K. Fujiwara, K. Ishida, K. Asayama, Y. Shimakawa, T. Manako, and Y. Kubo, Physica C 179, 107 (1991).
- K. Kitazawa and S. Tajima, in "Some Aspects of Superconductivity," (L. C. Gupta, Ed.), Nova Sci., New York, 1990.
- C. Kittel, "Introduction to Solid State Physics," Wiley, New York, 1976.
- S. Kivelson, Phys. Rev. B 39, 259 (1989).
- Y. S. Kivshar and T. K. Soboleva, Phys. Rev. B 42, 2655 (1990).
- Y. S. Kivshar, B. A. Malomed, Z. Fei, and L. Vázquez, Phys. Rev. B 43, 1098 (1991).
- A. K. Klehe, A. K. Gangopadhyay, J. Diederichs, and J. S. Schilling, Physica C 213, 266 (1992).

- A. K. Klehe, J. S. Schilling, J. L. Wagner, and D. G. Hinks, Physica C 223, 313 (1994).
- B. M. Klein, L. L. Boyer, D. A. Papaconsantopoulos, and L. F. Mattheiss, Phys. Rev. B 18, 6411 (1978).
- B. M. Klein, L. L. Boyer, and D. A. Papaconstantopoulos, Phys. Rev. Lett. 42, 530 (1979).
- U. Klein, Phys. Rev. B 40, 6601 (1989); 41, 4819 (1990).
- D. J. Klein, T. G. Schmalz, M. A. García-Bach, R. Valenti, and T. P. Zivkovic, Phys. Rev. B 43, 719 (1991).
- U. Klein and B. Pöttinger, Phys. Rev. B 44, 7704 (1991).
- L. Kleion and A. Aharony, Phys. Rev. B 45, 9926 (1992).
- R. Kleiner, F. Steinmeyer, G. Kunkel, and P. Müller, Phys. Rev. Lett. 68, 2394 (1992).
- A. Kleinhammes, C. L. Chang, W. G. Moulton, and L. R. Testardi, Phys. Rev. B 44, 2313 (1991).
- A. W. Kleinsasser and T. N. Jackson, Phys. Rev. B 42, 8716 (1990).
- R. A. Klemm and S. H. Liu, Phys. Rev. B 44, 7526 (1991).
- R. A. Klemm, Phys. Rev. B 47, 14630 (1993).
- R. A. Klemm, "Layered Superconductors," Oxford, NY, in press.
- P. Knoll, C. Thomsen, M. Cardona, and P. Murugaraj, Phys. Rev. B 42, 4842 (1990).
- F. Kober, H.-C. Ri, R. Gross, D. Koelle, R. P. Huebener, and A. Gupta, Phys. Rev. B 44, 11951 (1991).
- J. Kober, A. Gupta, P. Esquinazi, H. F. Braun, E. H. Brandt, Phys. Rev. Lett. 66, 2507 (1991).
- R. H. Koch, V. Foglietti, W. J. Gallagher, G. Koren, A. Gupta, and M. P. A. Fisher, Phys. Rev. Lett. 63, 1511 (1989).
- B. N. Kodess, Ph.D. thesis, Perm State University, Perm. Cited as Ref. 6.130 of Vonsovsky et al. (1982).
- V. G. Kogan, M. M. Fang, and S. Mitra, Phys. Rev. B 38, 11958 (1988).
- V. G. Kogan, Phys. Rev. B 38, 7049 (1988).
- V. G. Kogan and L. J. Campbell, Phys. Rev. Lett. 62, 1552 (1989).
- V. G. Kogan, N. Nakagawa, and S. L. Thiemann, Phys. Rev. B 42, 2631 (1990).
- S. Kohiki, T. Wada, S. Kawashima, H. Takagi, S. Uchida, and S. Tanaka, Phys. Rev. B 38, 7051, 8868 (1988).
- S. Kohiki, S.-I. Hatta, K. Setsune, K. Wasa, Y. Hi-gashi, S. Fukushima, and Y. Gohshi, Appl. Phys. Lett. 56, 298 (1990).
- S. Koka and K. Shrivastava, Physica B 165-166, 1097 (1990).
- S. Kolesnik, T. Skoskiewicz, J. Igalson, and Z. Korczak, Phys. Rev. B 45, 10158 (1992).
- T. Komeda, G. D. Waddill, P. J. Benning, and J. H. Weaver, Phys. Rev. B 43, 8713 (1991).

- M. Konczykowski, F. Rullier-Albenque, E. R. Yacoby, A. Shaulov, Y. Yeshurun, and P. Lejay, Phys. Rev. B 44, 7167 (1991).
- J. Konior, Phys. Rev. B 47, 14425 (1993).
- J. Konior, "Some Properties of Narrow Band Systems Coupled to Phonons," submitted for publication.
- R. Konno and K. Ueda, Phys. Rev. B 40, 4329 (1989).
- P. Koorevaar, J. Aarts, P. Berghuis, and P. H. Kes, Phys. Rev. B 42, 1004 (1990).
- Y. Kopelevich, A. Gupta, P. Esquinazi, C.-P. Heidmann, and H. Müller, Physica C 183, 345 (1991).
- P. Kopietz, Phys. Rev. Lett. 70, 3123 (1993).
- A. E. Koshelev, G. Yu. Logvenov, V. A. Larkin, V. V. Ryazanov, and K. Ya. Soifer, Physica C 177, 129 (1991).
- A. A. Koshta, Yu. N. Shvachko, A. A. Romanyukha, and V. V. Ustinov, Zh. Eksp. Teor. Fiz. 103, 629 (1993); Transl. Sov. Phys. JETP 76, 314 (1993).
- I. Z. Kostadinov, V. G. Hadjiev, J. Tihov, M. Mateev, M. Mikhov, O. Petrov, V. Popov, E. Dinolova, Ts. Zheleva, G. Tyuliev, and V. Kojouharov, Physica C 156, 427 (1988).
- J. M. Kosterlitz and D. Thouless, J. Phys. C 5, L124 (1972); 6, 1181 (1973).
- N. Kosugi, Y. Tokura, H. Takagi and S. Uchida, Phys. Rev. B 41, 131 (1990).
- V. Kovachev, "Energy Dissipation in Superconducting Materials," Clarendon, Oxford (1991).
- Y. Koyama and M. Ishimaru, Phys. Rev. B 45, 9966 (1992).
- H. Krakauer, W. E. Pickett, D. A. Papaconstantopoulos, and L. L. Boyer, Jpn. J. Appl. Phys. 26, Suppl. 26-3. (1987)
- H. Krakauer, W. E. Pickett and R. E. Cohen, J. Supercond. *I*, 111 (1988).
- H. Krakauer and W. E. Pickett, Phys. Rev. Lett. 60, 1665 (1988).
- V. M. Krasnov, V. A. Larkin, and V. V. Ryazanov, Physica C 174, 440 (1991).
- V. M. Krasnov, Physica C 190, 357 (1992).
- N. M. Kreines and V. I. Kudinov, Mod. Phys. Lett. B 6, 6 (1992).
- V. Z. Kresin and S. A. Wolf, in "Novel Superconductivity" (S. A. Wolf and V. Z. Kresin, Eds.), p. 287, Plenum, New York, 1987.
- V. Z. Kresin, and S. A. Wolf, "Fundamentals of Superconductivity," Plenum, New York, 1990.
- V. Z. Kresin and W. A. Little (Eds.), "Organic Superconductivity," Plenum, New York, 1990.
- V. Z. Kresin, H. Morawitz, and S. A. Wolf, "Mechanisms of Conventional and High  $T_{\rm c}$  Superconductivity," Oxford Univ. Press, Oxford, 1993.
- A. Krimmel, P. Fischer, B. Roessli, H. Maletta, C. Geibel, C. Schank, A. Grauel, A. Loidl, and F. Steglich, Z. Phys. B 86, 161 (1992).
- G. Kriza, G. Quirion, O. Traetteberg, W. Kang, and D. Jérome, Phys. Rev. Lett. 66, 1922 (1991).

A.

Н.

E. I

L. F

H. ( N N dı

17 R. Kt R.

(1! M. L. (19

J. Kul. Ma

A. D. and

A. D. K and

A. D. K and H. Kun

Phys G. R. K (1989

N. Kum. 5001

M. N. Kı (1991 P. J. Kun

J. Y. ( Rev. I S. Kuriha:

E. Z. Kuri S. Shu

E. Z. Kuri Int. J. ;

E. Z. Kur. Phys. B

E. Z. Kurı Phys. 5, H. Kuroda

Okawa, G. Saito

A. Kussmau P. M. Τε

A. Kussmau Gupta, P

A. L. Kuzem Correlate

- A. Krol, Z. H. Ming, Y. H. Kao, N. Nücker, G. Roth, J. Fink, G. C. Smith, K. T. Park, J. Yu, A. J. Freeman, A. Erband, G. Müller-Vogt, J. Karpinski, E. Kaldis, and K. Schönmann, Phys. Rev. B 45, 2581 (1992).
- H. W. Kroto and D. R. M. Walton, in "The Fullerenes: New Horizons for the Chemistry, Physics, and Astrophysics of Carbon," Cambridge Univ. Press, New York, 1993.
- E. Krüger, Phys. Stat. Sol. B 156, 345 (1989).
- L. Krusin-Elbaum, A. P. Malozemoff, Y. Yeshurun, D. C. Cronemeyer and F. Holtzberg, Phys. Rev. B 39, 2936 (1989).
- H. C. Ku, H. D. Yang, R. W. McCallum, M. A. Noack, P. Klavins, R. N. Shelton, and A. R. Moodenbaugh, in "High Temperature Superconductors" (U. Gubser and M. Schluter, Eds.), p. 177, Mater. Res. Soc., Pittsburgh, 1987.
- R. Kuentzler, C. Hornick, Y. Dossmann, S. Wegner, R. El Farsi, and M. Drillon, Physica C 184, 316 (1991).
- M. L. Kulic and R. Zeyher, Phys. Rev. B 49, 4395 (1994).
- J. Kulik, Y. Y. Xue, Y. Y. Sun, and M. Bonvalot, J. Mater. Res. 5, 1625 (1990).
- A. D. Kulkarni, J. Prade, F. W. de Wette, W. Kress, and U. Schröder, Phys. Rev. B 40, 2642 (1989).
- A. D. Kulkarni, F. W. de Wette, J. Prade, U. Schröder, and W. Kress, Phys. Rev. B 41, 6409 (1990).
- A. D. Kulkarni, F. W. de Wette, J. Prade, U. Schröder, and W. Kress, Phys. Rev. B 43, 5451 (1991).
- H. Kumakura, M. Uehara, and K. Togano, Appl. Phys. Lett. 51, 1557 (1987).
- G. R. Kumar and P. Chaddah, Phys. Rev. B 39, 4704 (1989).
- N. Kumar and A. M. Jayannavar, Phys. Rev. B 45, 5001 (1992).
- M. N. Kunchur and S. J. Poon, Phys. Rev. B 43, 2916 (1991).
- P. J. Kung, M. P. Maley, M. E. McHenry, J. O. Willis, J. Y. Coulter, M. Murakami, and S. Tanaka, Phys. Rev. B 46, 6427 (1992).
- S. Kurihara, Phys. Rev. B 39, 6600 (1989).
- E. Z. Kurmaev, V. P. Belash, S. A. Nemnonov, and A.S. Shulakov, Phys. Stat. Solid B 61, 365 (1974).
- E. Z. Kurmaev, V. I. Nefedov, and L. D. Finkelstein, Int. J. Mod. Phys. B 2, 393 (1988).
- E. Z. Kurmaev and L. D. Finkelstein, Int. J. Mod. Phys. B 3, 973 (1989).
- E. Z. Kurmaev and L. D. Finkelstein, Int. J. Mod. Phys. 5, 1097 (1991).
- H. Kuroda, K. Yakushi, H. Tasima, A. Ugawa, Y. Okawa, A. Kobayashi, R. Kato, H. Kobayashi, and G. Saito, Synth. Metals A 27, 491 (1988).
- A. Kussmaul, J. S. Moodera, G. M. Roesler, Jr., and P. M. Tedrow, Phys. Rev. B 41, 842 (1990).
- A. Kussmaul, J. S. Moodera, P. M. Tedrow, and A. Gupta, Physica C 177, 415 (1991).
- A. L. Kuzemsky, in Int. Conf. Supercond. and Strongly Correlated Electron Systems, Amalfi, Italy, 1993.

- E. Kuzmann, Z. Homonnay, A. Vértes, M. Gál, K. Torkos, B. Csákvári, G. K. Solymos, G. Horváth, J. Bánkuti, I. Kirschner, and L. Korecz, Phys. Rev. B 39, 328 (1989).
- L. S. Kuzmin, P. Delsing, T. Claeson, and K. Likharev, Phys. Rev. Lett. 62, 2539 (1989).
- L. S. Kuzmin, Yu. V. Nazarov, D. B. Haviland, P. Delsing, and T. Claeson, Phys. Rev. Lett. 67, 1161 (1991).
- L. S. Kuzmin and D. Haviland, Phys. Rev. Lett. 67, 2890 (1991).
- M. Kvale and S. E. Hebboul, Phys. Rev. B 43, 3720 (1991).
- G. H. Kwei, J. A. Goldstone, A. C. Lawson, Jr., J. D. Thompson, and A. Williams, Phys. Rev. B 39, 7378 (1989).
- G. H. Kwei, R. B. Von Dreele, S.-W. Cheong, Z. Fisk, and J. D. Thompson, Phys. B 41, 1889 (1990).
- W. K. Kwok, U. Welp, G. W. Crabtree, K. G. Vandervoort, R. Hulscher, Y. Zheng, B. Dabroski, and D. G. Hinks, Phys. Rev. B 40, 9400 (1989).
- W. K. Kwok, U. Welp, G. W. Crabtree, K. G. Vandervoort, R. Hulscher, and J. Z. Liu, Phys. Rev. Lett. 64, 966 (1990a).
- W. K. Kwok, U. Welp, K. D. Carlson, G. W. Crabtree, K. G. Vandervoort, H. H. Wang, A. M. Kini, J. M. Williams, D. L. Stupka, L. K. Montgomery, and J. E. Thompson, Phys. Rev. B 42, 8686 (1990b).
- H. S. Kwok, J. P. Zheng, and S. Y. Dong, Phys. Rev. B 43, 6270 (1991).
- Y. K. Kwong, K. Lin, M. Park, M. S. Isaacson, and J. M. Parpia, Phys. Rev. B 45, 9850 (1992).
- J. Labbé, Phys. Rev. 158, 647, 655 (1967a).
- J. Labbé, S. Barisic, and J. Friedel, Phys. Rev. Lett. 19, 1039 (1967b).
- B. M. Lairson, S. K. Streiffer, and J. C. Bravman, Phys. Rev. B 42, 10067 (1990a).
- B. M. Lairson, J. Z. Sun, J. C. Bravman, and T. H. Geballe, Phys. Rev. B 42, 1008 (1990b).
- B. M. Lairson, J. Z. Sun, T. H. Geballe, M. R. Beasley, and J. C. Bravman, Phys. Rev. B 43, 10405 (1991).
- R. Lal and S. K. Joshi, Phys. Rev. B 45, 361 (1992).
- Q. H. Lam, Y. Kim, and C. D. Jeffries, Phys. Rev. B 42, 4846 (1990).
- M. D. Lan, J. Z. Liu, and R. N. Shelton, Phys. Rev. B 44, 233 (1991).
- L. D. Landau, Sov. Phys. JETP 3, 920 (1957a); 5, 101 (1957b).
- C. T. Lane, "Superfluid Physics," Chap. 9, McGraw-Hill, New York, 1962.
- M. Lang, N. Toyota, T. Sasaki, and H. Sato, Phys. Rev. Lett. 69, 1443 (1992a); Phys. Rev. B 46, 5822 (1992b).
- J. Langen, M. Veit, M. Galffy, H. D. Jostarndt, A. Erle, S. Blumenröder, H. Schmidt, and E. Zirngiebl, Solid State Commun. 65, 973 (1988).
- D. N. Langenberg, D. J. Scalapino, and B. N. Taylor, Sci. Amer. 214, 30 (May 1966).

- W. Lanping, H. Jian, and W. Guowen, Phys. Rev. B 40, 10954 (1989).
- D. C. Larbalestier, M. Daeumling, X. Cai, J. Suentjens, J. McKinnell, D. Hampshire, P. Lee, C. Meingast, T. Willis, H. Muller, R. D. Ray, R. G. Dillenburg, E. E. Hellstrom, and R. Joynt, J. Appl. Phys. 62, 3308 (1987a).
- D. C. Larbalestier, M. Daeumling, P. J. Lee, T. F. Kelly, J. Seuntjens, C. Meingast, X. Cai, J. McKinnell, R. D. Ray, R. G. Dillenburg, and E. E. Hellstrom, Cryogenics 27, 411 (1987b).
- A. I. Larkin and Yu. N. Ovchinnikov, Sov. Phys. JETP 38, 854 (1974).
- A. Larsen, H. D. Jensen, and J. Mygind, Phys. Rev. B 43, 10179 (1991).
- R. B. Laughlin, Phys. Rev. Lett. 60, 2677 (1988a).
- R. B. Laughlin, Science 242, 525 (1988b).
- W. E. Lawrence and S. Doniach, in "Proc. 12th Int. Conf. Low Temp. Phys. Kyoto, 1970" (E. Kanda, Ed.), p. 361. Keigaku, Tokyo, 1971.
- L. P. Le, G. M. Luke, B. J. Sternlieb, W. D. Wu, Y. J. Uemura, J. H. Brewer, T. M. Riseman, C. E. Stronach, G. Saito, H. Yamochi, H. H. Wang, A. M. Kini, K. D. Carlson, and J. M. Williams, Phys. Rev. Lett. 68, 1923 (1992).
- M. A. R. LeBlanc, D. LeBlanc, A. Golebiowski, and G. Fillion, Phys. Rev. Lett. 66, 3309 (1991).
- D. LeBlanc and M. A. R. LeBlanc, Phys. Rev. B 45, 5443 (1992).
- K. Le Dang, J. P. Renard, P. Veillet, E. Vélu, J. P. Burger, J. N. Daou, and Y. Loreaux, Phys. Rev. B 40, 11291 (1989).
- E. Lederman, L. Wu, M. L. denBoer, P. A. van Aken, W. F. Müller, and S. Horn, Phys. Rev. B 44, 2320
- T.-K. Lee, J. L. Birman, and S. J. Williamson, Phys. Rev. Lett. 39, 839 (1977a); Phys. Lett. A 64, 89 (1977b).
- T.-K. Lee and J. L. Birman, Phys. Rev. B 17, 4931 (1978).
- M. Lee, M. Yudkowsky, W. P. Halperin, J. Thiel, S.-J. Hwu, and K. R. Poeppelmeier, Phys. Rev. B 36, 2378 (1987).
- M. Lee, Y.-Q. Song, W. P. Halperin, L. M. Tonge, T. J. Marks, H. O. Marcy, and C. R. Kannewurf, Phys. Rev. B 40, 817 (1989).
- S. J. Lee and J. B. Ketterson, Phys. Rev. Lett. 64, 3078 (1990).
- S.-I. Lee, Y. H. Jeong, K. H. Han, Z. S. Lim, Y. S. Song, and Y. W. Park, Phys. Rev. B 41, 2623 (1990).
- W. C. Lee and D. C. Johnston, Phys. Rev. B 41, 1904
- H. C. Lee, R. S. Newrock, D. B. Mast, S. E. Hebboul, J. C. Garland, and C. J. Lobb, Phys. Rev. 44, 921 (1991).
- W. C. Lee and D. M. Ginsberg, Phys. Rev. B 44, 2815
- W. C. Lee, J. H. Cho, and D. C. Johnston, Phys. Rev. B 43, 457 (1991).

- T. R. Lemberger, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 3, Chap. 6, World Scientific, Singapore.
- S. Lenck, S. Wermbter, and L. Tewordt, J. Low Temp. Phys. 80, 269 (1990).
- S. Lenck and J. P. Carbotte, Phys. Rev. B 49, 4176 (1994).
- H. Lengfellner, A. Schnellbögl, J. Betz, W. Prettl, and K. F. Renk, Phys. Rev. B 42, 6264 (1990).
- H. Lengfellner, A. Schnelbögl, J. Betz, K. Renk, and W. Prettl, Appl. Phys. Lett. 60, 1991 (1991a).
- H. Lengfellner and A. Schnellbögl, Physica C 174, 373 (1991).
- H. Lengfellner, G. Kremb, A. Schnellbögl, J. Betz, K. F. Renk, and W. Prettl, Appl. Phys. Lett. 60, 501 (1992).
- Y. Le Page, T. Siegrist, S. A. Sunshine, L. F. Schneemeyer, D. W. Murphy, S. M. Zahurak, J. V. Waszczak, W. R. McKinnon, J. M. Tarascon, G. W. Hull, and L. H. Greene, Phys. Rev. B 36, 3617 (1987).
- F. Lera, R. Navarro, C. Rillo, L. A. Angurel, A. Badia, and J. Bartolome, J. Magn. Mag. Mater. *104–107*, 615 (1992).
- Ph. Lerch, Ch. Leemann, R. Theron, and P. Martinoli, Phys. Rev. B 41, 11579 (1990).
- J. Lesueur, L. H. Greene, W. Feldmann, and A. Inam, Physica C 191, 325 (1992).
- B. G. Levi, Phys. Today 19 (May 1988), p. 19.
- G. Levin, Phys. Rev. B 47, 14634 (1993).
- L. Levitov, Phys. Rev. Lett. 66, 224 (1991).
- J. A. Lewis, C. E. Platt, M. Wegmann, M. Teepe, J. L. Wagner, and D. G. Hinks, Phys. Rev. B 48, 7739 (1993).
- J. O. Li, C. Chen, D. Y. Yang, F. H. Li, Y. S. Yao, Z. Y. Ran, W. K. Wang, and Z. X. Zhao, Z. Phys. B. 74, 165 (1989).
- J. Q. Li, X. X. Xi, X. D. Wu, A. Inam, S. Vadlamannati, W. L. McLean, T. Venkatesan, R. Ramesh, D. M. Hwang, J. A. Martinez, and L. Nazar, Phys. Rev. Lett. 64, 3086 (1990).
- Z.-Z. Li and Y. Qiu, Phys. Rev. B 43, 12906 (1991).
- Y.-H. Li and S. Teitel, Phys. Rev. Lett. 66, 3301 (1991).
- C. Li, M. Pompa, S. D. Longa, and A. Bianconi, Physica C 178, 421 (1991).
- Y.-H. Li and S. Teitel, Phys. Rev. B 45, 5718 (1992).
- Q. Li, M. Suenaga, T. Hikata, and K. Sato, Phys. Rev. B 46, 5857 (1992).
- Q. Li, M. Suenaga, T. Kimura, and K. Kishio, Phys. Rev. 47, 11384 (1993).
- R. L. Lichti, D. W. Cooke, and C. Boekema, Phys. Rev. B 43, 1154 (1991).
- A. I. Liechtenstein, I. I. Mazin, C. O. Rodriguez, O. Jepsen, O. K. Andersen, and M. Methfessel, Phys. Rev. B 44, 5388 (1991).
- K. K. Likharev, "Dynamics of Josephson Junctions and Circuits," Gordon & Breach, New York, 1986.

RI

Z.

S.-

J. . P.

F. A.

W.

Y.1

J.-X

J.-Z

J. Z

L. L

R. L

R. L L. Li

31 C. J. G. Yı

R L. W L

F. Lo Α

P. Lo co

F. Lo 19. J. M.

6, C.-K. ]

D. Da

Y. C.-K. 1

Kal В and

C.-K. I De B.

and

- L. Lilly, A. Muramatsu, and W. Hanke, Phys. Rev. Lett. 65, 1379 (1990).
- Z. S. Lim, K. H. Han, S.-I. Lee, Y. H. Jeong, S. H. Salk, Y. S. Song, and Y. W. Park, Phys. Rev. B 40, 7310 (1989).
- S.-Y. Lin, L. Lu, H.-M. Duan, B.-H. Ma, and D.-L. Zhang, Int. J. Mod. Phys. B 3, 409 (1989).
- J. J. Lin, Phys. Rev. B 44, 789 (1991).
- P. A. P. Lindberg, I. Lindau, and W. E. Spicer, Phys. Rev. B 40, 6822 (1989).
- F. Lindemann, Phys. Z. 11, 609 (1910).
- A. P. Litvinchuk, C. Thomsen, and M. Cardona, in "Physical Properties of High Temperature Superconductors," Vol. 4, Chap. 6, World Scientific, Singapore, 1994.
- W. A. Little and R. D. Parks, Phys. Rev. Lett. 9, 9 (1962).
- Y. Liu, J. Y. Lee, M. J. Sumner, R. Sooryakumar, and T. R. Lemberger, Phys. Rev. B 42, 10090 (1990).
- J.-X. Liu, J.-C. Wan, A. M. Goldman, Y. C. Chang, and P. Z. Jiang, Phys. Rev. Lett. 67, 2195 (1991).
- J.-Z. Liu, Y. X. Jia, R. N. Shelton, and M. J. Fluss, Phys. Rev. Lett. 66, 1354 (1991).
- J. Z. Liu, L. Zhang, M. D. Lan, R. N. Shelton, and M. J. Fluss, Phys. Rev. B 46, 9123 (1992).
- L. Liu, J. S. Kouvel, and T. O. Brun, Phys. Rev. B 43, 7859 (1991).
- R. Liu, B. W. Veal, A. P. Paulikas, J. W. Downey, H. Shi, C. G. Olson, C. Gu, A. J. Arko, and J. J. Joyce, Phys. Rev. B 45, 5614 (1992).
- R. Liu, M. V. Klein, P. D. Han, and D. A. Payne, Phys. Rev. B 45, 7392 (1992).
- L. Liu, J. S. Kouvel, and T. O. Brun, Phys. Rev. B 45, 3054 (1992).
- C. J. Lobb, Phys. Rev. 36, 3930 (1987).
- G. Yu. Logvenov, V. V. Ryazanov, A. V. Ustinov, and R. P. Huebener, Physica C 175, 179 (1991).
- L. W. Lombardo, D. B. Mitzi, A. Kapitulnik, and A. Leone, Phys. Rev. B 46, 5615 (1992).
- F. London and H. London, Proc. Roy. Soc. (London) A 141, 71 (1935).
- P. London, "Une Conception Nouvelle de la Superconductibilité," Hermann, Paris, 1937.
- F. London, "Superfluids," Wiley, New York, Vol. 1, 1950; Vol. 2, 1954, Dover, New York, 1961.
- J. M. Longo and P. M. Raccah, J. Solid State Chem. 6, 526 (1973).
- C.-K. Loong, P. Vashishta, R. K. Kalia, M. H. Degani, D. L. Price, D. J. Jorgensen, D. G. Hinks, B. Dabrowski, A. W. Mitchell, D. R. Richards, and Y. Zheng, Phys. Rev. Lett. 62, 2628 (1989).
- C.-K. Loong, D. G. Hinks, P. Vashishta, W. Jin, R. K. Kalia, M. H. Degani, D. L. Price, J. D. Jorgensen, B. Dabrowski, A. W. Mitchell, D. R. Richards, and Y. Zheng, Phys. Rev. Lett. 66, 3217 (1991).
- C.-K. Loong, P. Vashishta, R. K. Kalia, W. Jin, M. H. Degani, D. G. Hinks, D. L. Price, J. D. Jorgensen, B. Dabrowski, A. W. Mitchell, D. R. Richards, and Y. Zheng, Phys. Rev. B 45, 8052 (1992).

- Y. Lou, X. Lu, G. H. Dai, W. Y. Ching, Y.-N. Xu, M.-Z. Huang, P. K. Tseng, Y. C. Jean, R. L. Meng, P. H. Hor, and C. W. Chu, Phys. Rev. B 46, 2644 (1992).
- A. J. Lowe, S. Regan, and M. A. Howson, Phys. Rev. B 44, 9757 (1991).
- D. H. Lowndes, D. P. Norton, and J. D. Budai, Phys. Rev. Lett. 65, 1160 (1990).
- J. P. Lu, K. Arya, and J. L. Birman, Phys. Rev. B 40, 7372 (1989).
- J.-T. Lue and J. S. Sheng, Phys. Rev. B 47, 5469 (1993).
- G. M. Luke, L. P. Le, B. J. Sternlieb, Y. J. Uemura, J. H. Brewer, R. Kadono, R. F. Kiefi, S. R. Kreitzman, T. M. Riseman, C. E. Stronach, M. R. Davis, S. Uchida, H. Takagi, Y. Tokura, Y. Hidaka, T. Murakami, J. Gopalakrishnan, A. W. Sleight, M. A. Subramanian, E. A. Early, J. T. Markert, M. B. Maple, and C. L. Seaman, Phys. Rev. B 42, 7981 (1990).
- S. Lupi, P. Calvani, M. Capizzi, P. Maselli, W. Sadowski, and E. Walker, Phys. Rev. B 45, 12470 (1992).
- J. Luzuriaga, M.-O. Andrè, and W. Benoit, Phys. Rev. B 45, 12492 (1992).
- J. W. Lynn, T. W. Clinton, W.-H. Li, R. W. Erwin, J. Z. Liu, K. Vandervoort, and R. N. Shelton, Phys. Rev. Lett. 63, 2606 (1989).
- J. W. Lynn, (Ed.), "High Temperature Superconductivity," Springer-Verlag, Berlin, 1990a.
- J. W. Lynn, "High Temperature Superconductivity," Chap. 8, Springer-Verlag, Berlin, 1990b.
- J. W. Lynn, I. W. Sumarlin, S. Skanthakumar, W.-H. Li, R. N. Shelton, J. L. Peng, Z. Fisk, and S.-W. Cheong, Phys. Rev. B 41, 2569 (1990).
- J. W. Lynn, J. Alloys Compounds 181, 419 (1992).
- E. A. Lynton, "Superconductivity," Methuen, London, 1962.
- D. K. C. MacDonald, "Thermoelectricity, An Introduction To the Principles," Wiley, New York, 1962.
- H. Maeda, Y. Tanaka, M. Fukutomi, and T. Asano, Jpn. J. Appl. Phys. Lett. 27, 209 (1988).
- A. Maeda, T. Shibauchi, N. Kondo, K. Uchinokura, and M. Kobayashi, Phys. Rev. B 46, 14234 (1992).
- Y. Maeno, T. Tomita, M. Kyogoku, S. Awaji, Y. Aoki, K. Hoshino, A. Minami, and T. Fujita, Nature 328, 512 (1987).
- G. D. Mahan, Phys. Rev. B 40, 11317 (1989).
- G. D. Mahan, Phys. Rev. B 48, 16557 (1993).
- F. Mahini, F. S. Razavi, and Z. Altounian, Phys. Rev. B 39, 4677 (1989).
- R. Mailfert, R. W. Batterman, and J. J. Hanak, Phys. Lett. A 24, 315 (1967).
- A. Majhofer, L. Mankiewicz, and J. Skalski, Phys. Rev. B 42, 1022 (1990).
- K. Maki, Prog. Theoret. Phys. 39, 897 (1968).
- K. Maki, Phys. Rev. B 43, 1252 (1991); erratum, 43, 13685 (1991).

- H. Maletta, A. P. Malozemoff, D. C. Cronemeyer, C. C. Tsuei, R. L. Greene, J. G. Bednorz, and K. A. Müller, Solid State Commun. 62, 323 (1987).
- M. P. Maley, J. Appl. Phys. 70, 6189 (1991).
- M. P. Maley, P. J. Kung, J. Y. Coulter, W. L. Carter, G. N. Riley, and M. E. McHenry, Phys. Rev. B 45, 7566 (1992).
- M. Mali, D. Brinkmann, L. Pauli, J. Roos, H. Zimmermann, and J. Hulliger, Phys. Lett. A 124, 112 (1987).
- S. K. Malik, C. V. Tomy, D. T. Adroja, R. Nagarajan, R. Prasad, and N. C. Soni, Solid State Commun. 66(10), 1097 (1988).
- B. A. Malomed, Phys. Rev. 39, 8018 (1989).
- B. A. Malomed, Phys. Rev. B 41, 2616 (1990).
- B. A. Malomed and A. Weber, Phys. Rev. B 44, 875 (1991).
- B. A. Malomed and A. A. Nepomnyashchy, Phys. Rev. B 45, 12435 (1992).
- A. P. Malozemoff, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 1, Chap. 3, World Scientific, New York, 1989.
- P. Mandal, A. Poddar, A. N. Das, B. Ghosh and P. Choudhury, Phys. Rev. B 40, 730 (1989).
- V. Manivannan, J. Gopalakrishnan, and C. N. R. Rao, Phys. Rev. B 43, 8686 (1991).
- Y. Maniwa, H. Sato, K. Mizoguchi, and K. Kune, Jpn. J. Appl. Phys. 29, 268 (1990).
- Y. Maniwa, T. Mituhashi, K. Mizoguchi, and K. Kume, Physica C 175, 401 (1991a).
- Y. Maniwa, S. Sato, T. Mituhaski, K. Mizoguchi, and K. Kume, Physica C 185-189, 1761 (1991b).
- M. B. Maple, J. W. Chen, S. E. Lambert, Z. Fisk, J. L. Smith, and H. R. Ott, cited in Stewart (1984).
- M. C. Marchetti and D. R. Nelson, Phys. Rev. B 41, 1910 (1990).
- M. C. Marchetti, Phys. Rev. B 43, 8012 (1991).
- R. Marcon, R. Fastampa, M. Giura, C. Matacotta, Phys. Rev. B 39, 2796 (1989).
- R. Marcon, E. Silva, R. Fastampa, and M. Giura, Phys. Rev. B 46, 3612 (1992).
- J. Marcus, C. Escribe-Filippini, C. Schlenker, R. Buder, J. Devenyi, and P. L. Reydet, Solid State Commun. 63, 129 (1987).
- M. Marder, N. Papanicolaou, and G. C. Psaltakis, Phys. Rev. B 41, 6920 (1990).
- L. Maritato, A. M. Cucolo, R. Vaglio, C. Noce, J. L. Makous, and C. M. Falco, Phys. Rev. B 38, 12917 (1988).
- J. T. Markert, T. W. Noh, S. E. Russek, and R. M. Cotts, Solid State Commun. 63, 847 (1987).
- J. T. Markert, Y. Dalichaouch, and M. B. Maple, in "Physical Properties of High Temperature Super Conductors" (D. M. Ginsberg, Ed.), Vol. 1, Chap. 6, World Scientific, Singapore, 1989.
- R. S. Markiewicz, Physica C 177, 171 (1991).
- R. S. Markiewicz, Int. J. Mod. Phys. B 5, 2037 (1991).

- P. Marsh, R. M. Fleming, M. L. Mandich, A. M. DeSantolo, J. Kwo, M. Hong, and L. J. Martinez-Miranda, Nature 334, 141 (1988).
- C. D. Marshall, I. M. Fishman, R. C. Dorfman, C. B. Eom, and M. D. Fayer, Phys. Rev. B 45, 10009 (1992).
- F. Marsiglio and J. E. Hirsch, Phys. Rev. B 44, 11960 (1991).
- F. Marsiglio, Phys. Rev. B 44, 5373 (1991).
- F. Marsiglio, Phys. Rev. B 45, 956 (1992).
- F. Marsiglio and J. E. Hirsch, Phys. Rev. B 49, 1366 (1994).
- S. Martin, A. T. Fiory, R. M. Fleming, L. F. Schneemeyer, and J. V. Waszczak, Phys. Rev. Lett. 60, 2194 (1988).
- S. Martin, A. T. Fiory, R. M. Fleming, G. P. Espinosa, and A. S. Copper, Phys. Rev. Lett. 62, 677, (1989); see 63, 582 (1989) for comment by P. C. E. Stamp and a reply by the authors.
- S. Martin, A. T. Fiory, R. M. Fleming, L. F. Schneemeyer, and J. V. Waszczak, Phys. Rev. B 41, 846 (1990).
- S. Martin and A. F. Hebard, Phys. Rev. B 43, 6253 (1991).
- M. Martin, C. Kendziora, L. Mihaly, and R. Lefferts, Phys. Rev. B 46, 5760 (1992).
- M. C. Martin, D. Koller, and L. Mihaly, Phys. Rev. B 47, 14607 (1993).
- T. P. Martin, U. Näher, H. Schaber, and U. Zimmermann, Phys. Rev. Lett. 70, 3079 (1993).
- C. Martin, M. Hervieu, M. Huvé, C. Michel, A. Maignan, G. van Tendeloo, and B. Raveau, Physica C 222, 19 (1994).
- J. A. Martindale, S. E. Barrett, C. A. Klug, K. E. O'Hara, S. M. DeSoto, C. P. Slichter, T. A. Friedmann, and D. M. Ginsberg, Phys. Rev. Lett. 68, 702 (1992).
- J. L. Martins and N. Troullier, Phys. Rev. B 46, 1766 (1992).
- A. Masaki, H. Sato, S.-I. Uchida, K. Kitazawa, S. Tanaka, and K. Inoue, Jpn. J. Appl. Phys. 26, 405 (1987).
- H. Mathias, W. Moulton, H. K. Ng, S. J. Pan, K. K. Pan, L. H. Peirce, L. R. Testardi, and R. J. Kennedy, Phys. Rev. B 36, 2411 (1987).
- P. Mathieu and Y. Simon, Europhys. Lett. 5, 67 (1988).
- I. Matsubara, H. Tanigawa, T. Ogura, H. Yamashita, M. Kinoshita, and T. Kawai, Phys. Rev. B 45, 7414 (1992).
- Y. Matsuda, N. P. Ong, Y. F. Yan, J. M. Harris, and J. B. Peterson, Phys. Rev. B 49, 4380 (1994).
- Y. Matsuda, T. Hirai, S. Komiyama, T. Terashima, Y. Bando, K. Iijima, K. Yamamoto, and K. Hirata, Phys. Rev. B 40, 5176 (1989).
- Y. Matsumoto, M. Katada, and T. Nishida, Physica C 185, 1229 (1991).
- T. Matsuura and K. Miyake, Jpn. J. Appl. Phys. 26, L407 (1987).

]

E

E I.

K.

K.

K. K.

М.

W. I

W. I T. M

G. A

4. N. I.

ar D. M

an W. M

21 K. M

sci R. L.

Ch 307 R. L. 1

Y. 216

Rev.

. F. v. B

5253

erts,

:v. B ner-

laig-:a C

. E. ried-68,

1766

1, S. 405

ï. K. ι. J.

, 67

hita. 7414

and

ì, Y. rata,

;a C

26,

- H. Matsuyama, T. Takahashi, H. Katayama-Yoshida, Y. Okabe, H. Takagi, and S. Uchida, Phys. Rev. B 40, 2658 (1989).
- L. F. Mattheiss, Phys. Rev. B 1, 373 (1970).
- L. F. Mattheiss and D. R. Hamann, Phys. Rev. B 28, 4227 (1983).
- L. F. Mattheiss, Jpn. J. Appl. Phys. 24(2), 6 (1985).
- L. F. Mattheiss and D. R. Hamann, Solid State Commun. 63, 395 (1987).
- L. F. Mattheiss, Phys. Rev. Lett. 58, 1028 (1987).
- L. F. Mattheiss, E. M. Gyrogy, and D. W. Johnson, Jr., Phys. Rev. B 37, 3745 (1988).
- L. F. Mattheiss and D. R. Hamann, Phys. Rev. Lett. 60, 2681 (1988).
- L. F. Mattheiss and D. R. Hamann, Phys. Rev. B 39, 4780 (1989).
- L. F. Mattheiss, Phys. Rev. B 42, 359 (1990).
- B. Matthias, Phys. Rev. 92, 874 (1953).
- B. Matthias, Phys. Rev. 97, 74 (1955).
- D. C. Mattis and M. Molina, Phys. Rev. B 44, 12565 (1991).
- E. Maxwell, Phys. Rev. 78, 477 (1950).
- I. I. Mazin, O. Jepsen, O. K. Andersen, A. I. Liechtenstein, S. N. Rashkeev, and Y. A. Uspenskii, Phys. Rev. B 45, 5103 (1992).
- K. F. McCarty, D. S. Ginley, D. R. Boehme, R. J. Baughman, and B. Morosin, Solid State Commun. 68, 77 (1988).
- K. F. McCarty, B. Morosin, D. S. Ginley, and D. R. Boehme, Physica C 157, 135 (1989).
- K. F. McCarty, J. Z. Liu, R. N. Shelton, and H. B. Radousky, Phys. Rev. B 41, 8792 (1990a); 42, 9973 (1990b).
- K. F. McCarty, H. B. Radousky, J. Z. Liu, and R. N. Shelton, Phys. Rev. B 43, 13751 (1991).
- K. A. McGreer, J.-C. Wan, N. Anand, and A. M. Goldman, Phys. Rev. B 39, 12260 (1989).
- M. E. McHenry, S. Simizu, H. Lessure, M. P. Maley, J. Y. Coulter, I. Tanaka, and H. Kojima, Phys. Rev. B 44, 7614 (1991).
- W. R. McKinnon, J. R. Morton, K. F. Preston, and L. S. Selwyn, Solid State Commun. 65, 855 (1988).
- W. L. McMillan, Phys. Rev. 167, 331 (1968).
- T. McMullen, Phys. Rev. B 41, 877 (1990).
- G. A. Medina and M. D. N. Regueiro, Phys. Rev. B 42, 8073 (1990).
- N. I. Medvedeva, S. A. Turzhevsky, V. A. Gubanov, and A. J. Freeman, Phys. Rev. B 48, 16061 (1993).
- D. Mehl, A. R. Köymen, K. O. Jensen, F. Gotwald, and A. Weiss, Phys. Rev. B 41, 799 (1990).
- W. Meissner and R. Ochsenfeld, Naturwissenschaft 21, 787 (1933).
- K. Mendelssohn, "Cryophysics," Chap. 6, Interscience, New York, 1960.
- R. L. Meng, Y. Y. Sun, J. Kulik, Z. J. Huang, F. Chen, Y. Y. Xue, and C. W. Chu, Physica C 214, 307 (1993a).
- R. L. Meng, L. Beauvais, X. N. Zhang, Z. J. Huang, Y. Y. Sun, Y. Y. Zue, and C. W. Chu, Physica C 216, 21 (1993b).

- M. Merkel, M. Knupfer, M. S. Golden, J. Fink, R. Seemann, and R. L. Johnson, Phys. Rev. B 47, 11470 (1993).
- R. Meservey and B. B. Schwartz, in "Superconductivity" (R. D. Parks, Ed.), Vol. 1, Chap. 3, Dekker, New York, 1969.
- J. Metzger, T. Weber, W. H. Fietz, K. Grube, H. A. Ludwig, T. Wolf, and H. Wühl, Physica C, 214, 371 (1993).
- H. M. Meyer III, D. M. Hill, T. J. Wagener, Y. Gao, J. H. Weaver, D. W. Capone II, and K. C. Goretta, Phys. Rev. B 38, 6500 (1988).
- H. M. Meyer III and J. H. Weaver, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 2, Chap. 6, World Scientific, Singapore, 1990.
- P. F. Miceli, J. M. Tarascon, L. H. Greene, P. Barboux, M. Giroud, D. A. Neumann, J. J. Rhyne, L. F. Schneemeyer, and J. V. Waszczak, Phys. Rev. B 38, 9209 (1988).
- C. Michel and B. Raveau, Rev. Chim. Miner. 21, 407 (1984).
- C. Michel, M. Hervieu, M. M. Borel, A. Grandin, F. Deslandes, J. Provost, and B. Raveau, Z. Phys. B. Cond. Matt. 68, 421 (1987).
- R. Micnas, J. Ranninger, and S. Robaszkiewicz, Phys. Rev. B 36, 4051 (1987).
- R. Micnas, J. Ranninger, and S. Robaszkiewicz, Rev. Mod. Phys. 62, 113 (1990).
- A. R. Miedema, J. Phys. (Paris) F3, 1803 (1973).
- A. R. Miedema, J. Phys. (Paris) F4, 120 (1974).
- F. Mila, Europhys. Lett. 8, 555 (1989).
- F. Mila and T. M. Rice, Physica C 157, 561 (1989).
- S. L. Miller, K. R. Biagi, J. R. Clem, and D. K. Finnemore, Phys. Rev. B 31, 2684 (1985).
- J. H. Miller, Jr., G. H. Gunaratne, J. Huang, and T. D. Golding, Appl. Phys. Lett. 59, 3330 (1991).
- A. J. Millis, H. Monien, and D. Pines, Phys. Rev. B 42, 167 (1990).
- A. J. Millis and S. N. Coppersmith, Phys. Rev. B 43, 13770 (1991).
- A. J. Millis and H. Monien, Phys. Rev. B 45, 3059 (1992).
- L. Mingzhu, T. Weihua, M. Xianren, L. Zhenjin, H. Wei, T. Qingyun, R. Yanru, and L. Zhenxing, Phys. Rev. B 41, 2517 (1990).
- P. Minnhagen and P. Olsson, Phys. Rev. Lett. 67, 1039 (1991).
- P. Minnhagen and P. Olsson, Phys. Rev. B 45, 5722 (1992).
- N. Missert and M. R. Beasley, Phys. Rev. Lett. 63, 672 (1989).
- M. G. Mitch, S. J. Chase, and J. S. Lannin, Phys. Rev. Lett. 68, 883 (1992).
- L. Miu, A. Crisan, S. Popa, V. Sandu, and L. Nistor, J. Supercond. 3, 391 (1990).
- L. Miu, Phys. Rev. B 45, 8142 (1992).
- M. Miyazaki, J. Inoue, and S. Maekawa, Phys. Rev. B 40, 6611 (1989).

- P. Mocaër, L. Tessler, M. Laguës, F. Laher-Lacour, C. Lacour, U. Dai, N. Hess, and G. Deutscher, Physica C 185-189, 2505 (1991).
- M. A. K. Mohamed, J. Jung, and J. P. Franck, Phys. Rev. B 39, 9614 (1989).
- M. A. K. Mohamed, J. Jung, and J. P. Franck, Phys. Rev. B 41, 4286, 6466 (1990).
- M. A.-K. Mohamed and J. Jung, Phys. Rev. B 44, 4512 (1991).
- R. Monaco, Int. J. Infrared. Millimeter Waves II, 533 (1990a); J. Appl. Phys. 68, 679 (1990b).
- H. Monien and A. Zawadowski, Phys. Rev. Lett. 63, 911 (1989).
- H. Monien and A. Zawadowski, Phys. Rev. B 41, 8798 (1990).
- H. C. Montgomery, J. Appl. Phys. 42, 2971 (1971).
- P. Monthoux and D. Pines, Phys. Rev. B 49, 4261 (1994).
- J. S. Moodera, R. Meservey, J. E. Tkaczyk, C. X. Hao, G. A. Gibson, and P. M. Tedrow, Phys. Rev. B 37, 619 (1988).
- H. A. Mook, D. McK. Paul, B. C. Sales, L. A. Boatner, and L. Cussen, Phys. Rev. B 38, 12008 (1988).
- F. C. Moon, "Superconducting Levitation," Wiley, New York, 1994.
- J. Moreland, A. F. Clark, H. C. Ku, and R. N. Shelton, Cryogenics 27, 227 (1987).
- J. Moreland, J. W. Ekin, L. F. Goodrich, T. E. Capobianco, A. F. Clark, J. Kwo, M. Hong, and S. H. Liou, Phys. Rev. B 35, 8856 (1987).
- H. Mori, Phys. Rev. B 43, 5474 (1991).
- D. E. Morris, J. H. Nickel, J. Y. T. Wei, N. G. Asmar, J. S. Scott, U. M. Scheven, C. T. Hultgren, A. G. Markelz, J. E. Post, P. J. Heaney, D. R. Veblen, and R. M. Hazen, Phys. Rev. B 39, 7347 (1988).
- D. E. Morris, N. G. Asmar, J. Y. T. Wei, J. H. Nickel, R. L. Sid, J. S. Scott, and J. E. Post, Phys. Rev. B 40, 11406 (1989).
- D. C. Morse and T. C. Lubensky, Phys. Rev. B 43, 10436 (1991).
- A. Moser, H. J. Hug, O. Fritz, I. Parashikov, H.-J. Güntherodt, and Th. Wolf, J. Vacuum Sci. and Technol., submitted for publication.
- A. Moser, H. J. Hug, I. Parashikov, B. Stiefel, O. Fritz, H. Thomas, A. Baratoff, H.-J. Güntherodt, and P. Chaudhari, Phys. Rev. Lett. 74, 1847 (1995).
- M. Mostoller, J. Zhang, A. M. Rao, and P. C. Eklund, Phys. Rev. B 41, 6488 (1990).
- M. Mück, SPIE Symp. Adv. Electronic and Optoelectronic Matter, Los Angeles, California, 1994, submitted for publication.
- H. Mukaida, K. Kawaguchi, M. Nakao, H. Kumakura, D. Dietderich, and K. Togano, Phys. Rev. B 42, 2659 (1990).
- K. A. Müller, M. Takashige, and J. G. Bednorz, Phys. Rev. Lett. 58, 1143 (1987).
- K.-H. Müller, Physica C 159, 717 (1989).
- K.-H. Müller and A. J. Pauza, Physica C 161, 319 (1989).
- K.-H. Müller, IEE Trans. Magn. March (1991).

- K.-H. Müller, M. Nikolo, and R. Driver, Phys. Rev. B 43, 7976 (1991).
- H. Muller, M. Suenaga, and Y. Yokoyama, J. Appl. Phys. 70, 4409 (1991).
- M. Murakami, H. Fujimoto, S. Gotoh, K. Yamaguchi, N. Koshizuka, and S. Tanaka, Physica C 185-189, 321 (1991).
- M. Murakami, in "Studies of High Temperature Superconductors" (A. V. Narlikar, Ed.), Vol. 9, Nova Sci., New York, 1991.
- D. W. Murphy, S. Sunshine, R. B. van Dover, R. J. Cava, B. Batlogg, S. M. Zahurak, and L. F. Schneemeyer, Phys. Rev. Lett. 58, 1888 (1987).
- P. Muzikar, D. Rainer, and J. A. Sauls, Proc. NATO Adv. Study Inst. Vortices in Superfluids, Cargèse, Corsica (N. Bontemps, Ed.), Kluwer, Dordrecht, 1994.
- J. A. Mydosh, Phys. Scripta T19, 260 (1987).
- T. Mzoughi, H. A. Farach, E. Quagliata, M. A. Mesa, C. P. Poole, Jr., and R. Creswick, Phys. Rev. B 46, 1130 (1992).
- N. Nagaosa and P. Lee, Phys. Rev. B 43, 1233 (1991).
- M. Nagoshi, Y. Fukuda, T. Suzuki, K. Ueki, A. Tokiwa, M. Kikuchi, Y. Syono, and M. Tachiki, Physica C 185, 1051 (1991).
- M. Naito, A. Matsuda, K. Kitazawa, S. Kambe, I. Tanaka, and H. Kojima, Phys. Rev. B 41, 4823 (1990).
- Y. Nakamura and S. Uchida, Phys. Rev. B 47, 8369 (1993).
- K. Nakao, N. Miura, K. Tatsuhara, H. Takeya, and H. Takei, Phys. Rev. Lett. 63, 97 (1993).
- A. V. Narlikar, Ed., "Studies of High Temperature Superconductors," Nova Sci., New York, 1989.
- K. Nasu, Phys. Rev. B 42, 6076 (1990).
- B. Nathanson, O. Entin-Wohlman, and B. Mühlschlegel, Phys. Rev. B 45, 3499 (1992).
- R. Navarro and L. J. Campbell, Phys. Rev. B 44, 10146 (1991).
- D. R. Nelson, in "Fundamental Problems in Structural Mechanics V" (E. G. D. Cohen, Ed.), North-Holland, Amsterdam, 1980.
- D. L. Nelson, M. S. Whittingham, and T. F. George, Eds., "Chemistry of High-Temperature Superconductors," ACS Symposium Series No. 351, American Chemical Society, Washington, DC, 1987.
- D. R. Nelson and H. S. Seung, Phys. Rev. B 39, 9153 (1989).
- D. R. Nelson and P. Le Doussal, Phys. Rev. B 42, 10113 (1990).
- D. R. Nelson and V. M. Vinokur, Phys. Rev. Lett. 68, 2398 (1992).
- E. Nembach, K. Tachikawa, and S. Takano, Philos. Mag. 21, 869 (1970).
- R. Nemetschek, O. V. Misochko, B. Stadlober, and R. Hackl, Phys. Rev. B 47, 3450 (1993).
- S. A. Nemnonov, E. Z. Kurmaev, and V. I. Minin, IMF Akad. Nauk. USSR (Kiev) 1, 87 (1969).

1

H T.

R. C.

H.

T., F.)

M. D.

D. J I P. N

( - N. N

N. N

(1 N. Ni

*in* to: 19

B.-H. (19 S. D. 1

Re

pl.

hi,

wa

J.

F.

ľO

se,

ht,

sa,

*16*,

**'1)**.

va.

C

I.

123

**i69** 

H.

ire

В.

14,

IC-

1.),

ın-

ri-

53

12,

- S. J. Nettel and R. K. MacCrone, Phys. Rev. B 47, 11360 (1993).
- M. V. Nevitt, G. W. Crabtree, and T. E. Klippert, Phys. Rev. B 36, 2398 (1987).
- V. L. Newhouse, in "Superconductivity" (R. D. Parks, Ed.), Vol. 2, p. 1283, Dekker, New York, 1969.
- E. J. Nicol and J. P. Carbotte, Phys. Rev. B 43, 10210 (1991).
- E. J. Nicol and J. P. Carbotte, Phys. Rev. B 47, 8205 (1993).
- Ch. Niedermayer, H. Glückler, A. Golnik, U. Binninger, M. Rauer, E. Recknagel, J. I. Budnick, and A. Weidinger, Phys. Rev. B 47, 3427 (1993).
- L. Niel and J. E. Evetts, Supercond. Sci. Technol. 5, S347 (1992).
- G. Nieva, E. N. Martinez, F. de la Cruz, D. A. Esparza, and C. A. D'Ovidio, Phys. Rev. B 36, 8780 (1987).
- M. Nikolo and R. B. Goldfarb, Phys. Rev. B 39, 6615 (1989).
- M. Nikolo, W. Kiehl, H. M. Duan, and A. M. Hermann, Phys. Rev. B 45, 5641 (1992).
- H. Ning, H. Duan, P. D. Kirven, A. M. Hermann, and T. Datta, J. Supercond. 5, 503 (1992).
- T. Nishida, M. Katada, and Y. Matsumoto, Physica B *165–167*, 1327 (1990a); Jpn. J. Appl. Phys. *29*, 259 (1990b).
- H. Nishihara, T. Ohtani, Y. Sano, and Y. Nakamura, Physica C 185-189, 2733 (1991).
- T. Nitta, K. Nagase, S. Hayakawa, and Y. Iida, J. Am. Ceram. Soc. 48, 642 (1965).
- R. K. Nkum and W. R. Datars, Physica C 192, 215 (1992).
- C. Noce and L. Maritato, Phys. Rev. B 40, 734 (1989).
- H. Noel, P. Gougeon, J. Padiou, J. C. Levet, M. Potel, O. Laborde, and P. Monceau, Solid State Commun. 63, 915 (1987).
- T. Nojima and T. Fujita, Physica C 178, 140 (1991).
- F. Nori, E. Abrahams, and G. T. Zimanyi, Phys. Rev. B 41, 7277 (1990).
- M. R. Norman, Phys. Rev. B 42, 6762 (1990).
- D. P. Norton, D. H. Lowndes, S. J. Pennycook, and J. D. Budai, Phys. Rev. Lett. 67, 1358 (1991).
- D. L. Novikov, V. A. Gubanov, and A. J. Freeman, Physica C 191, 399 (1992).
- P. Nozières and W. F. Vinen, Philos. Mag. 14, 667 (1966).
- N. Nücker, J. Fink, J. C. Fuggle, P. J. Durham, and W. M. Temmerman, Phys. Rev. B 37, 5158 (1988).
- N. Nücker, H. Romberg, X. X. Xi, J. Fink, B. Gegenheimer, and Z. X. Zhao, Phys. Rev. B 39, 6619 (1989).
- N. Nücker, H. Romberg, M. Alexander, and J. Fink, in "Studies of High Temperature Superconductors" (A. V. Narlika, Ed.), Nova Sci., New York, 1992.
- B.-H. O and J. T. Markert, Phys. Rev. B 47, 8373 (1993).
- S. D. Obertelli, J. R. Cooper, and J. L. Tallon, Phys. Rev. B 46, 14928 (1992).

- B. Obst, Phys. Status Solidi B 45, 467 (1971).
- S. P. Obukhov and M. Rubinstein, Phys. Rev. Lett. 65, 1279 (1990).
- Y. Oda, H. Fujita, H. Toyoda, T. Kaneko, T. Kohara, I. Nakada, and K. Asayama, Jpn. J. Appl. Phys. 26, L1660 (1987).
- T. Oguchi, Jpn. J. Appl. Phys. 26, L417 (1987).
- A. Oguri and S. Maekawa, Phys. Rev. B 41, 6977 (1990).
- I. Ohana, A. Kazeroonian, D. Heiman, M. Dresselhaus, and P. J. Picone, Phys. Rev. B 40, 2255, 2562 (1989).
- K. Ohbayashi, N. Ogita, M. Udagawa, Y. Aoki, Y. Maeno, and T. Fujita, Jpn. J. Appl. Phys. 26, L423 (1987).
- F. J. Ohkawa, Phys. Rev. B 42, 4163 (1990).
- Y. Ohta and S. Maekawa, Phys. Rev. B 41, 6524 (1990).
- T. Ohtani, Mater. Res. Bull. 24, 343 (1989).
- N. Okazaki, T. Hasegawa, K. Kishio, K. Kitazawa, A. Kishi, Y. Ikeda, M. Takano, K. Oda, H. Kitaguchi, J. Takada, and Y. Miura, Phys. Rev. B 41, 4296 (1990).
- E. Oldfield, C. Coretsopoulos, S. Yang, L. Reven, H. C. Lee, J. Shore, O. H. Han, E. Ramli, and D. Hicks, Phys. Rev. B 40, 6832 (1989).
- O. H. Olsen and M. R. Samuelsen, Phys. Rev. B 43, 10273 (1991).
- N. P. Ong, Z. Z. Wang, J. Clayhold, J. M. Tarascon, L. H. Greene, and W. R. McKinnon, Phys. Rev. B 35, 8807 (1987).
- N. P. Ong, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 2, Chap. 7, World Scientific, Singapore, 1990.
- N. P. Ong, Phys. Rev. 43, 193 (1991).
- H. Kamerlingh Onnes, Leiden Commun., 120b, 122b, 124c (1911).
- M. Onoda, S. Shamoto, M. Sato, and S. Hosoya, Jap. J. Appl. Phys. 26, L363 (1987).
- J. Orenstein, G. A. Thomas, A. J. Millis, S. L. Cooper, D. H. Rapkine, T. Timusk, L. F. Schneemeyer, and J. V. Waszczak, Phys. Rev. B 42, 6342 (1990).
- T. P. Orlando and K. A. Delin, "Foundations of Applied Superconductivity," Addison-Wesley, Reading, MA, 1991.
- K. Osamura, Ed., "Composite Superconductors," Dekker, New York, 1993.
- J. A. Osborn, Phys. Rev. 67, 351 (1945).
- S. B. Oseroff, D. C. Vier, J. F. Smyth, C. T. Salling, S. Schultz, Y. Dalichaouch, B. W. Lee, M. B. Maple, Z. Fisk, J. D. Thompson, J. L. Smith, and E. Zirngiebl, in "Novel Superconductivity" (S. A. Wolf and V. Z. Kresin, Eds.), p. 679, Plenum, New York, 1987.
- M. S. Osofsky, H. Rakoto, J. C. Ousset, J. P. Ulmet, J. Leotin, S. Askenazy, D. B. Crisey, J. S. Horwitz, E. F. Skelton, and S. A. Wolf, Physica C 182, 257 (1991).

- J. G. Ossandon, J. R. Thompson, D. K. Christen, B. C. Sales, Y. Sun, and K. W. Lay, Phys. Rev. B 46, 3050 (1992).
- J. G. Ossandon, J. R. Thompson, D. K. Christen, B. C. Sales, H. R. Kerchner, J. O. Thomson, Y. R. Sun, K. W. Lay, and J. E. Tkaczyk, Phys. Rev. B 45, 12534 (1992).
- S. B. Ota, Phys. Rev. B 35, 8730 (1987).
- S. B. Ota, V. S. Sastry, E. Gmelin, P. Murugaraj, and J. Maier, Phys. Rev. B 43, 6147 (1991).
- C. E. Otis and R. W. Dreyfus, Phys. Rev. Lett. 67, 2102 (1991).
- H. R. Ott, H. Rudigier, Z. Fisk, and J. L. Smith, Phys. Rev. Lett. 50, 1595 (1983).
- H. R. Ott, in "Novel Superconductivity" (S. A. Wolf and V. Z. Kresin, Eds.), p. 187, Plenum, New York.
- H. R. Ott, "Ten Years of Superconductivity: 1980-1990," Kluwer, 1993.
- M. Oussena, S. Senoussi, G. Collin, J. M. Broto, H. Rakoto, S. Askenazy, and J. C. Ousset, Phys. Rev. B 36, 4014 (1987).
- Yu. N. Ovchinnikov and B. I. Ivley, Phys. Rev. B 43, 8024 (1991).
- A. W. Overhauser, Phys. Rev. Lett. 4, 462 (1960).
- A. W. Overhauser, Phys. Rev. 128, 1437 (1962).
- A. W. Overhauser and L. L. Daemen, Phys. Rev. Lett. 62, 1691 (1989).
- F. J. Owens, Physica C 178, 456 (1991).
- F. J. Owens, Physica C 195, 225 (1992).
- M.-A. Ozaki and K. Machida, Phys. Rev. B 39, 4145 (1989).
- S. Pagano, B. Ruggiero, and E. Sarnelli, Phys. Rev. B *43*, 5364 (1991).
- E. J. Pakulis, Phys. Rev. B 42, 10746 (1990).
- T. T. M. Palstra, A. A. Menovsky, and J. A. Mydosh; Coles (1987); Phys. Rev. B 33, 6527 (1988).
- T. T. M. Palstra, B. Batlogg, L. F. Schneemeyer, and J. V. Waszczak, Phys. Rev. Lett. 61, 1662 (1988).
- T. T. M. Palstra, B. Batlogg, R. B. Van Dover, L. F. Schneemeyer, and J. V. Waszczak, Appl. Phys. Lett. 54, 763 (1989).
- T. T. M. Palstra, B. Batlogg, L. F. Schneemeyer, J. V. Waszczak, Phys. Rev. Lett. 64, 3090 (1990).
- T. T. M. Palstra, R. C. Haddon, A. F. Hebard, and J. Zaanen, Phys. Rev. Lett. 68, 1054 (1992).
- T. T. M. Palstra and R. C. Haddon, Solid State Commun., 92, 71 (1994).
- M. Palumbo, P. Muzikar, and J. A. Sauls, Phys. Rev. B 42, 2681 (1990a).
- M. Palumbo, C. H. Choi, and P. Muzikar, Physica B 165-166, 1095 (1990b).
- W. Pan and S. Doniach, Phys. Rev. B 49, 1192 (1994).
- D. A. Papaconstantopoulos, A. Pasturel, J. P. Julien, and F. Cyrot-Lackmann, Phys. Rev. B 40, 8844 (1989).
- M. Paranthaman, J. R. Thompson, Y. R. Sun, and J. Brynestad, Physica C 213, 271 (1993).
- M. Paranthaman, Physica C 222, 7 (1994).

- G. S. Park, C. E. Cunningham, B. Cabrera, and M. E. Huber, Phys. Rev. Lett. 68, 1920 (1992).
- R. D. Parks and W. A. Little, Phys. Rev. 133, A97
- R. D. Parks, Ed. "Superconductivity," Vols. 1 and 2. Dekker, New York, 1969.
- Y. S. Parmar and J. K. Bhattacharjee, Phys. Rev. B 45, 814 (1992).
- F. Parmigiani, Z. X. Shen, D. B. Mitzi, I. Lindau. W. E. Spicer, and A. Kapitulnik, Phys. Rev. B 43. 3085 (1991).
- P. C. Pattnaik, C. L. Kane, D. M. Newns, and C. C. Tsuei, Phys. Rev. B 45, 5714 (1992).
- D. McK. Paul, H. A. Mook, A. W. Hewat, B. C. Sales. L. A. Boatner, J. R. Thompson, and M. Mostoller. Phys. Rev. B 37, 2341 (1988).
- D. McK. Paul, H. A. Mook, L. A. Boatner, B. C. Sales, J. O. Ramey, and L. Cussen, Phys. Rev. B 39, 4291 (1989).
- L. Pauling and E. B. Wilson, "Introduction to Quantum Mechanics," McGraw-Hill, New York, 1935.
- L. M. Paulius, C. C. Almasan, and M. B. Maple, Phys. Rev. B 47, 11627 (1993).
- S. D. Peacor and C. Uher, Phys. Rev. B 39, 11559 (1989).
- S. D. Peacor, R. Richardson, J. Burm, C. Uher, and A. Kaiser, Phys. Rev. B 42, 2684 (1990).
- S. D. Peacor, J. L. Cohn, and C. Uher, Phys. Rev. B 43, 8721 (1991).
- S. D. Peacor, R. A. Richardson, F. Nori, and C. Uher, Phys. Rev. B 44, 9508 (1991).
- W. B. Pearson, "Handbook of Lattice Spacings and Structures of Metals," p. 79, Pergamon, New York, 1958.
- M. J. Pechan and J. A. Horvath, Am. J. Phys. 58, 642
- N. F. Pedersen and A. Davidson, Phys. Rev. B 41, 178 (1990).
- S. Pei, J. D. Jorgensen, B. Dabrowski, D. G. Hinks, D. R. Richards, A. W. Mitchell, J. M. Newsam, S. K. Sinha, D. Vaknin, and A. J. Jacobson, Phys. Rev. B 41, 4126 (1990).
- K. E. Peiponen and E. Vartiainen, Phys. Rev. B 44, 8301 (1991).
- M. Pekala, K. Pekala, and A. Pajaczkowska, Phys. Status Solidi B 152, K1 (1989).
- M. T. Pencarinha, C. P. Poole, Jr., H. A. Farach, and O. A. Lopez, J. Phys. Chem. Solids 56, 301 (1995).
- D. R. Penn and M. L. Cohen, Phys. Rev. B 46, 5466 (1992).
- T. Penney, S. von Molnár, D. Kaiser, F. Holtzberg, and A. W. Kleinsasser, Phys. Rev. B 38, 2918 (1988).
- C. H. Pennington, D. J. Durand, D. B. Zax, C. P. Slichter, J. P. Rice, and D. M. Ginsberg, Phys. Rev. B 37, 7944 (1988).
- C. H. Pennington, D. J. Durand, C. P. Slichter, J. P. Rice, E. D. Bukowski, and D. M. Ginsberg, Phys. Rev. B 39, 274, 2902 (1989).

C.

S.

F. ;

A. 1 R. I

R. L

M. F

B. W (1 T. Ph

Fŧ J. C. ]

J. C. 1 Αc

J. C. F J. C. F

J. M. ing

N. E. F N. E. F

You

Low T. Pichl Rev

W. E. P los. ; W. E. P

W. E. P Rev.

W. E. P. Singh

M.-W. Pi

S. W. Pie (1992)

C. G. S. 1

W. Pint a (1991)

L. Pintsch Chevri B 40.

L. Pintsch erties ( M. Gir

tific, Si

*577* 

- C. H. Pennington and C. P. Slichter, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Chap. 5, World Scientific, Singapore, 1990.
- C. H. Pennington and C. P. Slichter, Phys. Rev. Lett. 66, 381 (1991).
- S. J. Pennycook, M. F. Chisholm, D. E. Jesson, D. P. Norton, D. H. Lowndes, R. Feenstra, H. R. Kerchner, and J. O. Thomson, Phys. Rev. Lett. 67, 765 (1991).
- F. Perez, X. Obradors, J. Fontcuberta, M. Vallet, and J. Gonzalez-Calbet, Physica C 185-189, 1843 (1991).
- A. Pérez-González and J. P. Carbotte, Phys. Rev. B 45, 9894 (1992).
- A. Pérez-González, E. J. Nicol, and J. P. Carbotte, Phys. Rev. B 45, 5055 (1992).
- R. L. Peterson and J. W. Ekin, Physica C 157, 325 (1989).
- R. L. Peterson and J. W. Ekin, Phys. Rev. B 42, 8014 (1990).
- M. F. Petras and J. E. Nordman, Phys. Rev. B 39, 6492 (1989).
- B. W. Pfalzgraf and H. Spreckels, J. Phys. C 27, 4359 (1987).
- T. Pham, M. W. Lee, H. D. Drew, U. Welp, and Y. Fang, Phys. Rev. B 44, 5377 (1991).
- J. C. Phillips, Phys. Rev. B 36, 861 (1987).
- J. C. Phillips, "Physics of High-T<sub>c</sub> Superconductors," Academic Press, New York, 1989a.
- J. C. Phillips, Phys. Rev. B 40, 7348, 8774 (1989b).
- J. C. Phillips, Mater. Lett. 18, 106 (1993).
- J. M. Phillips, in "High Temperature Superconducting Thin Films" (D. Shi, Ed.), Pergamon, New York, 1994.
- N. E. Phillips, Phys. Rev. 114, 676 (1959).
- N. E. Phillips, R. A. Fisher, and J. E. Gordon, Prog. Low Temp. Phys. 19 (1991).
- T. Pichler, M. Matus, J. Kürti, and H. Kuzmany, Phys. Rev. B 45, 13841 (1992).
- W. E. Pickett, H. Krakauer, D. A. Papaconstantopoulos, and L. L. Boyer, Phys. Rev. B 35, 7252 (1987).
- W. E. Pickett, Rev. Mod. Phys. 61, 433 (1989).
- W. E. Pickett, R. E. Cohen, and H. Krakauer, Phys. Rev. B 42, 8764 (1990).
- W. E. Pickett, H. Krakauer, R. E. Cohen, and D. J. Singh, Science 255, 46 (1992).
- M. W. Pieper, Physica C 190, 261 (1992).
- S. W. Pierson and O. T. Valls, Phys. Rev. B 45, 2458 (1992)
- C. G. S. Pillai, Solid State Commun. 80, 277 (1991).
- W. Pint and E. Schachinger, Phys. Rev. B 43, 7664 (1991).
- L. Pintschovius, J. M. Bassat, P. Odier, F. Gervais, G. Chevrier, W. Reichardt, and F. Gompf, Phys. Rev. B 40, 2229 (1989).
- L. Pintschovius and W. Reichardt, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 4, Chap. 5, World Scientific, Singapore, 1994.

- A. B. Pippard, Proc. R. Soc. London A 216, 547 (1953).
- M. Pissas, G. Kallias, A. Simopoulos, D. Niarchos, and A. Kostikas, Phys. Rev. B 46, 14119 (1992).
- F. Pistolesi and G. C. Strinati, Phys. Rev. B 49, 6356 (1994).
- B. Plaçais and Y. Simon, Phys. Rev. B 39, 2151 (1989).
- B. B. Plapp and A. W. Hübler, Phys. Rev. Lett. 65, 2302 (1990).
- Poberaj, D. Mihailovic, and S. Bernik, Phys. Rev. B 42, 393 (1990).
- A. Poddar, P. Mandal, K. G. Ray, A. N. Das, B. Ghosh, P. Choudhury, and S. Lahiri, Physica C 159, 226 (1989).
- D. Poilblanc and E. Dagotto, Phys. Rev. B 42, 4861 (1990).
- D. M. Poirier and J. H. Weaver, Phys. Rev. B 47, 10959 (1993).
- C. Politis, V. Buntar, W. Krauss, and A. Gurevich, Europhys. Lett. 17, 175 (1992).
- E. Polturak, G. Koren, D. Cohen, E. Aharoni, and G. Deutscher, Phys. Rev. Lett. 67, 3038 (1991).
- A. Pomar, A. Díaz, M. V. Ramallo, C. Torrón, J. A. Veira, and F. Vidal, Physica C 218, 257 (1993).
- M. Pompa, C. Li, A. Bianconi, A. C. Castellano, S. Dalla Longa, A. M. Flank, P. Lagarde, and D. Udron, Physica C 184, 51 (1991a).
- M. Pompa, P. Castrucci, C. Li, D. Udron, A. M. Flank, P. Lagarde, H. Katayamaa-Yoshida, S. Dalla Longa, and A. Bianconi, Physica C 184, 102 (1991b).
- C. P. Poole, Jr., and H. A. Farach, "Relaxation in Magnetic Resonance," Academic Press, New York, 1971.
- C. P. Poole, Jr., "Electron Spin Resonance," 2nd ed., Wiley, New York, 1983.
- C. P. Poole, Jr., and H. A. Farach, "Theory of Magnetic Resonance," 2nd ed., Wiley, New York, 1987.
- C. P. Poole, Jr., T. Datta, and H. A. Farach, "Copper Oxide Superconductors," Wiley, New York, 1988.
- C. P. Poole, Jr. and H. A. Farach, Magn. Reson. Relat. Phenom., Proc. 24th Ampere Congr., Poznan, p. 601 (1988).
- C. P. Poole, Jr., T. Datta, and H. A. Farach, J. Supercond. 2, 369 (1989).
- C. P. Poole, Jr., and H. A. Farach, Eds., "Handbook of Electron Spin Resonance," Amer. Inst. Phys., New York, 1994.
- A. Pöppl, L. Kevan, H. Kimura, and R. N. Schwartz, Phys. Rev. B 46, 8559 (1992).
- A. M. Portis, K. W. Blazely, and F. Waldner, Physica C 153-155, 308 (1988).
- A. M. Portis, "Electrodynamics of High Temperature Superconductors," World Scientific, Singapore, 1993.
- J. Prade, A. D. Kulkarni, and F. W. de Wette, U. Schröder, and W. Kress, Phys. Rev. B 39, 2771 (1989).

3 i, i,

s, r, C. B

's. ;9

В

k,

78 :s, S.

4,

IS.

1d 5).

·g, 18

56

P. /s.

P. √s.

- A. K. Pradhan, S. J. Hazell, J. W. Hodby, C. Chen, Y. Hu, and B. M. Wanklyn, Phys. Rev. B 47, 11374 (1993).
- R. Prange and S. Girvin, Eds., "The Quantum Hall Effect," Springer-Verlag, Heidelberg, 1987.
- K. Prassides, J. Tomkinson, C. Christides, M. J. Rosseinsky, D. W. Murphy, and R. C. Haddon, Nature 354, 462 (1991).
- K. Prassides, M. J. Rosseinsky, A. J. Dianoux, and P. Day, J. Phys. Condens. Matter 4, 965 (1992).
- N. W. Preyer, M. A. Kastner, C. Y. Chen, R. J. Birgeneau, and Y. Hidaka, Phys. Rev. B 44, 407 (1991).
- D. Prost, L. Fruchter, I. A. Campbell, N. Motohira, and M. Konczykowski, Phys. Rev. B 47, 3457 (1993).
- T. Puig, L. M. Martinez, M. T. Aurell, A. Sanchez, D.-X. Chen, and J. S. Muñoz, in "Physics and Materials Science of High-Temperature Superconductivity" (R. Kossowsky, S. Methfessel, and D. Wohlbeben, Eds.), p. 467, Kluwer Academic, Dordrecht, 1990.
- B. Pümpin, H. Keller, W. Kündig, W. Odermatt, B. D. Patterson, J. W. Schneider, H. Simmler, S. Connell, K. A. Müller, J. G. Bednorz, K. W. Blazey, I. Morgenstern, C. Rossel, and I. M. Savic, Z. Phys. B 72, 175 (1988).
- B. Pümpin, H. Keller, W. Kündig, W. Odermatt, I. M. Savic, J. W. Schneider, H. Simmler, P. Zimmermann, E. Kaldis, S. Rusiecki, Y. Maeno, and C. Rossel, Phys. Rev. B 42, 8019 (1990).
- P. Pureur and J. Schaf, Solid State Commun. 78, 723 (1991).
- S. N. Putilin, I. Bryntse, and E. V. Antipov, Mater. Res. Bull. 26, 1299 (1991).
- S. N. Putilin, E. V. Antipov, E. V. Chmaissem, and M. Marezio, Nature *362*, 266 (1993).
- D. S. Pyun and T. R. Lemberger, Phys. Rev. B 44, 7555 (1991).
- K. F. Quader and E. Abrahams, Phys. Rev. B 38, 11977 (1988).
- R. M. Quick, C. Esebbag, and M. de Llano, Phys. Rev. B 47, 11512 (1993).
- M. Rabinowitz and T. McMullen, Chem. Phys. Lett. 218, 437 (1994).
- H. B. Radousky, J. Mater. Res. 7, 1917 (1992).
- R. J. Radtke, K. Levin, H.-B. Shüttler, and M. R. Norman, Phys. Rev. B 48, 653 (1993).
- H. Raffy, S. Labdi, O. Laborde, and P. Monceau, Phys. Rev. Lett. 66, 2515 (1991).
- D. Rainer and J. A. Sauls, in "Proc. 1992 Spring School on Cond. Mat. Phys., Trieste, Italy," World Scientific, Singapore, 1994, to be published.
- D. Rainer and J. A. Sauls, "Proc. 1992 Spring School on Cond. Matter Phys., Trieste, Italy," World Scientific, Singapore, 1994.
- A. K. Rajagopal and S. D. Mahanti, Phys. Rev. B 44, 10210 (1991).

- P. F. Rajam, C. K. Subramaniam, S. Kasiviswanathan, and R. Srinivasan, Solid State Commun. 71, 475 (1989).
- R. Rajput and D. Kumar, Phys. Rev. B 42, 8634 (1990).
- B. Rakvin, M. Pozek, and A. Dulcic, Solid State Commun. 72, 199 (1989).
- B. Rakvin, T. A. Mahl, A. S. Bhalla, Z. Z. Sheng, and N. S. Dalal, Phys. Rev. B 41, 769 (1990).
- K. S. Ralls, D. C. Ralph, and R. A. Buhrman, Phys. Rev. B 40, 11561 (1989).
- S. Ramakrishnan, R. Kumar, P. L. Paulose, A. K. Grover, and P. Chaddah, Phys. Rev. B 44, 9514 (1991).
- R. Ramakumar, R. Kumar, K. P. Jain, and C. C. Chancey, Phys. Rev. B 48, 6509 (1993).
- S. Ramasesha and C. N. R. Rao, Phys. Rev. B 44, 7046 (1991).
- A. P. Ramirez, T. Siegrist, T. T. M. Palstra, J. D. Garrett, E. Bruck, A. A. Menovsky, and J. A. Mydosh, Phys. Rev. B 44, 5392 (1991).
- A. P. Ramirez, A. R. Kortan, M. J. Rosseinsky, S. J. Duclos, A. M. Mujsce, R. C. Haddon, D. W. Murphy, A. V. Makhija, S. M. Zahurak, and K. B. Lyons, Phys. Rev. Lett. 68, 1058 (1992a).
- A. P. Ramirez, M. J. Rosseinsky, D. W. Murphy, and R. C. Haddan, Phys. Rev. Lett. 69, 1687 (1992b).
- J. Rammer, Phys. Rev. B 36, 5665 (1987).
- J. Rammer, Europhys. Lett. 5, 77 (1988).
- J. Rammer, Phys. Rev. B 43, 2983 (1991).
- C. N. R. Rao, P. Ganguly, A. K. Raychaudhuri, R. A. Mohan Ram, and K. Sreedhar, Nature 326, 856 (1987).
- K. V. Rao, D.-X. Chen, J. Nogues, C. Politis, C. Gallo, and J. A. Gerber, in "High Temperature Superconductors" (D. U. Gubser and M. Schluter, Eds.), p. 133, Mater. Res. Soc., Pittsburgh, 1987.
- C. N. R. Rao, Philos. Trans. R. Soc. London Ser. A 336, 595 (1991).
- C. N. R. Rao, A. K. Santra, and D. D. Sarma, Phys. Rev. B 45, 10814 (1992).
- U. Rauchschwalbe, F. Steglich, G. R. Stewart, A. L. Giorgi, P. Fulde, and K. Maki, Europhys. Lett. 3, 751 (1987).
- J. Redinger, A. J. Freeman, J. Yu, and S. Massidda, Phys. Lett. A 124, 469 (1987).
- M. Reedyk, T. Timusk, J. S. Xue, and J. Greedan, Phys. Rev. B 45, 7406 (1992a).
- M. Reedyk, C. V. Stager, T. Timusk, J. S. Xue, and J. E. Greedan, Phys. Rev. B 45, 10057 (1992b).
- M. E. Reeves, S. E. Stupp, T. Friedmann, F. Slakey, D. M. Ginsberg, and M. V. Klein, Phys. Rev. B 40, 4573 (1989).
- J. D. Reger, T. A. Tokuyasu, A. P. Young, and M. P. A. Fisher, Phys. Rev. B 44, 7147 (1991).
- M. N. Regueiro, B. Salce, R. Calemczuk, C. Marin, and J. Y. Henry, Phys. Rev. B 44, 9727 (1991).
- W. Rehwald, M. Rayl, R. W. Cohen, and G. D. Cody, Phys. Rev. B 6, 363 (1972).

F

R

Y

В.

Cl

L.

C.

.

C.

Α.

Н.-

Н.-

J. I

J. I : P. I

R. *E* 

C. : E. F

E. K 7 P. S.

B. R

B. V

- G. I. C. O

E. R

J. P.

J. P.

J. P.

C. T E

D. S.

D. S

- F. Reif, "Fundamentals of Statistical and Thermal Physics," McGraw-Hill, New York, 1965.
- Y. T. Ren, J. Clayhold, F. Chen, Z. J. Huang, X. D. Qiu, Y. Y. Sun, R. L. Meng, Y. Y. Xue, and C. W. Chu, Physica C 217, 6 (1993).
- Y. T. Ren, H. Chang, Q. Xiong, Y. Y. Xue, and C. W. Chu, Physica C, 226, 209 (1994).
- B. Renker, F. Gompf, E. Gering, D. Ewert, H. Rietschel, and A. Dianoux, Z. Phys. B 73, 309 (1988).
- Ch. Renner, A. D. Kent, Ph. Niedermann, Ø. Fischer, and F. Lévy, Phys. Rev. Lett. 67, 1650 (1991).
- L. Reven, J. Shore, S. Yang, T. Duncan, D. Schwartz, J. Chung, and E. Oldfield, Phys. Rev. B 43, 10466 (1991).
- C. M. Rey and L. R. Testardi, Phys. Rev. B 44, 765 (1991).
- A. P. Reyes, D. E. MacLaughlin, M. Takigawa, P. C. Hammel, R. H. Heffner, J. D. Thompson, J. E. Crow, A. Kebede, T. Mihalisin, and J. Schwegler, Phys. Rev. B 42, 2688 (1990).
- A. P. Reyes, D.E. MacLaughlin, M. Takigawa, P. C. Hammel, R. H. Heffner, J. D. Thompson, and J. E. Crow, Phys. Rev. B 43, 2989 (1991).
- C. A. Reynolds, B. Serin, W. H. Wright, and L. B. Nesbitt, Phys. Rev. 78, 487 (1950).
- H.-C. Ri, F. Kober, R. Gross, R. P. Huebener, and A. Gupta, Phys. Rev. B 43, 13739 (1991).
- H.-C. Ri, J. Kober, A. Beck, L. Alff, R. Gross, and R. P. Huebener, Phys. Rev. B 47, 12312 (1993).
- J. K. Rice, S. W. McCauley, A. P. Baronavski, J. S. Horwitz, and D. B. Chrisey, Phys. Rev. B 47, 6086 (1993)
- J. P. Rice, N. Rigakis, D. M. Ginsberg, and J. M. Mochel, Phys. Rev. B 46, 11050 (1992).
- P. L. Richards and M. Tinkham, Phys. Rev. 119, 575 (1960).
- R. A. Richardson, S. D. Peacor, F. Nori, and C. Uher, Phys. Rev. Lett. 67, 3856 (1991).
- C. T. Riecke, Th. Wölkhausen, D. Fay, and L. Tewordt, Phys. Rev. B 39, 278 (1989).
- E. Riedel, Z. Naturforsch A. 190, 1634 (1964).
- E. K. Riedel, H.-F. Cheung, and Y. Gefen, Phys. Scr. T 25, 357 (1989).
- P. S. Riseborough, Phys. Rev. B 45, 13984 (1992).
- B. Roas, L. Schultz, and G. Saemann-Ischenko, Phys. Rev. Lett. 64, 479 (1990).
- B. W. Roberts, J. Phys. Chem. Ref. Data 5, 581 (1976).
- G. I. Rochlin, Am. J. Phys. 43, 335 (1975).
- C. O. Rodriguez, Phys. Rev. B 49, 1200 (1994).
- E. Rodriguez, J. Luzuriaga, C. D'Ovidio, and D. A. Esparza, Phys. Rev. B 42, 10796 (1990).
- J. P. Rodriguez, Phys. Rev. B 36, 168 (1987).
- J. P. Rodriguez and B. Douçot, Phys. Rev. B 42, 8724 (1990).
- J. P. Rodriguez and B. Douçot, Phys. Rev. B 45, 971 (1992).
- C. T. Rogers, K. E. Myers, J. N. Eckstein, and I. Bozovic, Phys. Rev. Lett. 69, 160 (1992).
- D. S. Rokhsar, Phys. Rev. Lett. 65, 1506 (1990).

- D. B. Romero, G. L. Carr, D. B. Tanner, L. Forro, D. Mandrus, L. Mihaly, and G. P. Williams, Phys. Rev. B 44, 2818 (1991).
- M. Rona, Phys. Rev. 42, 4183 (1990).
- A. C. Rose-Innes and E. H. Rhoderick, "Introduction to Superconductivity," Pergamon, Oxford, 1994.
- P. A. Rosenthal, M. R. Beasley, K. Char, M. S. Colclough, and G. Zaharchuk, Appl. Phys. Lett. 59, 3482 (1991).
- J. Rossat-Mignod, P. Burlet, M. J. G. M. Jurgens, J. Y. Henry, and C. Vettier, Physica C 152, 19 (1988).
- M. J. Rosseinsky, A. P. Ramirez, S. H. Glarum, D. W. Murphy, R. C. Haddon, A. F. Hebard, T. T. M. Palstra, A. R. Kortan, S. M. Zahurak, and A. V. Makhija, Phys. Rev. Lett. 66, 2830 (1991).
- C. Rossel, Y. Maeno, and I. Morgenstein, Phys. Rev. Lett. 62, 681 (1989a); C. Rossel, Y. Maeno, and F. H. Holtzberg, IBM J. Res. Dev. 33, 328 (1989b).
- C. Rossel, O. Peña, H. Schmitt, and M. Sergent, Physica C 181, 363 (1991).
- S. J. Rothman, J. L. Routbort, U. Welp, and J. E. Baker, Phys. Rev. B 44, 2326 (1991).
- L. D. Rotter, Z. Schlesinger, R. T. Collins, F. Holtzberg, C. Field, U. W. Welp, G. W. Crabtree, J. Z. Liu, Y. Fang, K. G. Vandervoort, and S. Fleshler, Phys. Rev. Lett. 67, 2741 (1991).
- J. L. Routbort and S. J. Rothman, Appl. Phys. Rev., submitted for publication.
- V. A. Rowe and R. P. Huebener, Phys. Rev. 185, 666 (1969).
- J. M. Rowell and R. C. Dynes, in "Phonons" (M. A. Nusimovici, Ed.), Flammarion, Sciences, Paris, 1972.
- G. J. Rozing, P. E. Mijnarends, A. A. Menovsky, and P. F. de Châtel, Phys. Rev. B 43, 9523 (1991).
- A. E. Ruckenstein, P. J. Hirschfeld, and J. Appel, Phys. Rev. B 36, 857 (1987); reprinted in "Theories of High Temperature Superconductivity" (J. W. Halley, Ed.), p. 137. Addison-Wesley, Reading, MA, 1988.
- S. Ryu, S. Doniach, G. Deutscher, and A. Kapitulnik, Phys. Rev. Lett. 68, 710 (1992).
- M. S. Rzchowski, L. L. Sohn, and M. Tinkham, Phys. Rev. B 43, 8682 (1991).
- S. Sachdev and Z. Wang, Phys. Rev. B 43, 10229 (1991).
- S. Sachdev, Phys. Rev. B 45, 389 (1992).
- E. Sacher and J. E. Klemberg-Sapieha, Phys. Rev. B 39, 1461 (1989).
- C. A. R. Sá de Melo and S. Doniach, Phys. Rev. B 41, 6633 (1990).
- C. A. R. Sá de Melo, Z. Wang, and S. Doniach, Phys. Rev. Lett. 68, 2078 (1992).
- H. Safar, C. Durán, J. Guimpel, L. Civale, J. Luzuriaga, E. Rodriguez, F. de la Cruz, C. Fainstein, L. F. Schneemeyer, and J. V. Waszczak, Phys. Rev. B 40, 7380 (1989).

- H. Safar, H. Pastoriza, F. de la Cruz, D. J. Bishop, L. F. Schneemeyer, and J. Waszczak, Phys. Rev. B 43, 13610 (1991).
- H. Safar, P. L. Gammel, D. J. Bishop, D. B. Mitzi, and A. Kapitulnik, Phys. Rev. Lett. 68, 2672 (1992).
- H. Safer, P. L. Gammel, D. A. Huse, D. J. Bishop, W. C. Lee, J. Giapintzakis, and D. M. Ginsberg, Phys. Rev. Lett. 70, 3800 (1993).
- L. Sagdahl, S. Gjølmesli, T. Laegreid, K. Fossheim, and W. Assmus, Phys. Rev. B 42, 6797 (1990).
- L. Sagdahl, T. Laegreid, K. Fossheim, M. Murkami, H. Fujimoto, S. Gotoh, K. Yamaguchi, H. Yamauchi, N. Koshizuka, and S. Tanaka, Physica C 172, 495 (1991).
- N. Sahoo, S. Markert, T. P. Das, and K. Nagamine, Phys. Rev. B 41, 220 (1990).
- D. Saint-James and P. D. de Gennes, Phys. Lett. 7, 306 (1963).
- D. Saint-James, E. J. Thomas, and G. Sarma, "Type II Superconductivity," Pergamon, Oxford, 1969.
- K. Saitoh and T. Nishino, Phys. Rev. B 44, 7070 (1991).
- S. Saito and A. Oshiyama, Phys. Rev. Lett. 66, 2637 (1991).
- K. Salama, Y. H. Zhang, M. Mironova, and D. F. Lee, "Proc. Sixth US-Japan Joint Workshop on High T<sub>c</sub> Superconductivity," Houston, Texas, December 1993.
- M. B. Salamon and J. Bardeen, Phys. Rev. Lett. 59, 2615 (1987).
- M. B. Salamon, in "Physical Properties of High Temperature Superconductors," (D. M. Ginsberg, Ed.), Vol. 1, Chap. 2, World Scientific, Singapore, 1989.
- S. Salem-Sugui, Jr., E. E. Alp, S. M. Mini, M. Ramanathan, J. C. Campuzano, G. Jennings, M. Faiz, S. Pei, B. Dabrowski, Y. Zheng, D. R. Richards, and D. G. Hinks, Phys. Rev. B 43, 5511 (1991).
- A. V. Samoilov, A. A. Yurgens, and N. V. Zavaritsky, Phys. Rev. B 46, 6643 (1992).
- B. A. Sanborn, P. B. Allen, and D. A. Papaconstantopoulos, Phys. Rev. B 40, 6037 (1989).
- A. Sanchez and D.-X. Chen, in "Susceptibility of Superconductors and Other Spin Systems" (T. Francavilla, R. A. Hein, and D. Leiberger, Eds.), Plenum, New York, 1991.
- A. Sanchez, D.-X. Chen, J. Muñoz, and Y.-Z. Li, Physica C 175, 33 (1991).
- P. Santhanam and C. C. Chi, Phys. Rev. B 38, 11843 (1988).
- A. Santoro, in "High Temperature Superconductivity" (J. W. Lynn, Ed.), Chap. 4, Springer-Verlag, Berlin, 1990.
- J. Sapriel, J. Schneck, J. F. Scott, J. C. Tolédano, L. Pierre, J. Chavignon, C. Daguet, J. P. Chaminade, and H. Boyer, Phys. Rev. B 43, 6259 (1991).
- E. Sardella, Phys. Rev. B 45, 3141 (1992).
- D. D. Sarma, P. Sen, C. Carbone, R. Cimino, and W. Gudat, Phys. Rev. B 39 12387 (1989).
- W. M. Saslow, Phys. Rev. B 39, 2710 (1989).

- J. S. Satchell, R. G. Humphreys, N. G. Chew, J. A. Edwards, and M. J. Kane, Nature 334, 331 (1988).
- N. Sato, T. Sakon, N. Takeda, T. Komatsubara, C. Geibei, and F. Steglich, J. Phys. Soc. Jpn. 61, 32 (1992).
- S. Satpathy and R. M. Martin, Phys. Rev. B 36, 7269 (1987).
- C. B. Satterthwaite, Phys. Rev. 125, 873 (1962).
- A. Saul and M. Weissmann, Phys. Rev. B 42, 4196 (1990).
- J. A. Sauls, APS Fall Mtg. Symp. Kondo Lattices and Heavy Fermions, to be published.
- D. J. Scalapino, Phys. Reports, to be published.
- J. Schaf, P. Pureur, and J. V. Kunzler, Phys. Rev. B 40, 6948 (1989).
- H. J. Scheel in "Adv. in Supercond.," Springer-Verlag, Berlin, New York, to be published.
- S. Scheidl and G. Hackenbroich, Phys. Rev. B 46, 14010 (1992).
- A. Schenck, P. Birrer, F. N. Gygax, B. Hitti, E. Lippelt, M. Weber, P. Böni, P. Fischer, H. R. Ott, and Z. Fisk, Phys. Rev. Lett. 65, 2454 (1990).
- A. Schenstrom, M-F. Xu, Y. Hong, D. Bein, M. Levy,
  B. K. Sarma, S. Adenwalla, Z. Zhao, T. Tokuyasu,
  D. W. Hess, J. B. Ketterson, J. A. Sauls, and D. G.
  Hinks, Phys. Rev. Lett. 62, 332 (1989).
- A. Schilling, M. Cantoni, J. D. Guo, and H. R. Ott, Nature 363, 56 (1993).
- A. Schilling, M. Catoni, O. Jeandupeux, J. D. Guo, and H. R. Ott, in "Advances in Superconductivity" (T. Fujita and Y. Shiohara, Eds.), Vol. 6, Springer-Verlag, Berlin, 1994a.
- A. Schilling, O. Jeandupeux, S. Büchi, H. R. Ott, and C. Rossel, Physica C 235, in press (1994b).
- J. E. Schirber, D. L. Overmyer, K. D. Carlsan, J. M. Williams, A. M. Kini, H. H. Wang, H. A. Charlier, B. J. Love, D. M. Watkins, and G. A. Yaconi, Phys. Rev. B 44, 4666 (1991).
- Z. Schlesinger, R. L. Greene, J. G. Bednorz, and K. A. Müller, Phys. Rev. B 35, 5334 (1987).
- Z. Schlesinger, R. T. Collins, J. A. Calise, D. G. Hinks, A. W. Mitchell, Y. Zheng, B. Dabrowski, N. E. Bickers, and D. J. Scalapino, Phys. Rev. B 40, 6862 (1989).
- Z. Schlesinger, R. T. Collins, F. Holtzberg, C. Feild, G. Koren, and A. Gupta, Phys. Rev. B 41, 11237 (1990a).
- Z. Schlesinger, R. T. Collins, F. Holtzberg, C. Feild, S. H. Blanton, U. Welp, G. W. Crabtree, Y. Fang, and J. Z. Liu, Phys. Rev. Lett. 65, 801 (1990b).
- D. Schmeltzer, Phys. Rev. B 49, 6944 (1994).
- A. Schmid, Phys. Kondens. Mat. &, 129 (1968).
- J. M. Schmidt, A. N. Cleland and J. Clarke, Phys. Rev. B 43, 229 (1991).
- P. Schmitt, P. Kummeth, L. Schultz, and G. Saemann-Ischenko, Phys. Rev. Lett. 67, 267 (1991).
- H. Schnack and R. Griessen, Phys. Rev. Lett. 68, 2706 (1992).

]

L H

J.

P. ,

H.

G.

G. ' I K. S

6 S. Se *N* 

6; S. Se

St in;
S. Ser

Ph A. Sec

Ya Ph<u>'</u> M. Sei

mu S. Sen

144 R. D. ;

Soc.

- L. F. Schneemeyer, J. K. Thomas, T. Siegrist, B. Batlogg, L. W. Rupp, R. L. Opila, R. J. Cava, and D. W. Murphy, Nature 335, 421 (1988).
- T. Schneider, Z. Phys. B 85, 187 (1991).
- T. Schneider, Z. Gedik, and S. Ciraci, Z. Phys. B 83, 313 (1991).
- T. Schneider, Physica C 195, 82 (1992).
- T. Schneider and H. Keller, Phys. Rev. Lett. 69, 3374 (1992).
- A. J. Schofield and Wheatley, Phys. Rev. B 47, 11607 (1993).
- K. Schönhammer, Phys. Rev. B 42, 2591 (1990).
- J. R. Schrieffer, "Theory of Superconductivity," Addison-Wesley, New York, 1964.
- J. R. Schrieffer, X.-G. Wen, and S.-C. Zhang, Phys. Rev. Lett. 60, 944 (1988).
- E. A. Schuberth, B. Strickler, and K. Andres, Phys. Rev. Lett. 68, 117 (1992).
- I. K. Schuller, D. G. Hinks, M. A. Beno, S. W. Capone II, L. Soderholm, J. P. Locquet, Y. Bruynseraede, C. U. Segre, and K. Zhang, Solid State Commun. 63, 385 (1987).
- L. Schultz, E. Hellstern, and A. Thomä, Europhys. Lett. 3, 921 (1987).
- H. J. Schulz, Phys. Rev. Lett. 64, 2831 (1990).
- J. Schwartz, S. Nakamae, G. W. Raban, Jr., J. K. Heuer, S. Wu, J. L. Wagner, and D. G. Hinks, Phys. Rev. B 48, 9932 (1994).
- H. Schwenk, F. Gross, C. P. Heidmann, K. Andres, D. Schweitzer, and H. Keller, Mol. Cryst. Liq. Cryst. 119, 329 (1985); Phys. Rev. B 31, 3138 (1985).
- P. Seidel, E. Heinz, M. Siegel, F. Schmidl, K. J. Zach, and H.-J. Köhler, in "Proc. 4th Int. Conf. on Superconducting and Quantum Effect Devices and Their Applications," Berlin, June 1991.
- G. T. Seidler, T. F. Rosenbaum, D. L. Heinz, J. W. Downey, A. P. Paulikas, and B. W. Veal, Physica C 183, 333 (1991).
- G. T. Seidler, T. F. Rosenbaum, and B. W. Veal, Phys. Rev. B 45, 10162 (1992).
- K. Semba, T. Ishii, and A. Matsuda, Phys. Rev. Lett. 67, 769 (1991).
- S. Sengupta, C. Dasgupta, H. R. Krishnamurthy, G. I. Menon, and T. V. Ramakrishnan, Phys. Rev. Lett. 67, 3444 (1991).
- S. Sengupta and D. Shi, in "High Temperature Superconducting Materials Science and Engineering," to be published.
- S. Senoussi, M. Oussena, and S. Hadjoudi, J. Appl. Phys. 63, 4176 (1988).
- A. Sequeira, H. Rajagopal, P. V. P. S. S. Sastry, J. V. Yakhmi, R. M. Iyer, and B. A. Dasannacharya, Physica B 180-181, 429 (1992).
- M. Sera, S. Shamoto, and M. Sato, Solid State Commun. 68, 649 (1988).
- S. Sergeenkov and M. Ausloos, Phys. Rev. B 47, 14476 (1993).
- R. D. Shannon and P. E. Bierstedt, J. Am. Ceram. Soc. 58, 635 (1970).

- C. Shao-Chun, Z. Dong-Ming, Z. Dian-Lin, H. M. Duan, and A. M. Hermann, Phys. Rev. B 44, 12571 (1991).
- B. Ya. Shapiro, Phys. Rev. B 48, 16722 (1993).
- S. Shapiro, Phys. Rev. Lett. 11, 80 (1963).
- R. P. Sharma, L. E. Rehn, and P. M. Baldo, Phys. Rev. B 43, 13711 (1991).
- B. S. Shastry and B. I. Shraiman, Int. J. Mod. Phys. 5, 365 (1991).
- T. P. Sheahen, "Introduction to High  $T_c$  Superconductivity," Plenum, New York, 1994.
- V. Sh. Shekhtman, Ed., The Real Structure of High-T<sub>c</sub> Superconductors, Springer-Verlag, Berlin, 1993.
- S.-Q. Shen and W. Lu, Phys. Rev. B 48, 1105 (1993).
- Z.-X. Shen, P. A. P. Lindberg, B. O. Wells, D. S. Dessau, A. Borg, I. Lindau, W. E. Spicer, W. P. Ellis, G. H. Kwei, K. C. Ott, J.-S. Kang, and J. W. Allen, Phys. Rev. B 40, 6912 (1989).
- Z.-X. Shen, R. S. List, D. S. Dessau, F. Parmigiani, A. J. Arko, R. Bartlett, B. O. Wells, I. Lindau, and W. E. Spicer, Phys. Rev. B 42, 8081 (1990).
- Z.-X. Shen, W. E. Spicer, D.M. King, D. S. Dessau, and B. O. Wells, Science 267, 343 (1995).
- Z.-Y. Shen, "High Temperature Superconducting Microwave Circuits," Artech House, Norwood, Massachusetts, 1994.
- Z. Z. Sheng, A. M. Hermann, A. El Ali, C. Almasan, J. Estrada, T. Datta, and R. J. Matson, Phys. Rev. Lett. 60, 937 (1988).
- Z. Z. Sheng and A. M. Hermann, Nature 332, 55 (1988).
- D.-N. Sheng, Z.-B. Su, and L. Yu, Phys. Rev. B 42, 8732 (1990).
- D. Shi, M. S. Boley, U. Welp, J. G. Chen, and Y. Liao, Phys. Rev.B 40, 5255 (1989).
- D. Shi, M. Xu, M. M. Fang, J. G. Chen, A. L. Cornelius, and S. G. Lanan, Phys. Rev. B 41, 8833 (1990a).
- D. Shi, M. Xu, A. Umezawa, and R. F. Fox, Phys. Rev. B 42, 2062 (1990b).
- D. Shi, X. S. Ling, M. Xu, M. M. Fang, S. Luo, J. I. Budnick, B. Dabrowski, D. G. Hinks, D. R. Richards, and Y. Zheng, Phys. Rev. B 43, 3684 (1991).
- D. Shi and M. Xu, Phys. Rev. B 44, 4548 (1991).
- D. Shi, Ed., "High Temperature Superconducting Materials Science and Engineering," Elsevier, Oxford, 1994.
- J. S. Shier and D. M. Ginsberg, Phys. Rev. 147, 384 (1966).
- E. Shimizu and D. Ito, Phys. Rev. B 39, 2921 (1989).
- E. Shimshoni, Y. Gefen, and S. Levit, Phys. Rev. 40, 2147 (1989).
- E. Shimshoni and E. Ben-Jacob, Phys. Rev. B 43, 2705 (1991).
- S. L. Shindé, J. Morrill, D. Goland, D. A. Chance, and T. McGuire, Phys. Rev. B 41, 8838 (1990).
- T. Shinjo, T. Mizutani, N. Hosoito, T. Kusuda, T. Takabatake, K. Matsukuma, and H. Fujii, Physica C 159, 869 (1989).

- T. Shinjo and S. Nasu, in "Mechanisms of High Temperature Superconductivity" (H. Kamimura and A. Oshiyama, Eds.), p. 166, Springer Series in Material Science, Springer-Verlag, Heidelberg, 1989.
- G. Shirane, R. J. Birgeneau, Y. Endoh, P. Gehring, M. A. Kastner, K. Kitazawa, H. Kojima, I. Tanaka, T. R. Thurston, and K. Yamada, Phys. Rev. Lett. 63, 330 (1989).
- G. Shirane, J. Als-Nielsen, M. Nielsen, J. M. Tranquada, H. Chou, S. Shamoto, and M. Sato, Phys. Rev. B 41, 6547 (1990).
- K. N. Shrivastava and K. P. Sinha, "Magnetic Superconductors: Model Theories and Experimental Properties of Rare-Earth Compounds," North-Holland, Amsterdam, 1984.
- K. N. Shrivastava, Phys. Rev. B 41, 11168 (1990).
- J. D. Shore, M. Huang, A. T. Dorsey, and J. P. Sethna, Phys. Rev. Lett. 62, 3089 (1989).
- L. Shu-yuan, L. Li, and Z. Dian-lin, H. M. Duan, W. Kiel, and A. M. Hermann, Phys. Rev. B 47, 8324 (1993).
- Yu. N. Shvachko, A. A. Koshta, A. A. Romanyukha, V. V. Ustinov, and A. I. Akimov, Physica C 174, 447 (1991).
- Q. Si and G. Kotliar, Phys. Rev. Lett. 70, 3143 (1993).
- M. Siegel, F. Schmdl, K. Zach, E. Heinz, J. Borck, W. Michalke, and P. Seidel, Physica C 180, 288 (1991).
- T. Siegrist, S. Sunshine, D. W. Murphy, R. J. Cava, and S. M. Zahurak, Phys. Rev. B 35, 7137 (1987).
- T. Siegrist, S. M. Zahurak, D. W. Murphy, and R. S. Roth, Nature 334, 231 (1988).
- M. Sigrist, T. M. Rice, and K. Ueda, Phys. Rev. Lett. 63, 1727 (1989).
- P. Simon, J. M. Bassat, S. B. Oseroff, Z. Fisk, S.-W. Cheong, A. Wattiaux, and S. Schultz, Phys. Rev. Lett. 48, 4216 (1993).
- R. R. P. Singh, P. A. Fleury, K. B. Lyons, and P. E. Sulewski, Phys. Rev. Lett. 62, 2736 (1989).
- D. Singh, W. E. Pickett, E. C. von Stetten, and S. Berko, Phys. Rev. B 42, 2696 (1990).
- D. J. Singh, Physica C 212, 228 (1993a).
- D. J. Singh, Phys. Rev. B 48, 3571 (1993b).
- D. J. Singh and W. E. Pickett, Phys. Rev. Lett., 73, 476 (1994).
- K. Sinha, Ind. J. Phys. 66A, 1 (1992) in K. P. Sinha, "Magnetic Superconductors; Recent Developments," Nova, New York, 1989.
- S. Skanthakumar, H. Zhang, T. W. Clinton, W.-H. Li, J. W. Lynn, Z. Fisk, and S.-W. Cheong, Physica C 160, 124 (1989).
- H. L. Shriver and I. Mertig, Phys. Rev. B 41, 6553 (1990).
- V. Skumryev, R. Puzniak, N. Karpe, H. Zheng-he, M. Pout, H. Medelius, D.-X. Chen, and K. V. Rao, Physica C 152, 315 (1988).
- V. Skumryev, M. R. Koblischka, and H. Kronmüller, Physica C 184, 332 (1991).
- F. Slakey, S. L. Cooper, M. V. Klein, J. P. Rice, and D. M. Ginsberg, Phys. Rev. B 39, 2781 (1989).

- F. Slakey, M. V. Klein, J. P. Rice, and D. M. Ginsburg, Phys. Rev. B 43, 3764 (1991).
- A. W. Sleight, J. L. Gillson, and P. E. Bierstedt, Solid State Commun. 17, 27 (1975).
- A. W. Sleight, Am. Chem. Soc. Symp. Ser. 351, 2 (1987).
- L. C. Smedskjaer, A. Bansil, U. Welp, Y. Fang, and K. G. Bailey, Phys. Rev. B 46, 5868 (1992).
- H. H. A. Smit, M. W. Dirken, R. C. Thiel, and L. J. de Jongh, Solid State Commun. 64, 695 (1987).
- M. G. Smith, A. Manthiram, J. Zhou, J. B. Goodenough, and J. T. Markert, Nature 351, 549 (1991).
- M. G. Smith, J. B. Goodenough, A. Manthiram, R. Taylor, W. Peng, C. Kimball, J. Solid State Chem. 98, 181 (1992).
- R. Sobolewski, L. Shi, T. Gong, W. Xiong, X. Weng, Y. Kostoulas, and P. M. Fauchet, "Proc. High Temperature Supercond. Detectors," 2159, to be published.
- J. O. Sofo, C. A. Balseiro, and H. E. Castillo, Phys. Rev. B 45, 9860 (1992).
- L. L. Sohn, M. S. Rzchowski, J. U. Free, S. P. Benz, M. Tinkham, and C. J. Lobb, Phys. Rev. B 44, 925 (1991).
- L. L. Sohn, M. S. Rzchowski, J. U. Free, M. Tinkham, and C. J. Lobb, Phys. Rev. 45, 3003 (1992).
- P. R. Solomon and F. A. Otter, Phys. Rev. 164, 608 (1967).
- S. N. Song, Q. Robinson, S.-J. Hwu, D. L. Johnson, K. R. Poeppelmeier, and J. B. Ketterson, Appl. Phys. Lett. *51*, 1376 (1987).
- Y. S. Song, H. Park, Y. S. Choi, Y. W. Park, M. S. Jang, H. C. Lee, and S. I. Lee, J. Korean Phys. Soc. 23, 492 (1990).
- Y. Song and J. R. Gaines, J. Phys. Condens. Matter. 3, 7161 (1991).
- Y.-Q. Song, M. Lee, W. P. Halperin, L. M. Tonge, and T. J. Marks, Phys. Rev. B 44, 914 (1991a).
- Y.-Q. Song, M. A. Kennard, M. Lee, K. R. Poeppelmeier, and W. P. Halperin, Phys. Rev. B 44, 7159 (1991b).
- Y. Song, A. Misra, P. P. Crooker, and J. R. Gaines, Phys. Rev. B 45, 7574 (1992).
- Y.-Q. Song, W. P. Halperin, L. Tonge, T. J. Marks, M. Ledvij, V. G. Kogan, and L. N. Bulaevskii, Phys. Rev. Lett. 70, 3127 (1993).
- J. Spalek and P. Gopalan, J. Phys. France 50, 2869 (1989).
- J. Spalek and J. M. Honig, in "Studies in High Temperature Superconductors" (A. V. Narlikar, Ed.), Vol. 8, Chap. 1. Nova Sci., New York (1991).
- J. Spalek and W. Wojcik, Phys. Rev. B 45, 3799 (1992).
- G. Sparn, J. D. Thompson, R. L. Whetten, S.-M. Huang, R. B. Kaner, F. Diederich, G. Grüner, and K. Holczer, Phys. Rev. Lett. 68, 1228 (1992).
- P. N. Spathis, M. P. Soerensen, and N. Lazarides, Phys. Rev. B 45, 7360 (1992).

ì

C

G.

G. S.

E. ( H. ' J. /

S. I ( 1 A. F

F

S. E F .P

S C. K

S. E

M. A J.

R Sc M. A

G M tu

A. Su (1! M. Su

Ph

;h

:5

n,

18

S.

r.

e,

:S.

s.

ji,

59

gh

ì۲,

1).

99

M.

nd

зs,

- S. Spielman, J. S. Dodge, L. W. Lombardo, C. B. Eom, M. M. Fejer, T. H. Geballe, and A. Kapitulnik, Phys. Rev. 68, 3472 (1992).
- Z. M. Stadnik, G. Stroink and R. A. Dunlap, Phys. Rev. B 39, 9108 (1989).
- Z. M. Stadnik, G. Stroink, and T. Arakawa, Phys. Rev. B 44, 12552 (1991).
- B. W. Statt and A. Griffin, Phys. Rev. B 48, 619 (1993).
- T. Staufer, R. Nemetschek, R. Hackl, P. Müller, and H. Veith, Phys. Rev. Lett. 68, 1069 (1992).
- D. G. Steel and J. M. Graybeal, Phys. Rev. B 45, 12643 (1992).
- F. Steglich, J. Aarts, C. D. Bredl, W. Lieke, D. Meschede, W. Franz, and H. Schäfer, Phys. Rev. Lett. 43, 1892 (1979).
- P. Steiner, V. Kinsinger, I. Sander, B. Siegwart, S. Hüfner, and C. Politis, Z. Phys. B Cond. Mat. 67, 19 (1987).
- C. H. Stephan and B. W. Maxfield, J. Low Temp. Phys. 10, 185 (1973).
- W. Stephan and J. P. Carbotte, Phys. Rev. B 43, 10236 (1991).
- G. R. Stewart, Rev. Mod. Phys. 56, 755 (1984).
- G. R. Stewart, Z. Fisk, J. O. Willis, and T. J. Smith, Phys. Rev. Lett. B 52, 679 (1984).
- G. R. Stewart, J. O'Rourke, G. W. Crabtree, K. D. Carlson, H. H. Wang, J. M. Williams, F. Gross, and K. Andres, Phys. Rev. B 33, 2046 (1986).
- S. T. Stoddart, H. I. Mutlu, A. K. Geim, and S. J. Bending, Phys. Rev. B 47, 5146 (1993).
- E. C. Stoner, Phil. Mag. 36, 803 (1945).
- H. T. C. Stoof, Phys. Rev. B 47, 7979 (1993).
- J. A. Stratton, "Electromagnetic Theory," McGraw Hill, New York, 1941.
- S. K. Streiffer, B. M. Lairson, C. B. Eom, B. M. Clemens, J. C. Bravman, and T. H. Geballe, Phys. Rev. B 43, 13007 (1991).
- A. R. Strnad, C. F. Hempstead, and Y. B. Kim, Phys. Rev. Lett. 13, 794 (1964).
- S. E. Stupp, M. E. Reeves, D. M. Ginsberg, D. G. Hinks, B. Dabrowski, and K. G. Vandervoort, Phys. Rev. B 40, 10878 (1989).
- S. E. Stupp, T. A. Friedmann, J. P. Rice, R. A. Schweinfurth, D. J. Van Harlingen, and D. M. Ginsberg, Phys. Rev. B 43, 13073 (1991).
- C. K. Subramanian, M. Paranthaman, and A. B. Kaiser, Physica C 222, 47 (1994).
- M. A. Subramanian, C. C. Torardi, J. C. Calabrese, J. Gopalakrishnan, K. J. Morrissey, T. R. Askew, R. B. Flippen, U. Chowdhry, and A. W. Sleight, Science 239, 1015 (1988a).
- M. A. Subramanian, J. C. Calabrese, C. C. Torardi, J. Gopalakrishnan, T. R. Askew, R. B. Flippen, K. J. Morrissey, U. Chowdhry, and A. W. Sleight, Nature 332, 420 (1988b).
- A. Sudbø and E. H. Brandt, Phys. Rev. B 43, 10482 (1991a); Phys. Rev. Lett. 67, 3176 (1991b).
- M. Suenaga, A. K. Ghosh, Y. Xu, and D. O. Welch, Phys. Rev. Lett. 66, 1777 (1991).

- R. Sugano, T. Onogi, and Y. Murayama, Phys. Rev. B 45, 10789 (1992).
- J. Sugiyama, S. Tokuono, S.-I. Koriyama, H. Yamauchi, and S. Tanaka, Phys. Rev. B 43, 10489 (1991).
- J. Sugiyama, K. Matsuura, M. Kosuge, H. Yamauchi, and S. Tanaka, Phys. Rev. B 45, 9951 (1992).
- S. B. Sulaiman, N. Sahoo, T. P. Das, O. Donzelli, E. Torikai, and K. Nagamine, Phys. Rev. B 44, 7028 (1991).
- S. B. Sulaiman, N. Sahoo, T. P. Das and O. Donzelli, Phys. Rev. B 45, 7383 (1992).
- P. E. Sulewski, A. J. Sievers, R. A. Buhrman, J. M. Tarascon, L. H. Greene, and W. A. Curtin, Phys. Rev. B 35, 8829 (1987).
- P. E. Sulewski, P. A. Fleury, K. B. Lyons, S.-W. Cheong, and Z. Fisk, Phys. Rev. B 41, 225 (1990).
- J. Z. Sun, D. J. Webb, M. Naito, K. Char, M. R. Hahn, J. W. P. Hsu, A. D. Kent, D. B. Mitzi, B. Oh, M. R. Beasley, T. H. Geballe, R. H. Hammond, and A. Kapitulnik, Phys. Rev. Lett. 58, 1574 (1987).
- K. Sun, J. H. Cho, F. C. Chou, W. C. Lee, L. L. Miller, D. C. Johnston, Y. Hidaka and T. Murakami, Phys. Rev. B 43, 239 (1991).
- C. S. Sundar, A. Bharathi, Y. C. Jean, P. H. Hor, R. L. Meng, Z. J. Huang, and C. W. Chu, Phys. Rev. B 42, 426 (1990a).
- C. S. Sundar, A. Bharathi, W. Y. Ching, Y. C. Jean, P. H. Hor, R. L. Meng, Z. J. Huang and C. W. Chu, Phys. Rev. B 42, 2193 (1990b).
- C. S. Sundar, A. Bharathi, W. Y. Ching, Y. C. Jean, P. H. Hor, R. L. Meng, Z. J. Huang, and C. W. Chu, Phys. Rev. B 43, 13019 (1991).
- C. Sürgers, H. v. Löhneysen, and L. Schultz, Phys. Rev. B 40, 8787 (1989).
- Y. Suwa, Y. Tanaka, and M. Tsukada, Phys. Rev. B 39, 9113 (1989).
- M. Suzuki, Y. Enemoto, T. Murakami, and T. Inamura, "Proc. 3rd Meeting Ferroelectric Materials and Their Applications," Kyoto, 1981a.
- M. Suzuki, Y. Enemoto, T. Murakami, and T. Inamura, Jpn. J. Appl. Phys. 20, Suppl. 20-24, 13 (1981b).
- M. Suzuki and M. Hikita, Jpn. J. Appl. Phys. 28, L1368 (1989).
- M. Suzuki and M. Hikita, Phys. Rev. B 41, 9566 (1990).
- M. Suzuki and M. Hikita, Phys. Rev. B 44, 249 (1991).
- S. Suzuki, T. Takahashi, T. Kusunoki, T. Morikawa, S. Sato, H. Katayama-Yoshida, A. Yamanaka, F. Minami, and S. Takekawa, Phys. Rev. B 44, 5381 (1991).
- H. Svensmark and L. M. Falicov, Phys. Rev. B 42, 9957 (1990).
- A. Szasz, J. Hajdu, J. Kojnok, Z. Dankhazi, W. Krasser, T. Trager, and J. Bankuti, J. Supercond. 3, 425 (1990).
- B. Szpunar and V. Smith, Jr., Phys. Rev. B 45, 10616 (1992).

- M. Tachiki and S. Takahashi, Solid State Commun. 70, 291 (1989).
- A. Tagliacozzo, F. Ventriglia, and P. Apell, Phys. Rev. B 40, 10901 (1989).
- L. Taillefer, in "Hyperfine Interactions," to be published.
- S. Tajima, S. Uchida, A. Masaki, H. Takaki, K. Kitazawa, S. Tanaka, and A. Katsui, Phys. Rev. B 32, 6302 (1985).
- S. Tajima, S. Uchida, H. Ishii, H. Takagi, S. Tanaka, U. Kawabe, H. Hasegawa, T. Aita, and T. Ishiba, Mod. Phys. Lett. B 1, 353 (1988).
- Y. Tajima, M. Hikita, T. Ishii, H. Fuke, K. Sugiyama, M. Date, A. Yamagishi, A. Katsui, Y. Hidaka, T. Iwata, and S. Tsurumi, Phys. Rev. B 37, 7956 (1988).
- S. Tajima and K. Kitazawa, in "Some Aspects of Superconductivity" (L. C. Gupta, Ed.) Nova Scientific Publ., New York, 1990.
- J. Takada, T. Terashima, Y. Bando, H. Mazaki, K. Iijima, K. Yamamoto, and K. Hirata, Phys. Rev. B 40, 4478 (1989).
- Y. Takada, Phys. Rev. B 39, 11575 (1989).
- H. Takagi, H. Eisaki, S. Uchida, A. Maeda, S. Tajima, K. Uchinokura, and S. Tanaka, Nature 332, 236 (1988).
- T. Takahashi, H. Matsuyama, H. Katamaya-Yoshida, Y. Okabe, S. Hosoya, K. Seki, H. Fujimoto, M. Sato, and H. Inokuchi, Phys. Rev. B 39, 6636 (1989).
- T. Takahashi, S. Sukuki, T. Morikawa, H. Katayama-Yoshida, S. Hasegawa, H. Inokuchi, K. Seki, K. Kikuchi, S. Suzuki, K. Ikemoto, and Y. Achiba, Phys. Rev. Lett. 68, 1232 (1992).
- I. Takeuchi, J. S. Tsai, Y. Shimakawa, T. Manako, and Y. Kubo, Physica C 158, 83 (1989).
- M. Takigawa, A. P. Reyes, P. C. Hammel, J. D. Thompson, R. H. Heffner, Z. Fisk, and K. C. Ott, Phys. Rev. B 43, 247 (1991).
- M. Takigawa, J. L. Smith, and W. L. Hults, Phys. Rev. B 44, 7764 (1991).
- J. L. Tallon, Proc. 7th Intl. Workshop Critical Currents in "Superconductors, Tyrol, Austria," World Scientific, Singapore, 1994.
- K. Tamasaku, Y. Nakamura, and S. Uchida, Phys. Rev. Lett. 69, 1455 (1992).
- T. Tamegai, K. Koga, K. Suzuki, M. Ichihara, F. Sadai, and Y. Iye, Jpn. J. Appl. Phys. Lt. 2, 28, L112 (1989).
- Z. Tan, J. I. Budnick, W. Q. Chen, D. L. Brewe, S.-W. Cheong, A. S. Cooper, and L. W. Rupp, Jr., Phys. Rev. B 42, 4808 (1990).
- Z. Tan, J. I. Budnick, S. Luo, W. Q. Chen, S.-W. Cheong, A. S. Cooper, P. C. Canfield, and Z. Fisk, Phys. Rev. B 44, 7008 (1991).
- Y. Tanaka and M. Tsukada, Phys. Rev. B 40, 4482 (1989a); Solid State Commun. 69, 195, 491 (1989b).
- Y. Tanaka and M. Tsukada, Phys. Rev. B 42, 2066 (1990).

- Y. Tanaka and M. Tsukada, Phys. Rev. B 44, 7578 (1991).
- S. Tanda, M. Honma, and T. Nakayama, Phys. Rev. B 43, 8725 (1991).
- C. Q. Tang, B. R. Li, and A. Chen, Phys. Rev. B 42, 8078 (1990).
- X. X. Tang, D. E. Morris, and A. P. B. Sinha, Phys. Rev. B 43, 7936 (1991).
- T. Tani, T. Itoh and S. Tanaka, J. Phys. Soc. Jpn. Suppl. A 49, 309 (1980).
- S. Tanigawa, Y. Mizuhara, Y. Hidaka, M. Oda, M. Suzuki, and T. Murakami, Mater. Res. Soc. Symp. Proc. 99, 57 (1988).
- D. B. Tanner and T. Timusk, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 3, Chap. 5, World Scientific, Singapore, 1992.
- H. J. Tao, A. Chang, F. Lu, and E. L. Wolf, Phys. Rev. B 45, 10622 (1992).
- J. M. Tarascon, L. H. Greene, W. R. McKinnon, and G. W. Hull, Phys. Rev. B 35, 7115 (1987a).
- J. M. Tarascon, W. R. McKinnon, L. H. Greene, G. W. Hull, and E. M. Vogel, Phys. Rev. B 36, 226 (1987b).
- J. M. Tarascon, L. H. Greene, W. R. McKinnon, G. W. Hull, and T. H. Geballe, Science 235, 1373 (1987c).
- J. M. Tarascon, P. Barboux, P. F. Miceli, L. H. Greene, D. W. Hull, M. Eibschutz, and S. A. Sunshine, Phys. Rev. B 37, 7458 (1988a).
- J. M. Tarascon, Y. LePage, P. Barboux, B. G. Bagley, L. H. Greene, W. R. McKinnon, G. W. Hull, M. Giroud, and D. M. Hwang, Phys. Rev. 37, 9382 (1988b).
- J. M. Tarascon, E. Wang, L. H. Greene, B. G. Bagley, G. W. Hull, S. M. D'Egidio, P. F. Miceli, Z. Z. Wang, T. W. Jing, J. Clayhold, D. Brawner, and N. P. Ong, Phys. Rev. B 40, 4494 (1989a).
- J. M. Tarascon, Y. LePage, W. R. McKinnon, E. Tselepis, P. Barboux, B. G. Bagley, and R. Ramesh, in "Proc. Mater. Res. Soc. Symp.," San Diego, Apr. 23–28, 1989b.
- V. V. Tatarskii, M. Paranthaman, and A. M. Hermann, Phys. Rev. B 47, 14489 (1993).
- Y. Taur, P. L. Richards, and T. Auracher, Low Temp. Phys. 3, 276 (1974).
- W. M. Temmerman, G. M. Stocks, P. J. Durham, and P. A. Sterne, J. Phys. F 17, L135 (1987).
- M. A. Teplov, O. N. Bakharev, A. V. Dooglav, A. V. Egorov, M. V. Eremin, M. S. Tagirov, A. G. Volodin, and R. Sh. Zhdanov, Physica C 185-189, 1107 (1991).
- I. Terasaki, T. Nakahashi, S. Takebayashi, A. Maeda and K. Uchinokura, Physica C 165, 152 (1990a).
- I. Terasaki, S. Tajima, H. Eisaki, H. Takigi, K. Uchinokura, and S. Uchida, Phys. Rev. B 41, 865 (1990b).
- T. Terashima, K. Shimura, Y. Bando, Y. Matsuda, A. Fujiyama, and S. Komiyama, Phys. Rev. Lett. 67, 1362 (1991).

]

7

S

G.

T

R.

J. ]

J. F

J. F

C. 1

(

R. J.

C. T T. S

D. R

CI

T. Ti o G

M. T

M. T (1

M. ) K

- B. M. Terzijska, R. Wawryk, D. A. Dimitrov, Cz. Marucha, V. T. Kovachev, and J. Rafalowicz, Cryogenics 32, 53 (1992).
- Z. Tesanovic and M. Rasolt, Phys. Rev. B 39, 2718 (1989).
- Z. Tesanovic, M. Rasolt, and L. Xing, Phys. Rev. B 43, 288 (1991).
- Z. Tesanovic, Phys. Rev. B 44, 12635 (1991).
- L. R. Tessler, J. Provost, and A. Maignan, Appl. Phys. Lett. 58, 528 (1991).
- L. Tewordt, S. Wermbter, and Th. Wölkhausen, Phys. Rev. B *40*, 6878 (1989).
- L. Tewordt and Th. Wölkhausen, Solid State Commun. 70, 839 (1989).
- T. D. Thanh, A. Koma, and S. Tanaka, Appl. Phys. 22, 205 (1980).
- S. Theodorakis and Z. Tesanovic, Phys. Rev. B 40, 6659 (1989).
- S. L. Thiemann, Z. Radovic, and V. G. Kogan, Phys. Rev. B *39*, 11406 (1989).
- T. Thio, T. R. Thurston, N. W. Preyer, P. J. Picone, M. A. Kastner, H. P. Jenssen, D. R. Gabbe, C. Y. Chen, R. J. Birgeneau, and A. Aharony, Phys. Rev. B 38, 905 (1988).
- G. Thomas, M. Capizzi, J. Orenstein, D. Rapkine, A. Millis, P. Gammel, L. Gammel, L. F. Schneemeyer, and J. Waszczak, in "Proceedings of the International Symposium on the Electronic Structure of High T<sub>c</sub> Superconductors," p. 67, (A. Bianconi, Ed.) Pergamon Press, Oxford, 1988.
- R. S. Thompson, Phys. Rev. B 1, 327 (1970).
- J. R. Thompson, J. Brynestad, D. M. Kroeger, Y. C. Kim, S. T. Sekula, D. K. Christen, and E. Specht, Phys. Rev. B 39, 6652 (1989).
- J. R. Thompson, D. K. Christen, H. A. Deeds, Y. C. Kim, J. Brynestad, S. T. Sekula, and J. Budai, Phys. Rev. B 41, 7293 (1990).
- J. R. Thompson, J. G. Ossandon, D. K. Christen, B. C. Chakoumakos, Y. R. Sun, M. Paranthaman, and J. Brynestad, Phys. Rev. B 48, 14031 (1993).
- C. Thomsen and M. Cardona, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 1, Chap. 8, World Scientific, Singapore, 1989.
- R. J. Thorn, ACS Symp. Ser. 351, Chap. 3, (1987).
- C. Tien and I. M. Jiang, Phys. Rev. B 40, 229 (1989).
- T. S. Tighe, M. T. Tuominen, J. M. Hergenrother, and M. Tinkham, Phys. Rev. B 47, 1145 (1993).
- D. R. Tilley and J. Tilley, "Superfluidity and Superconductivity," Hilger, Boston (1986).
- T. Timusk and D. B. Tanner, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 1, Chap. 7, World Scientific, New York (1989)
- M. Tinkham, Phys. Rev. Lett. 13, 804 (1964).
- M. Tinkham and J. Clarke, Phys. Rev. Lett. 28, 1366 (1972).
- M. Tinkham, "Introduction to Superconductivity," Krieger, FL (1985).

- M. Tinkham and C. J. Lobb, Solid State Phys. 42, 91 (1989).
- J. E. Tkaczyk, R. H. Arendt, M. F. Garbauskas, H. R. Hart, K. W. Lay, and F. E. Luborsky, Phys. Rev. B 45, 12506 (1992).
- J. G. Tobin, C. G. Olson, C. Gu, J. Z. Liu, F. R. Solal, M. J. Fluss, R. H. Howell, J. C. O'Brien, H. B. Radousky, and P. A. Sterne, Phys. Rev. B 45, 5563 (1992).
- B. H. Toby, T. Egami, J. D. Jorgensen, and M. A. Subramanian, Phys. Rev. Lett. 64, 2414 (1990).
- K. Togano, H. Kumakura, K. Fukutomi, and K. Tachikawa, Appl. Phys. Lett. 51, 136 (1987).
- A. Tokiwa, M. Nagoshi, and Y. Syono, Physica C 170, 437 (1990).
- A. Tokiwa, Y. Syono, T. Oku, and M. Nagoshi, Physica C 185-189, 619 (1991).
- A. Tokiwa-Yamamoto, K. Isawa, M. Itoh, S. Adachi, and H. Yamauchi, Physica C 216, 250 (1993).
- A. Tokumitu, K. Miyake, and K. Yamada, Phys. Rev. B 47, 11988 (1993).
- M. Tokumoto, H. Bando, H. Anzai, G. Saito, K. Murata, K. Kajimura, and T. Ishiguro, J. Phys. Soc. Jpn. 54, 869 (1985).
- T. A. Tokuyasu, D. W. Hess, and J. A. Sauls, Phys. Rev. B 41, 8891 (1990); T. A. Tokuyasu and J. A. Sauls, Physica B 165–166, 347 (1990).
- J. C. Tolédano, A. Litzler, J. Primot, J. Schneck, L. Pierre, D. Morin, and C. Daguet, Phys. Rev. B 42, 436 (1990).
- H. Tolentino, M. Medarde, A. Fontaine, F. Baudelet,E. Dartyge, D. Guay, and G. Tourillon, Phys. Rev. B 45, 8091 (1992).
- I. Tomeno, M. Yoshida, K. Ikeda, K. Tai, K. Takamuku, N. Koshizuka, S. Tanaka, K. Oka, and H. Unoki, Phys. Rev. B 43, 3009 (1991).
- J. Toner, Phys. Rev. Lett. 66, 2523 (1991a).
- J. Toner, Phys. Rev. Lett. 67, 2537 (1991b); see comment by T. Nattermann and I. Lyuksyutov, and reply 68, 3366 (1992).
- C. C. Torardi, M. A. Subramanian, J. C. Calabrese, J. Gopalakrishnan, K. J. Morrissey, T. R. Askew, R. B. Flippen, U. Chowdhry, and A. W. Sleight, Science 240, 631 (1988a).
- C. C. Torardi, M. A. Subramanian, J. C. Calabrese, J. Gopalakrishnan, E. M. McCarron, K. J. Morrissey, T. R. Askew, R. B. Flippen, U. Chowdhry, and A. W. Sleight, Phys. Rev. B 38, 225 (1988b).
- J. B. Torrance, J. Solid State Chem. 96, 59 (1992).
- J. B. Torrance, P. Lacorre, A. I. Nazzal, E. J. Ansaldo, and Ch. Niedermayer, Phys. Rev. B 45, 8209 (1992).
- H. Totsuji, Phys. Rev. B 43, 5287 (1991).
- M. Touminen, A. M. Goldman, Y. Z. Chang, and P. Z. Jiang, Phys. Rev. B 42, 412 (1990).
- S. W. Tozer, A. W. Kleinsasser, T. Penney, D. Kaiser, and F. Holtzberg, Phys. Rev. Lett. 59, 1768 (1987).
- J. M. Tranquada, G. Shirane, B. Keimer, S. Shamoto, and M. Sato, Phys. Rev. B 40, 4503 (1989).

- J. M. Tranquada, in "Early and Recent Aspects of Superconductivity" (J. G. Bednorz and K. A. Müller, Eds.), p. 422, Springer-Verlag, Berlin, 1990.
- J. M. Tranquada, P. M. Gehring, G. Shirane, S. Shamoto, and M. Sato, Phys. Rev. B 46, 5561 (1992).
- A. Tressaud, K. Amine, J. P. Chaminade, J. Etourneau, T. M. Duc, and A. Sartre, J. Appl. Phys. 68, 248 (1990).
- J.-M. Triscone, Ø. Fischer, O. Brunner, L. Antognazza, A. D. Kent, and M. G. Karkut, Phys. Rev. Lett. 64, 804 (1990).
- V. N. Trofimov, A. V. Kuznetsov, P. V. Lepeschkin, K. A. Bolschinskov, A. A. Ivanov, and A. A. Mikhailov, Physica C 183, 135 (1991).
- A. Trokiner, R. Mellet, A-M. Pougnet, D. Morin, Y. M. Gao, J. Primot, and J. Schneck, Phys. Rev. B 41, 9570 (1990).
- A. Trokiner, L. LeNoc, J. Schneck, A. M. Pougnet, R. Mellet, J. Primot, H. Savary, Y. M. Gao, and S. Aubry, Phys. Rev. B 44, 2426 (1991).
- N. Troullier and J. L. Martins, Phys. Rev. B 46, 1754 (1992).
- S. A. Trugman, Phys. Rev. Lett. 65, 500 (1990).
- J.-S. Tsai, A. K. Jain, and J. E. Lukens, Phys. Rev. Lett. 51, 316 (1983).
- S.-F. Tsay, S.-Y. Wang, and T. J. W. Yang, Phys. Rev. B 43, 13080 (1991).
- C. C. Tsuei, A. Gupta, and G. Koren, Physica C 161, 415 (1989).
- M. Touminen, A. M. Goldman, Y. Z. Chang, and P. Z. Jiang, Phys. Rev. B 42, 412 (1990).
- M. T. Tuominen, J. M. Hergenrother, T. S. Tighe, and M. Tinkham, Phys. Rev. B 47, 11599 (1993).
- I. Tüttö, L. M. Kahn and J. Ruvalds, Phys. Rev. B 20, 952 (1979).
- Tüttö and A. Zawadowski, Phys. Rev. B 45, 4842 (1992).
- R. Tycko, G. Dabbagh, M. J. Rosseinsky, D. W. Murphy, R. M. Fleming, A. P. Ramirez, and J. C. Tully, Science 253, 884 (1991).
- R. Tycko, G. Dabbagh, M. J. Rosseinsky, D. W. Murphy, A. P. Ramirez, and R. M. Fleming, Phys. Rev. Lett. 68, 1912 (1992).
- S. Uchida, H. Takagi, K. Kitazawa and S. Tanaka, Jpn. J. Appl. Phys. 26, L1 (1987).
- S. Uchida, T. Ido, H. Takagi, T. Arima, Y. Tokura and S. Tajima, Phys. Rev. B 43, 7942 (1991).
- Y. J. Uemura, L. P. Le, G. M. Luke, B. J. Sternlieb, W. D. Wu, J. H. Brewer, T. M. Riseman, C. L. Seaman, M. B. Maple, M. Ishikawa, D. G. Hinks, J. D. Jorgensen, G. Saito and H. Yamochi, Phys. Rev. Lett. 66, 2665 (1991).
- A. Ugawa, K. Iwasaki, A. Kawamoto, K. Yakushi, Y. Yamashita, and T. Suzuki, Phys. Rev. B 43, 14718 (1991).
- C. Uher and W.-N. Huang, Phys. Rev. B 40, 2694 (1989).
- C. Uher, J. Supercond. 3, 337 (1990).

- C. Uher, in "Physical Properties of High Temperature Superconductors" (D. M. Ginsberg, Ed.), Vol. 3, Chap. 3, World Scientific, Singapore, 1992.
- S. Ullah, A. T. Dorsey, and L. J. Buchholtz, Phys. Rev. B 42, 9950 (1990).
- S. Ullah and A. T. Dorsey, Phys. Rev. Lett. 65, 2066 (1990).
- S. Ullah and A. T. Dorsey, Phys. Rev. B 44, 262 (1991).
- J. S. Urbach, D. B. Mitzi, A. Kapitulnik, J. Y. T. Wei, and D. E. Morris, Phys. Rev. B 39, 12391 (1989).
- A. V. Ustinov, T. Doderer, R. P. Huebener, N. F. Pederson, B. Mayer, and V. A. Oboznov, Phys. Rev. Lett. 69, 1815 (1992).
- P. P. Vaishnava, C. A. Taylor, II, and C. L. Foiles, Phys. Rev. B 41, 4195 (1990).
- J. M. Valles, Jr., R. C. Dynes, and J. P. Garno, Phys. Rev. B 40, 6680 (1989).
- J. M. Valles, Jr., R. C. Dynes, A. M. Cucolo, M. Gurvitch, L. F. Schneemeyer, J. P. Garno, and J. V. Waszczak, Phys. Rev. B 44, 11986 (1991).
- J. van den Berg, C. J. van der Beek, P. H. Kest, J. A. Mydosh, M. J. V. Menken, and A. A. Menovsky, Supercond. Sci. Tech. 1, 249 (1989).
- J. van den Berg, C. J. van der Beek, P. H. Kes, J. A. Mydosh, G. J. Nieuwenhuys, and L. J. de Jongh, Solid State Commun. 64, 699 (1987).
- A. M. van den Brink, G. Schön, and L. Geerligs, Phys. Rev. Lett. 67, 3030 (1991).
- D. Van Der Marel, Physica C 165, 35 (1990).
- H. P. van der Meulen, A. de Visser, J. J. M. Franse, T. T. J. M. Berendschot, J. A. A. J. Perenboom, H. van Kempen, A. Lacerda, P. Lejay, and J. Fouquet, Phys. Rev. B 44, 814 (1991).
- H. S. J. van der Zant, F. C. Fritschy, T. P. Orlando, and J. E. Mooij, Phys. Rev. Lett. 66, 2531 (1991).
- K. G. Vandervoort, U. Welp, J. E. Kessler, H. Claus, G. W. Crabtree, W. K. Kwok, A. Umezawa, B. W. Veal, J. W. Downey, A. P. Paulikas, and J. Z. Liu, Phys. Rev. B 43, 13042 (1991).
- H. S. J. van der Zant, F. C. Fritschy, T. P. Orlando, and J. E. Mooij, Phys. Rev. B 47, 295 (1993).
- R. B. VanDover, E. M. Gyorgy, A. E. White, L. F. Schneemeyer, R. J. Felder, and J. V. Waszczak, Appl. Phys. Lett. 56, 2681 (1990).
- T. Van Duzer and C. W. Turner, "Principles of Superconductive Devices and Circuits," Elsevier, New York (1981).
- A. G. Van Vijfeijkenand and A. K. Niessen, Philips Res. Rep. 20, 505 (1965a); Phys. Lett. 16, 23 (1965b).
- B. J. van Wees, K.-M. H. Lenssen, and C. J. P. M. Harmans, Phys. Rev. B 44, 470 (1991).
- C. M. Varma, S. Schmitt-Rink, and E. Abrahams, in "Theories of High Temperature Superconductivity" (J. W. Halley, Ed.), p. 211, Addison Wesley, Reading, MA, 1988.
- C. M. Varma, P. B. Littlewood, S. Schmitt-Rink, E. Abrahams, and A. E. Ruckenstein, Phys. Rev. Lett. 63, 1996 (1989).

- B. V. Vasiliev, J. Supercond. 4, 271 (1991).
- D. R. Veblen, P. J. Heaney, R. J. Angel, L. W. Finger, R. M. Hazen, C. T. Prewitt, N. L. Ross, C. W. Chu, P. H. Hor, and R. L. Meng, Nature 332, 334 (1988).
- A. J. Vega, W. E. Farneth, E. M. McCarron, and R. K. Bordia, Phys. Rev. B 39, 2322 (1989a).
- A. J. Vega, M. K. Crawford, E. M. McCarron, and W. E. Farneth, Phys. Rev. B 40, 8878 (1989b).
- E. L. Venturini, D. S. Ginley, J. F. Kwak, R. J. Baughman, J. E. Schirber, and B. Morosin, *in* "High Temperature Superconductors" (D. U. Gubser and M. Schluter, Eds.), p. 97, Mater. Res. Soc., Pittsburgh, 1987.
- R. Vijayaraghavan, A. K. Ganguli, N. Y. Vasan-thacharya, M. K. Rajumon, G. U. Kulkarni, G. Sankar, D. D. Sarma, A. K. Sood, N. Chandrabhas, and C. N. R. Rao, Supercond. Sci. Technol. 2, 195 (1989).
- P. Villars and J. C. Phillips, Phys. Rev. B 37, 2345 (1988).
- L. Ya. Vinnikov and I. V. Grigor'eva, JETP Lett. 47, 106 (1988).
- V. M. Vinokur, M. V. Feigel'man, V. B. Geshkenbein, and A. I. Larkin, Phys. Rev. Lett. 65, 259 (1990).
- V. M. Vinokur, M. V. Feigel'man, and V. B. Geshkenbein, Phys. Rev. Lett. 67, 915 (1991).
- A. Virosztek and J. Ruvalds, Phys. Rev. Lett. 67, 1657 (1991).
- V. M. Virosztek and J. Ruvalds, Phys. Rev. B 45, 347 (1992).
- P. Visani, A. C. Mota, and A. Pollini, Phys. Rev. Lett. 65, 1514 (1990).
- J. P. Vithayathil, D. E. MacLaughlin, E. Koster, D. Ll. Williams, and E. Bucher, Phys. Rev. B 44, 4705 (1991).
- B. M. Vlcek, M. C. Frischherz, S. Fleshler, U. Welp, J. Z. Liu, J. Downey, K. G. Vandervoort, G. W. Crabtree, M. A. Kirk, J. Giapintzakis, and J. Farmer, Phys. Rev. Lett. 46, 6441 (1992).
- N. V. Volkenshteyn et al., Fiz. Met. Metalloved 45, 1187 (1978).
- A. R. von Hippel, "Dielectrics and Waves," p. 255, MIT Press, Cambridge, MA, 1954.
- S. von Molnár, A. Torresson, D. Kaiser, F. Holtzberg, and T. Penney, Phys. Rev. B 37, 3762 (1988).
- F. von Oppen and E. K. Riedel, Phys. Rev. Lett. 66, 84 (1991).
- S. V. Vonsovsky, Yu. A. Izyumov, and E. Z. Kurmaev, "Superconductivity in Transition Metals," Springer, New York (1982).
- A. Wadas, O. Fritz, H. J. Hug, and H.-J. Güntherodt,Z. Phys. B 88, 317 (1992).
- S. F. Wahid and N. K. Jaggi, Physica C 184, 88 (1991).
- D. R. Wake, F. Slakey, M. V. Klein, J. P. Rice, and D. M. Ginsberg, Phys. Rev. Lett. 67, 3728 (1991).
- M. Wallin, Phys. Rev. B 41, 6575 (1990).
- R. E. Walstedt and W. W. Warren, Jr., Science 248, 1082 (1990).

- R. E. Walstedt, W. W. Warren, Jr., R. F. Bell, R. J. Cava, G. P. Espinosa, L. F. Schneemeyer, and J. V. Waszczak, Phys. Rev. B 41, 9574 (1990).
- R. E. Walstedt, R. F. Bell, and D. B. Mitzi, Phys. Rev. B 44, 7760 (1991).
- R. E. Walstedt, R. F. Bell, L. F. Schneemeyer, J. V. Waszczak, and G. P. Espinosa, Phys. Rev. B 45, 8074 (1992).
- B. L. Walton, B. Rosenblum, and F. Bridges, Phys. Rev. Lett. 32, 1047 (1974).
- Z. Wang, N. Zou, J. Pang, and C. Gong, Solid State Commun. 64, 531 (1987).
- Z. Z. Wang, J. Clayhold, N. P. Ong, J. M. Tarascon, L. H. Greene, W. R. McKinnon, and G. W. Hull, Phys. Rev. 36, 7222 (1987).
- S. J. Wang, S. V. Naidu, S. C. Sharma, D. K. De, D. Y. Jeong, T. D. Black, S. Krichene, J. R. Reynolds, and J. M. Owens, Phys. Rev. B 37, 603 (1988).
- Y. R. Wang, Phys. Rev. B 40, 2698 (1989).
- C-P. S. Wang, in "High Temperature Superconductivity" (J. W. Lynn, Ed.), Chap. 5, Springer-Verlag, Berlin, 1990.
- Y.-Y. Wang, G. Feng, and A. L. Ritter, Phys. Rev. B 42, 420 (1990).
- T. Wang, K. M. Beauchamp, D. D. Berkley, B. R. Johnson, J.-X. Liu, J. Zhang, and A. M. Goldman, Phys. Rev. B, 43, 8623 (1991).
- Z. Wang, Y. Bang, and G. Kotliar, Phys. Rev. Lett. 67, 2733 (1991).
- Y. Wang, A. M. Rao, J.-G. Zhang, X.-X. Bi, P. C. Eklund, M. S. Dresselhaus, P. P. Nguyen, J. S. Moodera, G. Dresselhaus, H. B. Radousky, R. S. Glass, M. J. Fluss, and J. Z. Liu, Phys. Rev. B 45, 2523 (1992).
- K-A. Wang, Y. Wang, P. Zhou, J. M. Holden, S.-L. Ren, G. T. Hager, H. F. Ni, P. C. Eklund, G. Dresselhaus, and M. S. Dresselhaus, Phys. Rev. B 45, 1955 (1992).
- Z. D. Wang and C. S. Ting, Phys. Rev. Lett. 69, 1435 (1992a).
- Z. D. Wang and C. S. Ting, Phys. Rev. 46, 284 (1992b)
- Z. D. Wang and C.-R. Hu, Phys. Rev. B 44, 11918 (1991).
- C. A. Wang, R. L. Wang, H. C. Li, H. R. Yi, C. G. Cui, S. L. Li, X. N. Jing, J. Li, P. Xu, and L. Li, Physica C 191, 52 (1992).
- Z. H. Wang, A. W. P. Fung, G. Dresselhaus, M. S. Dresselhaus, K. A. Wang, P. Zhou, and P. C. Eklund, Phys. Rev. B 47, 15354 (1993).
- N. L. Wang, Y. Chong, C. Y. Wang, D. J. Huang, Z. Q. Mao, L. Z. Cao, and Z. J. Chen, Phys. Rev. B 47, 3347 (1993).
- Y. Watanabe, Z. Z. Wang, S. A. Lyon, D. C. Tsui, N. P. Ong, J. M. Tarascon, and P. Barboux, Phys. Rev. B 40, 6884 (1989).
- Y. Watanabe, D. C. Tsui, J. T. Birmingham, N. P. Ong, and J. M. Tarascon, Phys. Rev. B 43, 3026 (1991).

- K. Watanabe, S. Awaji, N. Kobayashi, H. Yamane, T. Hirai, and Y. Muto, J. Appl. Phys. 69, 1543 (1991).
- J. H. P. Watson, J. Appl. Phys. 39, 3406 (1968).
- H. L. Watson and R. P. Huebener, Phys. Rev. B 10, 4577 (1974).
- C. H. Watson, D. A. Browne, J.-C. Xu, and R. G. Goodrich, Phys. Rev. B 40, 8885 (1989).
- W. J. Wattamaniuk, J. P. Tidman, and R. F. Frindt, Phys. Rev. Lett. 35, 62 (1975).
- B. D. Weaver, J. M. Pond, D. B. Chrisey, J. S. Horwitz, H. S. Newman, and G. P. Summers, Appl. Phys. Lett. 58, 1563 (1991).
- W. Weber, Phys. Rev. Lett. 58, 1371 (1987).
- W. Weber, Z. Phys. B 70, 323 (1988).
- H. Weber and P. Minnhagen, Phys. Rev. B 38, 8730 (1988).
- W. H. Weber, C. R. Peters, B. M. Wanklyn, C. Chen, and B. E. Watts, Phys. Rev. 38, 917 (1988).
- W. H. Weber, C. R. Peters, and E. M. Logothetis, J. Opt. Soc. Am. B 6, 455 (1989).
- W. H. Weber and G. W. Ford, Phys. Rev. B 40, 6890 (1989).
- H. Weber and H. J. Jensen, Phys. Rev. B 44, 454 (1991).
- M. Weger, Rev. Mod. Phys. 36, 175 (1964).
- H. Weinstock, IEEE Trans. Magn. 27, 3231 (1991).
- B. O. Wells, Z.-X. Shen, D. S. Dessau, W. E. Spicer, C. G. Olson, D. B. Mitzi, A. Kapitulnik, R. S. List, and A. Arko, Phys. Rev. Lett. 65, 3056 (1990).
- U. Welp, W. K. Kwok, G. W. Crabtree, K. G. Vandervoort, and J. Z. Liu, Phys. Rev. Lett. 62, 1908 (1989); Phys. Rev. B 40, 5263 (1989).
- U. Welp, S. Fleshler, W. K. Kwok, J. Downey, Y. Fang, G. W. Crabtree, and J. Z. Liu, Phys. Rev. B 42, 10189 (1990).
- Z. Y. Weng, C. S. Ting, and T. K. Lee, Phys. Rev. B 41, 1990 (1990).
- F. Wenger and S. Östlund, Phys. Rev. B 47, 5977 (1993).
- F. Werfel, G. Dräger, J. A. Leiro, and K. Fischer, Phys. Rev. B 45, 4957 (1992).
- S. Wermbter and L. Tewordt, Phys. Rev. B 44, 9524 (1991); Physica C 183, 365 (1991).
- N. R. Werthamer, Phys. Rev. 132, 2440 (1963).
- M.-H. Whangbo and C. C. Torardi, Acct. Chem. Res. 24, 127 (1991).
- J. M. Wheatley, T. C. Hsu, and P. W. Anderson, Phys. Rev. B 37, 5897 (1988).
- A. Widom, Y. N. Srivastava, C. Vittoria, H. How, R. Karim, and H. Jiang, Phys. Rev. B 46, 1102 (1992).
- R. J. Wijngaarden, E. N. van Eenige, J. J. Scholtz, and R. Griessen, High Pressure Res. 3, 105 (1990).
- F. Wilczek, Phys. Rev. Lett. 48, 1144 (1982a).
- F. Wilczek, Phys. Rev. Lett. 49, 957 (1982b).
- N. K. Wilkin and M. A. Moore, Phys. Rev. B 48, 3464 (1993)
- G. P. Williams, R. C. Budhani, C. J. Hirschmugl, G. L. Carr, S. Perkowitz, B. Lou, and T. R. Yang, Phys. Rev. B 41, 4752 (1990).

- P. J. Williams and J. P. Carbotte, Phys. Rev. B 43, 7960 (1991).
- M. N. Wilson, "Superconducting Magnets," Clarendon Press, Oxford, 1983.
- A. Wittlin, L. Genzel, M. Cardona, M. Bauer, W. König, E. Garcia, M. Barahona, and M. V. Cabañas, Phys. Rev. B 37, 652 (1988).
- T. Wittmann and J. Stolze, Phys. Rev. B 48, 3479 (1993).
- S. A. Wolf and V. Z. Kresin, Eds., "Novel Superconductivity," Plenum, New York, 1987.
- Y. Wolfus, Y. Yeshurun, I. Felner, and H. Sompolinsky, Phys. Rev. B 40, 2701; see B 39, 11690 (1989).
- H. Won and K. Maki, Phys. Rev. B 49, 1397 (1994).
- R. F. Wood and J. F. Cooke, Phys. Rev. B 45, 5585 (1992).
- F. Wooten, "Optical Properties of Solids," p. 244, Academic Press, New York, 1972.
- R. Wördenweber, Phys. Rev. B 46, 3076 (1992).
- A. H. Worsham, N. G. Ugras, D. Winkler, D. E. Prober, N. R. Erickson, and P. F. Goldsmith, Phys. Rev. Lett. 67, 3034 (1991).
- T. K. Worthington, W. J. Gallagher, and T. R. Dinger, Phys. Rev. Lett. 59, 1160 (1987).
- W. H. Wright, D. J. Holmgren, T. A. Friedmann, M. P. Maher, B. G. Pazol, and D. M. Ginsberg, J. Low Temp. Phys. 68, 109 (1987).
- M. K. Wu, J. R. Ashburn, C. J. Torng, P. H. Hor, R. L. Meng, L. Gao, Z. J. Huang, Y. Q. Wang, and C. W. Chu, Phys. Rev. Lett. 58, 908 (1987).
- J. Z. Wu, C. S. Ting, and D. Y. Xing, Phys. Rev. B 40, 9296 (1989).
- D.-H. Wu and S. Sridhar, Phys. Rev. Lett. 65, 2074 (1990).
- J. Z. Wu, C. S. Ting, W. K. Chu, and X. X. Yao, Phys. Rev. B 44, 411 (1991a).
- J. Z. Wu, P. Y. Hsieh, A. V. McGuire, D. L. Schmidt, L. T. Wood, Y. Shen, and W. K. Chu, Phys. Rev. B 44, 12643 (1991b).
- Z. Y. Wu, M. Benfatto, and C. R. Natoli, Phys. Rev. B 45, 531 (1992).
- D. H. Wu, J. Mao, S. N. Mao, J. L. Peng, X. X. Xi, T. Venkatesan, R. L. Greene, and S. M. Anlage, Phys. Rev., Lett. 70, 85 (1993).
- R. W. G. Wyckoff, "Crystal Structures," Vol. 1, Wiley, New York, 1963.
- R. W. G. Wyckoff, "Crystal Structures," Vol. 2, Wiley, New York, 1964.
- R. W. G. Wyckoff, "Crystal Structures," Vol. 3, Wiley, New York, 1965.
- R. W. G. Wyckoff, "Crystal Structures," Vol. 4, Wiley, New York, 1968.
- D. G. Xenikos and T. R. Lemberger, Phys. Rev. B 41, 869 (1990).
- T.-K. Xia and D. Stroud, Phys. Rev. B 39, 4792 (1989).
- W. Xia and P. L. Leath, Phys. Rev. Lett. 63, 1428 (1989).
- G. Xiao, F. H. Streitz, A. Gavrin, Y. W. Du, and C. L. Chien, Phys. Rev. B 35, 8782 (1987a).

ŀ

I.

Z Z

N

N

J.

- G. Xiao, F. H. Streitz, A. Gavrin, M. Z. Cieplak, J. Childress, M. Lu, A. Zwicker, and C. L. Chien, Phys. Rev. B 36, 2382 (1987b).
- G. Xiao, M. Z. Cieplak, and C. L. Chien, Phys. Rev. B 40, 4538 (1989).
- D. Y. Xing and M. Liu, Phys. Rev. B 43, 3744 (1991).
- Q. Xiong, Y. Y. Xue, Y. Cao, F. Chen, Y. Y. Sun, J. Gibson, L. M. Liu, A. Jacobson, and C. W. Chu, Phys. Rev. Lett., in press (1994).
- Y. Xu, M. Suenaga, A. R. Moodenbaugh, and D. O. Welch, Phys. Rev. B 40, 10882 (1989).
- Y. Xu, M. Suenaga, Y. Gao, J. E. Crow, and N. D. Spencer, Phys. Rev. B 42, 8756 (1990).
- M. Xu, D. Shi, and R. F. Fox, Phys. Rev. B 42, 10773 (1990).
- Y. Xu and M. Suenaga, Phys. Rev. B 43, 5516 (1991).
- Y.-N. Xu, M.-Z. Huang, and W. Y. Ching, Phys. Rev. B 44, 13171 (1991).
- X-Q. Xu, S. J. Hagen, W. Jiang, J. L. Peng, Z. Y. Li, and R. Greene, Phys. Rev. B 45, 7356 (1992).
- J. V. Yakhmi and R. M. Iyer, in "High Temperature Superconductors" (S. K. Malik and S. S. Shah, Eds.), Nova Sci., New York, 1992.
- J. V. Yakhmi, "Chemistry and Physics of Fullerenes," in "Atomic and Molecular Physics," (S. A. Ahmad, Ed.) Narosa Publishing, New Delhi, India, 1994.
- K. Yamada, K. Kakurai, Y. Endoh, T. R. Thurston, M. A. Kaster, R. J. Birgeneau, G. Shirane, Y. Hidaka, and T. Murakami, Phys. Rev. B 40, 4557 (1989).
- K. Yamamoto, H. Mazaki, H. Yasuoka, S. Katsuyama, and K. Kosuge, Phys. Rev. 46, 1122 (1992).
- K. Yamamoto, H. Mazaki, and H. Yasuoka, Phys. Rev. B 47, 915 (1993).
- H. Yamasaki, K. Endo, S. Kosaka, M. Umeda, S. Yoshida, and K. Kajimura, Phys. Rev. Lett. 70, 3331 (1993).
- Y. Yan and M. G. Blanchin, Phys. Rev. B 43, 13717 (1991).
- K. N. Yang, J. M. Ferreira, B. W. Lee, M. B. Maple, W.-H. Li, J. W. Lynn, and R. W. Erwin, Phys. Rev. B 40, 10963 (1989).
- C. Y. Yang, A. R. Moodenbaugh, Y. L. Wang, Y. Xu, S. M. Heald, D. O. Welch, D. A. Fischer, and J. E. Penner-Hahn, Phys. Rev. B 42, 2231 (1990).
- I.-S. Yang, G. Burns, F. H. Dacol, and C. C. Tsuei, Phys. Rev. B 42, 4240 (1990).
- S. Yarlagadda and S. Kurihara, Phys. Rev. B 48, 10567 (1993).
- Z. Ye and S. Sachdev, Phys. Rev. B 44, 10173 (1991).
- Z. Ye, H. Umezawa, and R. Teshima, Phys. Rev. B 44, 351 (1991).
- W.-J. Yeh, L. Chen, F. Xu, B. Bi, and P. Yang, Phys. Rev. B 36, 2414 (1987).
- N.-C. Yeh and C. C. Tsuei, Phys. Rev. B 39, 9708 (1989); N.-C. Yeh, Phys. Rev. B 40, 4566 (1989).
- J.-J. Yeh, L. Lindau, J.-Z. Sun, K. Char, M. Missert, A. Kapitulnik, T. H. Geballe, and M. R. Beasley, Phys. Rev. B 42, 8044 (1990).

- N.-C. Yeh, Phys. Rev. B 42, 4850 (1990).
- N.-C. Yeh, Phys. Rev. B 43, 523 (1991).
- J.-J. Yeh, Phys. Rev. B 45, 10816 (1992).
- N.-C. Yeh, W. Jiang, D. S. Reed, A. Gupta, F. Holtzberg, and A. Kussmaul, Phys. Rev. B 45, 5710 (1992b).
- N.-C. Yeh, D. S. Reed, W. Jinag, U. Kriplani, F. Holtzberg, A. Gupta, B. D. Hunt, R. P. Vasquez, M. C. Foote, and L. Bajuk, Phys. Rev. B 45, 5654 (1992a).
- Y. Yeshurun, A. P. Malozemoff, F. Holtzberg, and T. R. Dinger, Phys. Rev. B 38, 11828 (1988).
- S.-K. Yip, O. F. DeA. Bonfim, and P. Kumar, Phys. Rev. B 41, 11214 (1990).
- F. Yndurain and G. Martínez, Phys. Rev. B 43, 3691 (1991).
- M. Yoshimoto, H. Koinuma, T. Hashimoto, J. Tanaka, S. Tanabe, and N. Soga, Physica C 181, 284 (1991).
- M. Yoshimura, H. Shigekawa, H. Nejoh, G. Saito, Y. Saito, and A. Kawazu, Phys. Rev. B 43, 13590 (1991).
- J. Yu, A. J. Freeman, and S. Massidda, in "Novel Superconductivity" (S. A. Wolf and V. Z. Kresin, Eds.), p. 367, Plenum, New York, 1987.
- R. C. Yu, M. J. Naughton, X. Yan, P. M. Chaikin, F. Holtzberg, R. L. Greene, J. Stuart, and P. Davies, Phys. Rev. B 37, 7963 (1988).
- G. Yu, C. H. Lee, A. J. Heegar, N. Herron, and E. M. McCarron, Phys. Rev. Lett. 67, 2581 (1990).
- J. Yu, A. J. Freeman, R. Podloucky, P. Herzig, and P. Weinberger, Phys. Rev. B 43, 532 (1991).
- X.-J. Yu and M. Sayer, Phys. Rev. B 44, 2348 (1991).
- R. C. Yu, J. M. Williams, H. H. Wang, J. E. Thompson, A. M. Kini, K. D. Carlson, J. Ren, M.-H. Whangbo, and P. M. Chaikin, Phys. Rev. B 44, 6932 (1991).
- W. Yu, E. B. Harris, S. E. Hebboul, J. C. Garland, and D. Stroud, Phys. Rev. B 45, 12624 (1992).
- B. D. Yu, H. Kim, and J. Ihm, Phys. Rev. B 45, 8007 (1992).
- G. Yu, C. H. Lee, A. J. Heeger, N. Herron, E. M. McCarron, L. Cong, G. C. Spalding, C. A. Nordman, and A. M. Goldman, Phys. Rev. B 45, 4964 (1992).
- R. C. Yu, M. B. Salamon, J. P. Lu, and W. C. Lee, Phys. Rev. Lett. 69, 1431 (1992).
- J. Yuan, L. M. Brown, W. Y. Liang, R. S. Liu, and P. P. Edwards, Phys. Rev. B 43, 8030 (1991).
- B. J. Yuan and J. P. Whitehead, Phys. Rev. B 44, 6943 (1991).
- K. Yvon and M. François, Z. Phys. B 76, 413 (1989).
- A. A. Zakhidov, A. Ugawa, K. Imaeda, K. Yakushi, H. Inokuchi, K. Kikuchi, I. Ikemoto, S. Suzuki, and Y. Achiba, Solid State Commun. 79, 939 (1991).
- M. Zeh, H.-C. Ri, F. Kober, R. P. Huebener, J. Fischer, R. Gross, H. Müller, T. Sermet, A. V. Ustinov, and H.-G. Wener, Physica C 167, 6 (1990).

- E. Zeldov, N. M. Amer, G. Koren, A. Gupta, R. J. Gambino, and M. W. McElfresh, Phys. Rev. Lett. 62, 3093 (1989).
- H. R. Zeller and I. Giaever, Phys. Rev. 181, 789
- X. C. Zeng, D. Stroud, and J. S. Chung, Phys. Rev. B 43, 3042 (1991).
- R. Zeyher, Phys. Rev. B 44, 10404 (1991).
- F. C. Zhang and T. M. Rice, Phys. Rev. B 37, 3759
- L. Zhang, M. Ma, and F. C. Zhang, Phys. Rev. B 42, 7894 (1990).
- J.-G. Zhang, X.-X. Bi, E. McRae, P. C. Eklund, B. C. Sales, and M. Mostoller, Phys. Rev. B 43, 5389 (1991a).
- Z. Zhang, C.-C. Chen, and C. M. Lieber, Science 254, 1619 (1991).
- H. Zhang, J. W. Lynn and D. E. Morris, Phys. Rev. B 45, 10022 (1992).
- L. Zhang, J. Z. Liu, and R. N. Shelton, Phys. Rev. B 45, 4978 (1992).
- L. Zhang, J. K. Jain, and V. J. Emery, Phys. Rev. B 47, 3368 (1993).
- Z. Zhang and C. M. Lieber, Phys. Rev. B 47, 3423 (1993).
- H. Zhang and H. Sato, Phys. Rev. Lett. 70, 1697 (1993).
- Z. Zhao, L. Chen, Q. Yang, Y. Huang, G. Chen, R. Tang, G. Liu, C. Cui, L. Chen, L. Wang, S. Guo, S. Li, and J. Bi, in "Cooper Oxide Superconductors" (C. P. Poole, Jr., T. Datta, and H. A. Farach, Eds.), p. 274, Wiley, New York, 1987.
- Z. Zhao, F. Behrooze, S. Adenwalla, Y. Guan, J. B. Ketterson, B. K. Sarma, and D. G. Hinks, Phys. Rev. B 43, 13720 (1991).
- B.-R. Zhao, S.-I. Kuroumaru, Y. Horie, E. Yanada, T. Aomine, X.-G. Qiu, Y.-Z. Zhang, Y.-Y. Zhao, P. Xu, L. Li, H. Ohkubo, and S. Mase, Physica C 179, 138 (1991).
- G. L. Zhao and J. Callaway, Phys. Rev. B 49, 6424 (1994).

- C. Zhaojia, Z. Yong, Y. Hongshun, C. Zuyao, Z. Donquin, Q. Yitai, W. Baimei, and Z. Qirui, Solid State Commun. 64, 685 (1987).
- H. Zheng, M. Avignon, and K. H. Bennemann, Phys. Rev. B 49, 9763 (1994).
- X. Zhengping, J. Chunlin, and Z. Lian, J. Supercond. 3, 421 (1990).
- H. Zhou, J. Rammer, P. Schleger, W. N. Hardy, and J. F. Carolan, Phys. Rev. B 43, 7968 (1991).
- P. Zhou, K.-A. Wang, A. M. Rao, P. C. Eklund, G. Dresselhaus, and M. S. Dresselhaus, Phys. Rev. B 45, 10838 (1992).
- J. Zhou and S. G. Chen, Phys. Rev. B 47, 8301 (1993).
- D.-M. Zhu, A. C. Anderson, E. D. Bukowski, and D. M. Ginsberg, Phys. Rev. B 40, 841 (1989).
- D.-M. Zhu, A. C. Anderson, T. A. Friedmann, and D. M. Ginzberg, Phys. Rev. B 41, 6605 (1990).
- S. Zhu, D. K. Christen, C. E. Klabunde, J. R. Thompson, E. C. Jones, R. Feenstra, D. H. Lowndes, and D. P. Norton, Phys. Rev. B 46, 5576 (1992).
- Y. Zhu in "High Temperature Superconducting Materials Science and Engineering," (D. Shi, Ed.), Pergamon, New York, 1994.
- G. T. Zimanyi and K. S. Bedell, Phys. Rev. B 48, 6575 (1993).
- P. Zolliker, D. E. Cox, J. B. Parise, E. M. McCarron III, and W. E. Farneth, Phys. Rev. B 42, 6332 (1990).
- X. Zotos, P. Prelovšek, and I. Sega, Phys. Rev. B 42, 8445 (1990).
- Z. Zou and P. W. Anderson, Phys. Rev. B 37, 627 (1988); (reprinted in Halley, 1988, p. 163).
- V. E. Zubkus, E. E. Tornau, S. Lapinskas, and P. J. Kundrotas, Phys. Rev. B 43, 13112 (1991).
- F. Zuo, M. B. Salamon, T. Datta, K. Ghiron, H. Duan, and A. M. Hermann, Physica C 176, 541 (1991).
- W. Zwerger, Phys. Rev. B 42, 2566 (1990).

Hars excel of su other sever prese table Parai rame ties, Stanc plots lated ature shoul ences are ti

> partic penet tracte phase

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

D BLACK BORDERS
☑ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☑ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☑ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потиев.

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.